

# Morteza Naghavi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1491037/publications.pdf>

Version: 2024-02-01

16  
papers

871  
citations

949033

11  
h-index

1255698

13  
g-index

16  
all docs

16  
docs citations

16  
times ranked

1076  
citing authors

#	ARTICLE	IF	CITATIONS
1	High Frequency of Microvascular Dysfunction in US Outpatient Clinics: A Sign of High Residual Risk? Data from 7,105 Patients. <i>International Journal of Vascular Medicine</i> , 2022, 2022, 1-9.	0.4	0
2	Digital thermal monitoring techniques to assess vascular reactivity following finger and brachial occlusions. <i>Journal of Clinical Hypertension</i> , 2021, 23, 122-127.	1.0	1
3	The association of nadir CD4-T cell count and endothelial dysfunction in a healthy HIV cohort without major cardiovascular risk factors. <i>SAGE Open Medicine</i> , 2020, 8, 205031212092489.	0.7	8
4	New Indices of Endothelial Function Measured by Digital Thermal Monitoring of Vascular Reactivity: Data from 6084 Patients Registry. <i>International Journal of Vascular Medicine</i> , 2016, 2016, 1-8.	0.4	24
5	Use of temperature alterations to characterize vascular reactivity. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 66-72.	0.5	12
6	Reproducibility and variability of digital thermal monitoring of vascular reactivity. <i>Clinical Physiology and Functional Imaging</i> , 2011, 31, 422-428.	0.5	27
7	Digital (Fingertip) Thermal Monitoring of Vascular Function: A Novel, Noninvasive, Nonimaging Test to Improve Traditional Cardiovascular Risk Assessment and Monitoring of Response to Treatments. , 2011, , 247-263.		2
8	Sensitivity of Digital Thermal Monitoring Parameters to Reactive Hyperemia. <i>Journal of Biomechanical Engineering</i> , 2010, 132, 051005.	0.6	17
9	Concomitant insulin resistance and impaired vascular function is associated with increased coronary artery calcification. <i>International Journal of Cardiology</i> , 2010, 144, 163-165.	0.8	11
10	Digital thermal monitoring (DTM) of vascular reactivity closely correlates with doppler flow velocity. , 2009, 2009, 1100-3.		9
11	Vascular Function Measured by Fingertip Thermal Reactivity Is Impaired in Patients With Metabolic Syndrome and Diabetes Mellitus. <i>Journal of Clinical Hypertension</i> , 2009, 11, 678-684.	1.0	14
12	Low fingertip temperature rebound measured by digital thermal monitoring strongly correlates with the presence and extent of coronary artery disease diagnosed by 64-slice multi-detector computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2009, 25, 725-738.	0.7	44
13	Vascular dysfunction measured by fingertip thermal monitoring is associated with the extent of myocardial perfusion defect. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 431-439.	1.4	25
14	Digital thermal monitoring of vascular function: a novel tool to improve cardiovascular risk assessment. <i>Vascular Medicine</i> , 2009, 14, 143-148.	0.8	46
15	Relations between digital thermal monitoring of vascular function, the Framingham risk score, and coronary artery calcium score. <i>Journal of Cardiovascular Computed Tomography</i> , 2008, 2, 382-388.	0.7	37
16	From Vulnerable Plaque to Vulnerable Patient—Part III: Executive Summary of the Screening for Heart Attack Prevention and Education (SHAPE) Task Force Report. <i>American Journal of Cardiology</i> , 2006, 98, 2-15.	0.7	594