

Elizaveta P Simonenko

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1491039/publications.pdf>

Version: 2024-02-01

80
papers

1,323
citations

304368

22
h-index

476904

29
g-index

80
all docs

80
docs citations

80
times ranked

576
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis, Vaporization and Thermodynamic Properties of Superfine Nd ₂ Hf ₂ O ₇ and Gd ₂ Hf ₂ O ₇ . European Journal of Inorganic Chemistry, 2013, 2013, 4636-4644.	1.0	44
2	Gas-sensing properties of nanostructured CeO ₂ -xZrO ₂ thin films obtained by the sol-gel method. Journal of Alloys and Compounds, 2019, 773, 1023-1032.	2.8	40
3	Pen plotter printing of Co ₃ O ₄ thin films: features of the microstructure, optical, electrophysical and gas-sensing properties. Journal of Alloys and Compounds, 2020, 832, 154957.	2.8	38
4	Synthesis of BaCe _{0.9} Zr _x Y _{0.1} O ₃ nanopowders and the study of proton conductors fabricated on their basis by low-temperature spark plasma sintering. International Journal of Hydrogen Energy, 2019, 44, 20345-20354.	3.8	37
5	Pen plotter printing of ITO thin film as a highly CO sensitive component of a resistive gas sensor. Talanta, 2021, 221, 121455.	2.9	37
6	Microstructural, electrophysical and gas-sensing properties of CeO ₂ -Y ₂ O ₃ thin films obtained by the sol-gel process. Ceramics International, 2020, 46, 121-131.	2.3	32
7	Microplotter-Printed On-Chip Combinatorial Library of Ink-Derived Multiple Metal Oxides as an Electronic Olfaction Unit. ACS Applied Materials & Interfaces, 2020, 12, 56135-56150.	4.0	32
8	Production of HfB ₂ -SiC (10-65 vol % SiC) Ultra-High-Temperature Ceramics by Hot Pressing of HfB ₂ -SiO ₂ Composite Powder Synthesized by the Sol-Gel Method. Russian Journal of Inorganic Chemistry, 2018, 63, 1-15.	0.3	31
9	Synthesis, vaporization and thermodynamics of ceramic powders based on the Y ₂ O ₃ -ZrO ₂ -HfO ₂ system. Materials Chemistry and Physics, 2015, 153, 78-87.	2.0	30
10	Oxygen detection using nanostructured TiO ₂ thin films obtained by the molecular layering method. Applied Surface Science, 2019, 463, 197-202.	3.1	30
11	HfB ₂ -SiC (10-20 vol %) ceramic materials: Manufacture and behavior under long-term exposure to dissociated air streams. Russian Journal of Inorganic Chemistry, 2014, 59, 1361-1382.	0.3	29
12	HfB ₂ -SiC (45 vol %) ceramic material: Manufacture and behavior under long-term exposure to dissociated air jet flow. Russian Journal of Inorganic Chemistry, 2014, 59, 1298-1311.	0.3	29
13	Behavior of HfB ₂ -SiC (10, 15, and 20 vol %) ceramic materials in high-enthalpy air flows. Russian Journal of Inorganic Chemistry, 2016, 61, 1203-1218.	0.3	29
14	Preparation of porous SiC-ceramics by sol-gel and spark plasma sintering. Journal of Sol-Gel Science and Technology, 2017, 82, 748-759.	1.1	29
15	Study of the Thermal Behavior of Wedge-Shaped Samples of HfB ₂ -45 vol % SiC Ultra-High-Temperature Composite in a High-Enthalpy Air Flow. Russian Journal of Inorganic Chemistry, 2018, 63, 421-432.	0.3	29
16	Vaporization and thermodynamic properties of lanthanum hafnate. Journal of Alloys and Compounds, 2018, 735, 2348-2355.	2.8	28
17	Impact of a Supersonic Dissociated Air Flow on the Surface of HfB ₂ -30 vol % SiC UHTC Produced by the Sol-Gel Method. Russian Journal of Inorganic Chemistry, 2018, 63, 1484-1493.	0.3	28
18	Spark plasma sintering of nanopowders in the CeO ₂ -Y ₂ O ₃ system as a promising approach to the creation of nanocrystalline intermediate-temperature solid electrolytes. Ceramics International, 2018, 44, 19879-19884.	2.3	28

#	ARTICLE	IF	CITATIONS
19	Ink-jet printing of a TiO ₂ -10%ZrO ₂ thin film for oxygen detection using a solution of metal alkoxoacetylacetonates. <i>Thin Solid Films</i> , 2019, 670, 46-53.	0.8	28
20	Microplotter printing of planar solid electrolytes in the CeO ₂ -Y ₂ O ₃ system. <i>Journal of Colloid and Interface Science</i> , 2021, 588, 209-220.	5.0	28
21	Chemoresistive gas-sensing properties of highly dispersed Nb ₂ O ₅ obtained by programmable precipitation. <i>Journal of Alloys and Compounds</i> , 2021, 868, 159090.	2.8	26
22	Behavior of HfB ₂ -30 vol% SiC UHTC obtained by sol-gel approach in the supersonic airflow. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 92, 386-397.	1.1	25
23	Microextrusion printing of gas-sensitive planar anisotropic NiO nanostructures and their surface modification in an H ₂ S atmosphere. <i>Applied Surface Science</i> , 2022, 578, 151984.	3.1	23
24	Synthesis of Finely Dispersed La ₂ Zr ₂ O ₇ , La ₂ Hf ₂ O ₇ , Gd ₂ Zr ₂ O ₇ and Gd ₂ Hf ₂ O ₇ Oxides. <i>Mendeleev Communications</i> , 2013, 23, 17-18.	0.6	22
25	ZrB ₂ /HfB ₂ -SiC Ceramics Modified by Refractory Carbides: An Overview. <i>Russian Journal of Inorganic Chemistry</i> , 2019, 64, 1697-1725.	0.3	22
26	Chemoresistive gas-sensitive ZnO/Pt nanocomposites films applied by microplotter printing with increased sensitivity to benzene and hydrogen. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 271, 115233.	1.7	22
27	ZrB ₂ /HfB ₂ -SiC Ultra-High-Temperature Ceramic Materials Modified by Carbon Components: The Review. <i>Russian Journal of Inorganic Chemistry</i> , 2018, 63, 1772-1795.	0.3	20
28	Printing Technologies as an Emerging Approach in Gas Sensors: Survey of Literature. <i>Sensors</i> , 2022, 22, 3473.	2.1	20
29	Impact of a Subsonic Dissociated Air Flow on the Surface of HfB ₂ -30 vol % SiC UHTC Produced by the Sol-Gel Method. <i>Russian Journal of Inorganic Chemistry</i> , 2018, 63, 1345-1355.	0.3	18
30	Oxidation of HfB ₂ -SiC-Ta ₄ HfC ₅ ceramic material by a supersonic flow of dissociated air. <i>Journal of the European Ceramic Society</i> , 2021, 41, 1088-1098.	2.8	18
31	Platinum Based Nanoparticles Produced by a Pulsed Spark Discharge as a Promising Material for Gas Sensors. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 526.	1.3	18
32	Gas-sensing properties of nanostructured TiO ₂ -xZrO ₂ thin films obtained by the sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2019, 92, 415-426.	1.1	17
33	Preparation of high-porous SiC ceramics from polymeric composites based on diatomite powder. <i>Journal of Materials Science</i> , 2015, 50, 733-744.	1.7	16
34	The effects of subsonic and supersonic dissociated air flow on the surface of ultra-high-temperature HfB ₂ -30 vol% SiC ceramics obtained using the sol-gel method. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1093-1102.	2.8	16
35	Synthesis of nanocrystalline ZnO by the thermal decomposition of [Zn(H ₂ O)(O ₂ C ₅ H ₇) ₂] in isoamyl alcohol. <i>Russian Journal of Inorganic Chemistry</i> , 2017, 62, 1415-1425.	0.3	15
36	Sol-gel made titanium dioxide nanostructured thin films as gas-sensing materials for the detection of oxygen. <i>Mendeleev Communications</i> , 2018, 28, 164-166.	0.6	15

#	ARTICLE	IF	CITATIONS
37	Nanocrystalline ZnO Obtained by the Thermal Decomposition of $[Zn(H_2O)(O_2C_5H_7)_2]$ in 1-Butanol: Synthesis and Testing as a Sensing Material. Russian Journal of Inorganic Chemistry, 2018, 63, 1519-1528.	0.3	15
38	Gas-sensitive nanostructured ZnO films praseodymium and europium doped: Electrical conductivity, selectivity, influence of UV irradiation and humidity. Applied Surface Science, 2022, 589, 152974.	3.1	15
39	Coordination compounds with the general formula $trans-[M(18-crown-6)(C_5HO_2F_6)_2]$ as structural-thermochemical analogs. The complexes $trans-[Pb(18-crown-6)(C_5HO_2F_6)_2]$ and $trans-[Ba(18-crown-6)(C_5HO_2F_6)_2]$. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2006, 32, 693-700.	0.3	14
40	Reactive Hot Pressing of $HfB_2\text{-SiC-Ta}_4HfC_5$ Ultra-High Temperature Ceramics. Russian Journal of Inorganic Chemistry, 2020, 65, 446-457.	0.3	14
41	Oxidation of graphene-modified $HfB_2\text{-SiC}$ ceramics by supersonic dissociated air flow. Journal of the European Ceramic Society, 2022, 42, 30-42.	2.8	14
42	Study of the synthesis of nanocrystalline mixed tantalum-zirconium carbide. Physics of Atomic Nuclei, 2015, 78, 1357-1365.	0.1	13
43	Preparation of MB_2/SiC and $MB_2/SiC-MC$ ($M = Zr$ or Hf) powder composites which are promising materials for design of ultra-high-temperature ceramics. Russian Journal of Inorganic Chemistry, 2016, 61, 1649-1676.	0.3	13
44	Preparation of HfB_2/SiC composite powders by sol-gel technology. Russian Journal of Inorganic Chemistry, 2016, 61, 1483-1498.	0.3	13
45	Glycol-citrate synthesis of fine-grained oxides $La_{2-x}Gd_xZr_2O_7$ and preparation of corresponding ceramics using FAST/SPS process. Ceramics International, 2018, 44, 7647-7655.	2.3	12
46	Heat-Treatment-Induced Evolution of the Mesostructure of Finely Divided $Y_3Al_5O_{12}$ Produced by the Sol-Gel Method. Russian Journal of Inorganic Chemistry, 2018, 63, 691-699.	0.3	12
47	Sol-gel synthesis of $SiC@Y_3Al_5O_{12}$ composite nanopowder and preparation of porous SiC -ceramics derived from it. Materials Chemistry and Physics, 2019, 235, 121734.	2.0	12
48	A sol-gel synthesis and gas-sensing properties of finely dispersed $ZrTiO_4$. Materials Chemistry and Physics, 2019, 225, 347-357.	2.0	12
49	Oxidation of Porous $HfB_2\text{-SiC}$ Ultra-High-Temperature Ceramic Materials Rich in Silicon Carbide (65) Tj ETQq1 1 0.784314 rgBT /Ov	0.3	12
50	The lead(II) complexes with 18-Crown-6, 1,1,1,5,5,5-hexafluoropentane-2,4-dionate and 1,1,1-trifluoropentane-2,4-dionate anions: Synthesis, structure, and thermochemical properties. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2008, 34, 157-166.	0.3	11
51	Synthesis, structure and thermochemical behavior of bis-(1,1,1,5,5,5-hexafluoro-2,4-pentanedionato)-(1,4,7,10,13,16-hexaoxa-cyclooctadecane)-strontium in comparison with its structural and thermochemical analogous. Inorganica Chimica Acta, 2009, 362, 5133-5138.	1.2	11
52	Tin Acetylacetonate as a Precursor for Producing Gas-Sensing SnO_2 Thin Films. Russian Journal of Inorganic Chemistry, 2018, 63, 851-860.	0.3	11
53	Production of porous ceramic materials using nanodisperse SiC powder. Russian Journal of Inorganic Chemistry, 2017, 62, 863-869.	0.3	10
54	Microstructure and local electrophysical properties of sol-gel derived $(In_2O_3\text{-}10\%SnO_2)/V_2O_5$ films. Colloids and Interface Science Communications, 2021, 43, 100452.	2.0	10

#	ARTICLE	IF	CITATIONS
55	Modification of HfB ₂ -30% SiC UHTC with Graphene (1 vol %) and Its Influence on the Behavior in a Supersonic Air Jet. Russian Journal of Inorganic Chemistry, 2021, 66, 1405-1415.	0.3	10
56	Vaporization of Molecular Strontium and Barium β -Diketonates [Sr(15C5)(C ₅ O ₂ F ₆ H) ₂] and [Ba(18C6)(C ₅ O ₂ F ₆ H) ₂]. Structure-Thermochemical Approach. Russian Journal of Coordination Chemistry/Koordinatsionnaya Khimiya, 2004, 30, 755-758.	0.3	9
57	Sol-gel Synthesis of Functionally Graded SiC-TiC Ceramic Material. Russian Journal of Inorganic Chemistry, 2019, 64, 1456-1463.	0.3	9
58	Sol-gel Synthesis of Highly Dispersed Tantalum Hafnium Carbide Ta ₄ HfC ₅ . Russian Journal of Inorganic Chemistry, 2019, 64, 1317-1324.	0.3	9
59	Behavior of Ultra-High Temperature Ceramic Material HfB ₂ -SiC-Y ₃ Al ₅ O ₁₂ under the Influence of Supersonic Dissociated Air Flow. Russian Journal of Inorganic Chemistry, 2020, 65, 1596-1605.	0.3	9
60	Quantum of selectivity testing: detection of isomers and close homologs using an AZO based e-nose without <i>a priori</i> training. Journal of Materials Chemistry A, 2022, 10, 8413-8423.	5.2	9
61	Hydrothermally synthesized hierarchical Ce _{1-x} Sm _x O _{2-δ} oxides for additive manufacturing of planar solid electrolytes. Ceramics International, 2022, 48, 22401-22410.	2.3	9
62	How xerogel carbonization conditions affect the reactivity of highly disperse SiO ₂ -C composites in the sol-gel synthesis of nanocrystalline silicon carbide. Russian Journal of Inorganic Chemistry, 2016, 61, 1347-1360.	0.3	8
63	Oxidation of Ultra-High Temperature HfB ₂ -SiC Ceramic Materials in Humid Air Flow. Russian Journal of Inorganic Chemistry, 2019, 64, 1849-1853.	0.3	8
64	Microstructure, phase composition, and gas-sensing properties of nanostructured ZrO ₂ -xY ₂ O ₃ thin films and powders obtained by the sol-gel method. Ionics, 2019, 25, 1259-1270.	1.2	8
65	Tin(II) Hexafluoroacetylacetonate as a Precursor in Atmospheric Pressure Chemical Vapour Deposition: Synthesis, Structure and Properties. Mendeleev Communications, 2012, 22, 239-241.	0.6	7
66	Synthesis, vaporization and thermodynamic properties of superfine yttrium aluminum garnet. Journal of Alloys and Compounds, 2018, 764, 397-405.	2.8	7
67	Finely dispersed refractory compounds for high-temperature ceramic matrix composite applications. Russian Journal of General Chemistry, 2010, 80, 658-665.	0.3	6
68	Thermodynamic properties of lanthanum, neodymium, gadolinium hafnates (Ln ₂ Hf ₂ O ₇): Calorimetric and KEMS studies. Journal of Materials Research, 2019, 34, 3326-3336.	1.2	6
69	Effect of the Surface Relief of HfB ₂ -SiC Ceramic Materials on Their High-Temperature Oxidation. Russian Journal of Inorganic Chemistry, 2019, 64, 1681-1686.	0.3	6
70	Production and Oxidation Resistance of HfB ₂ -30 vol % SiC Composite Powders Modified with Y ₃ Al ₅ O ₁₂ . Russian Journal of Inorganic Chemistry, 2020, 65, 1416-1423.	0.3	4
71	Dependence of the Reactivity of the Finely Divided System Ta ₂ O ₅ -HfO ₂ -C on the Xerogel Carbonization Temperature. Russian Journal of Inorganic Chemistry, 2021, 66, 747-754.	0.3	4
72	Hydrothermal Synthesis of Ag Thin Films and Their SERS Application. Nanomaterials, 2022, 12, 136.	1.9	4

#	ARTICLE	IF	CITATIONS
73	Polymer Technology of Porous SiC Ceramics Using Milled SiO ₂ Fibers. Russian Journal of Inorganic Chemistry, 2018, 63, 574-582.	0.3	3
74	High-temperature mass spectrometric study of vaporization and thermodynamics of the Cs ₂ O-B ₂ O ₃ system: Review and experimental investigation. Rapid Communications in Mass Spectrometry, 2021, 35, e9079.	0.7	3
75	Vaporization and thermodynamics of the Cs ₂ O-MoO ₃ system studied using high-temperature mass spectrometry. Rapid Communications in Mass Spectrometry, 2021, 35, e9097.	0.7	3
76	A study of "The Portrait of F.P. Makerovsky in a Masquerade Costume" by Dmitry Levitsky from the collection of the State Tretyakov Gallery. Heritage Science, 2020, 8, .	1.0	3
77	Influence of Carbon Deficiency and Hafnium Oxide Doping on Reactive Spark Plasma Sintering of the Ta ₂ O ₅ -C System. Russian Journal of Inorganic Chemistry, 2021, 66, 1887-1894.	0.3	3
78	Samarium zirconate: Thermodynamics and vaporization at high temperatures. Materials Today Communications, 2021, 27, 102200.	0.9	2
79	PZT 50/50 nanocrystalline powders with tetragonal structure prepared via gel combustion route: Effect of heat treatment on phase and chemical compositions. Ceramics International, 2021, 47, 16232-16239.	2.3	1
80	Theoretical Consideration of Gas Phase Hydrolytic Stability of Crown Ether Based CVD-Precursors of Metal Oxides Thin Films. Macroheterocycles, 2015, 8, 185-192.	0.9	0