

Craig R Brooks

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1491600/publications.pdf>

Version: 2024-02-01

25
papers

3,738
citations

516710

16
h-index

642732

23
g-index

25
all docs

25
docs citations

25
times ranked

5660
citing authors

#	ARTICLE	IF	CITATIONS
1	Human reconstructed kidney models. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2021, 57, 133-147.	1.5	5
2	KIM-1 mediates fatty acid uptake by renal tubular cells to promote progressive diabetic kidney disease. <i>Cell Metabolism</i> , 2021, 33, 1042-1061.e7.	16.2	103
3	Dysbiosis-Related Advanced Glycation Endproducts and Trimethylamine N-Oxide in Chronic Kidney Disease. <i>Toxins</i> , 2021, 13, 361.	3.4	16
4	Dual disruption of eNOS and ApoE gene accelerates kidney fibrosis and senescence after injury. <i>Biochemical and Biophysical Research Communications</i> , 2021, 556, 142-148.	2.1	8
5	Quantitative Super-Resolution Microscopy Reveals Promoting Mitochondrial Interconnectivity Protects against AKI. <i>Kidney360</i> , 2021, 2, 1892-1907.	2.1	6
6	Identification of the Source of Secreted Proteins in the Kidney by Brefeldin A Injection. <i>Journal of Visualized Experiments</i> , 2021, , .	0.3	1
7	Quantifying autophagic flux in kidney tissue using structured illumination microscopy. <i>Methods in Cell Biology</i> , 2019, 153, 231-253.	1.1	0
8	Cyclin G1 and TASC2 regulate kidney epithelial cell G ₂ -M arrest and fibrotic maladaptive repair. <i>Science Translational Medicine</i> , 2019, 11, .	12.4	103
9	Uremic Toxinâ€œTargeting as a Therapeutic Strategy for Preventing Cardiorenal Syndrome. <i>Circulation Journal</i> , 2019, 84, 2-8.	1.6	17
10	TFEB-driven lysosomal biogenesis is pivotal for PGC1 α -dependent renal stress resistance. <i>JCI Insight</i> , 2019, 4, .	5.0	40
11	Proximal tubule ATR regulates DNA repair to prevent maladaptive renal injury responses. <i>Journal of Clinical Investigation</i> , 2019, 129, 4797-4816.	8.2	73
12	RAGE-aptamer attenuates deoxycorticosterone acetate/salt-induced renal injury in mice. <i>Scientific Reports</i> , 2018, 8, 2686.	3.3	24
13	Meclizine Preconditioning Protects the Kidney Against Ischemiaâ€œReperfusion Injury. <i>EBioMedicine</i> , 2015, 2, 1090-1101.	6.1	32
14	<sc>KIM</sc>-1â€œmediated phagocytosis links <sc>ATG</sc>5â€œdependent clearance of apoptotic cells to antigen presentation. <i>EMBO Journal</i> , 2015, 34, 2441-2464.	7.8	76
15	Tim-1 Is Essential for Induction and Maintenance of IL-10 in Regulatory B Cells and Their Regulation of Tissue Inflammation. <i>Journal of Immunology</i> , 2015, 194, 1602-1608.	0.8	111
16	Modelling kidney disease with CRISPR-mutant kidney organoids derived from human pluripotent epiblast spheroids. <i>Nature Communications</i> , 2015, 6, 8715.	12.8	571
17	KIM-1/TIM-1 in proximal tubular cell immune response. <i>Oncotarget</i> , 2015, 6, 44059-44060.	1.8	16
18	Mitochondrial dynamics: regulatory mechanisms and emerging role in renal pathophysiology. <i>Kidney International</i> , 2013, 83, 568-581.	5.2	298

#	ARTICLE	IF	CITATIONS
19	Fragmented mitochondria are sensitized to Bax insertion and activation during apoptosis. American Journal of Physiology - Cell Physiology, 2011, 300, C447-C455.	4.6	131
20	Epithelial cell cycle arrest in G2/M mediates kidney fibrosis after injury. Nature Medicine, 2010, 16, 535-543.	30.7	1,049
21	Regulation of mitochondrial dynamics in acute kidney injury in cell culture and rodent models. Journal of Clinical Investigation, 2009, 119, 1275-1285.	8.2	631
22	Characterization of cell clones isolated from hypoxia-selected renal proximal tubular cells. American Journal of Physiology - Renal Physiology, 2007, 292, F243-F252.	2.7	10
23	Regulation of Mitochondrial Morphological Dynamics During Apoptosis by Bcl-2 family proteins: A Key in Bak?. Cell Cycle, 2007, 6, 3043-3047.	2.6	83
24	Bak regulates mitochondrial morphology and pathology during apoptosis by interacting with mitofusins. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 11649-11654.	7.1	307
25	Acidic pH inhibits ATP depletion-induced tubular cell apoptosis by blocking caspase-9 activation in apoptosome. American Journal of Physiology - Renal Physiology, 2005, 289, F410-F419.	2.7	27