

Patrick C Baer

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1491612/patrick-c-baer-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

2,112
citations

23
h-index

45
g-index

64
ext. papers

2,402
ext. citations

4.9
avg, IF

5.25
L-index

#	Paper	IF	Citations
57	Artesunate Inhibits the Growth Behavior of Docetaxel-Resistant Prostate Cancer Cells.. <i>Frontiers in Oncology</i> , 2022 , 12, 789284	5.3	1
56	Characterization of Extracellular Vesicles from Preconditioned Human Adipose-Derived Stromal/Stem Cells. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
55	Survival and Functional Immune Reconstitution After Haploidentical Stem Cell Transplantation in -Deficient Mice. <i>Frontiers in Immunology</i> , 2021 , 12, 693897	8.4	
54	Human Mesenchymal Stromal Cells Are Resistant to SARS-CoV-2 Infection under Steady-State, Inflammatory Conditions and in the Presence of SARS-CoV-2-Infected Cells. <i>Stem Cell Reports</i> , 2021 , 16, 419-427	8	23
53	Macrophage-secreted Lipocalin-2 Promotes Regeneration of Injured Primary Murine Renal Tubular Epithelial Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
52	The Disturbed Iron Phenotype of Tumor Cells and Macrophages in Renal Cell Carcinoma Influences Tumor Growth. <i>Cancers</i> , 2020 , 12,	6.6	13
51	Tracking of Infused Mesenchymal Stem Cells in Injured Pulmonary Tissue in -Deficient Mice. <i>Cells</i> , 2020 , 9,	7.9	4
50	No Cytotoxic and Inflammatory Effects of Empagliflozin and Dapagliflozin on Primary Renal Proximal Tubular Epithelial Cells under Diabetic Conditions In Vitro. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
49	The iron load of lipocalin-2 (LCN-2) defines its pro-tumour function in clear-cell renal cell carcinoma. <i>British Journal of Cancer</i> , 2020 , 122, 421-433	8.7	18
48	Isolation, Characterization, Differentiation and Immunomodulatory Capacity of Mesenchymal Stromal/Stem Cells from Human Perirenal Adipose Tissue. <i>Cells</i> , 2019 , 8,	7.9	17
47	Extracellular Vesicles Derived from Mesenchymal Stem/Stromal Cells: Current Approaches to Enhance Their Release and Therapeutic Potential 2019 , 101-111		
46	The Thrombopoietin Receptor Agonist Eltrombopag Inhibits Human Cytomegalovirus Replication Via Iron Chelation. <i>Cells</i> , 2019 , 9,	7.9	10
45	Hematopoietic Stem Cell Transplantation Restores Naïve T-Cell Populations in -Deficient Mice and in Preemptively Treated Patients With Ataxia-Telangiectasia. <i>Frontiers in Immunology</i> , 2019 , 10, 2785	8.4	8
44	Lectin Affinity Plasmapheresis for Middle East Respiratory Syndrome-Coronavirus and Marburg Virus Glycoprotein Elimination. <i>Blood Purification</i> , 2018 , 46, 126-133	3.1	19
43	Systemic TLR2 Antibody Application in Renal Ischaemia and Reperfusion Injury Decreases AKT Phosphorylation and Increases Apoptosis in the Mouse Kidney. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018 , 122, 223-232	3.1	5
42	The Fibrin Cleavage Product B β Channels Endothelial and Tubular Regeneration in the Post-acute Course During Murine Renal Ischemia Reperfusion Injury. <i>Frontiers in Pharmacology</i> , 2018 , 9, 369	5.6	1
41	Effect of Different Preconditioning Regimens on the Expression Profile of Murine Adipose-Derived Stromal/Stem Cells. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	7

40	Oxidative stress-driven pulmonary inflammation and fibrosis in a mouse model of human ataxia-telangiectasia. <i>Redox Biology</i> , 2018 , 14, 645-655	11.3	38
39	FP217MARBURG VIRUS & ACUTE KIDNEY INJURY. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i104-i1043	4.3	1
38	Tracking of Adipose-Derived Mesenchymal Stromal/Stem Cells in a Model of Cisplatin-Induced Acute Kidney Injury: Comparison of Bioluminescence Imaging versus qRT-PCR. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	11
37	Mesenchymal Stem/Stromal Cells in Regenerative Medicine: Can Preconditioning Strategies Improve Therapeutic Efficacy?. <i>Transfusion Medicine and Hemotherapy</i> , 2016 , 43, 256-267	4.2	75
36	Short-term preconditioning enhances the therapeutic potential of adipose-derived stromal/stem cell-conditioned medium in cisplatin-induced acute kidney injury. <i>Experimental Cell Research</i> , 2016 , 342, 175-83	4.2	29
35	Preconditioning of Human Adipose-derived Stromal/Stem Cells: Evaluation of Short-term Preincubation Regimens to Enhance their Regenerative Potential. <i>Journal of Stem Cell Research & Therapy</i> , 2016 , 06,	1	1
34	The early activation of toll-like receptor (TLR)-3 initiates kidney injury after ischemia and reperfusion. <i>PLoS ONE</i> , 2014 , 9, e94366	3.7	24
33	Adipose-derived Stromal/Stem Cells and Their Differentiation Potential into the Endothelial Lineage 2014 , 53-70		
32	Adipose-derived mesenchymal stromal/stem cells: An update on their phenotype in vivo and in vitro. <i>World Journal of Stem Cells</i> , 2014 , 6, 256-65	5.6	117
31	New insights into epithelial differentiation of human adipose-derived stem cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2013 , 7, 271-8	4.4	21
30	Comprehensive phenotypic characterization of human adipose-derived stromal/stem cells and their subsets by a high throughput technology. <i>Stem Cells and Development</i> , 2013 , 22, 330-9	4.4	76
29	During epithelial differentiation of human adipose-derived stromal/stem cells, expression of zonula occludens protein-1 is induced by a combination of retinoic acid, activin-A and bone morphogenetic protein-7. <i>Cytotherapy</i> , 2012 , 14, 61-9	4.8	12
28	Epithelial cells in culture: injured or differentiated cells?. <i>Cell Biology International</i> , 2012 , 36, 771-7	4.5	10
27	Adipose-derived mesenchymal stromal/stem cells: tissue localization, characterization, and heterogeneity. <i>Stem Cells International</i> , 2012 , 2012, 812693	5	302
26	Adipose-derived stem cells and their potential to differentiate into the epithelial lineage. <i>Stem Cells and Development</i> , 2011 , 20, 1805-16	4.4	65
25	Epithelial differentiation of human adipose-derived stem cells. <i>Methods in Molecular Biology</i> , 2011 , 702, 289-98	1.4	21
24	Respiration rate in human primary renal proximal and early distal tubular cells in vitro: considerations for biohybrid renal devices. <i>Biotechnology Progress</i> , 2011 , 27, 262-8	2.8	7
23	Reactive oxygen species abrogate the anticarcinogenic effect of eicosapentaenoic acid in Atm-deficient mice. <i>Nutrition and Cancer</i> , 2010 , 62, 584-92	2.8	3

22	Human adipose-derived mesenchymal stem cells in vitro: evaluation of an optimal expansion medium preserving stemness. <i>Cytotherapy</i> , 2010 , 12, 96-106	4.8	72
21	A simple modification of the separation method reduces heterogeneity of adipose-derived stem cells. <i>Cells Tissues Organs</i> , 2010 , 192, 106-15	2.1	40
20	Sputum biomarker profiles in cystic fibrosis (CF) and chronic obstructive pulmonary disease (COPD) and association between pulmonary function. <i>Cytokine</i> , 2010 , 50, 152-7	4	86
19	Mesenchymal stem cell interactions with growth factors on kidney repair. <i>Current Opinion in Nephrology and Hypertension</i> , 2010 , 19, 1-6	3.5	28
18	Simultaneous detection of ERK-, p38-, and JNK-MAPK phosphorylation in human adipose-derived stem cells using the Cytometric Bead Array technology. <i>Journal of Immunological Methods</i> , 2009 , 350, 200-4	2.5	16
17	Expression of a functional epidermal growth factor receptor on human adipose-derived mesenchymal stem cells and its signaling mechanism. <i>European Journal of Cell Biology</i> , 2009 , 88, 273-83	6.1	34
16	Conditioned medium from renal tubular epithelial cells initiates differentiation of human mesenchymal stem cells. <i>Cell Proliferation</i> , 2009 , 42, 29-37	7.9	54
15	Human renal cells from the thick ascending limb and early distal tubule: characterization of primary isolated and cultured cells by reverse transcription polymerase chain reaction. <i>Nephrology</i> , 2008 , 13, 316-21	2.2	14
14	Characterization of CXCL16 and ADAM10 in the normal and transplanted kidney. <i>Kidney International</i> , 2008 , 74, 328-38	9.9	39
13	Different effects of growth factors on human renal early distal tubular cells in vitro. <i>Kidney and Blood Pressure Research</i> , 2006 , 29, 225-30	3.1	8
12	Differentiation status of human renal proximal and distal tubular epithelial cells in vitro: Differential expression of characteristic markers. <i>Cells Tissues Organs</i> , 2006 , 184, 16-22	2.1	37
11	Altered expression of beta1 integrins in renal carcinoma cell lines exposed to the differentiation inducer valproic acid. <i>International Journal of Molecular Medicine</i> , 2006 , 18, 347-54	4.4	12
10	CC-chemokine RANTES is increased in serum and urine in the early post-transplantation period of human renal allograft recipients. <i>Kidney and Blood Pressure Research</i> , 2005 , 28, 48-54	3.1	10
9	Caspofungin is less nephrotoxic than amphotericin B in vitro and predominantly damages distal renal tubular cells. <i>Nephrology Dialysis Transplantation</i> , 2005 , 20, 2071-9	4.3	12
8	Ribavirin and interferon-beta synergistically inhibit SARS-associated coronavirus replication in animal and human cell lines. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 326, 905-8	3.4	176
7	Epithelial differentiation of human adipose tissue-derived adult stem cells. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 330, 142-50	3.4	226
6	Effects of mycophenolic acid on IL-6 expression of human renal proximal and distal tubular cells in vitro. <i>Nephrology Dialysis Transplantation</i> , 2004 , 19, 47-52	4.3	101
5	Bactericidal activity of renal tubular cells: the putative role of human beta-defensins. <i>Nephron Experimental Nephrology</i> , 2002 , 10, 332-7		31

4	Effects of mycophenolic acid on human renal proximal and distal tubular cells in vitro. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 184-90	4.3	27
3	Induction of RANTES, HLA-DR, and intercellular adhesion molecule-1 on highly purified distal tubular cells from human kidney. <i>Transplantation</i> , 2000 , 69, 2456-9	1.8	23
2	Transdifferentiation of distal but not proximal tubular epithelial cells from human kidney in culture. <i>Nephron Experimental Nephrology</i> , 1999 , 7, 306-13		26
1	Isolation of proximal and distal tubule cells from human kidney by immunomagnetic separation. Technical note. <i>Kidney International</i> , 1997 , 52, 1321-31	9.9	82