

Vicki Flenady

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1492332/publications.pdf>

Version: 2024-02-01

198
papers

10,274
citations

71004

43
h-index

51423

90
g-index

221
all docs

221
docs citations

221
times ranked

8170
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of neonatal "near miss" audits in reducing perinatal morbidity and mortality: a systematic review protocol. <i>JBIC Evidence Synthesis</i> , 2022, 20, 847-853.	0.6	3
2	My Baby's Movements: a stepped-wedge cluster-randomised controlled trial of a fetal movement awareness intervention to reduce stillbirths. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 29-41.	1.1	15
3	Maternal asthma during pregnancy and extremes of body mass index increase the risk of perinatal mortality: a retrospective cohort study. <i>Journal of Asthma</i> , 2022, 59, 2108-2116.	0.9	8
4	Inequitable use of health services for Indigenous mothers who experience stillbirth in Australia. <i>Birth</i> , 2022, 49, 194-201.	1.1	1
5	Protocol for the development of a core outcome set for stillbirth care research (iCHOOSE Study). <i>BMJ Open</i> , 2022, 12, e056629.	0.8	5
6	Perinatal bereavement care during COVID-19 in Australian maternity settings. <i>Journal of Perinatal Medicine</i> , 2022, 50, 822-831.	0.6	5
7	Neonatal near miss: A review of current definitions and the need for standardisation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2022, 62, 358-363.	0.4	6
8	Causes of perinatal deaths in Australia: Slow progress in the preterm period. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2022, , .	0.4	3
9	Is care of stillborn babies and their parents respectful? Results from an international online survey. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1731-1739.	1.1	8
10	Response to Letter to the Editor "Adverse perinatal outcomes in the Australian Indigenous population, the role of asthma". <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2022, 62, E4-E5.	0.4	0
11	Living with Loss: study protocol for a randomized controlled trial evaluating an internet-based perinatal bereavement program for parents following stillbirth and neonatal death. <i>Trials</i> , 2022, 23, .	0.7	0
12	Systematic review: fetal death reporting and risk in Zika-affected pregnancies. <i>Tropical Medicine and International Health</i> , 2021, 26, 133-145.	1.0	8
13	Parent engagement in perinatal mortality reviews: an online survey of clinicians from six high-income countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 696-703.	1.1	6
14	Parents' experiences of care offered after stillbirth: An international online survey of high and middle-income countries. <i>Birth</i> , 2021, 48, 366-374.	1.1	18
15	Developing a core outcome set in interventions to prevent stillbirth: A systematic review on variations of outcome reporting. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 259, 196-206.	0.5	3
16	Evaluation of Movements Matter: A social media and hospital-based campaign aimed at raising awareness of decreased fetal movements. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 846-854.	0.4	3
17	Evaluation of Pregnancy Outcomes Among Women With Decreased Fetal Movements. <i>JAMA Network Open</i> , 2021, 4, e215071.	2.8	14
18	Prospective cohort study: Causes of stillbirth in Australia 2013-2018. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021, 61, 667-674.	0.4	9

#	ARTICLE	IF	CITATIONS
19	Making every birth count: Outcomes of a perinatal mortality audit program. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 540-547.	0.4	9
20	Systematic review of ambient temperature exposure during pregnancy and stillbirth: Methods and evidence. Environmental Research, 2021, 197, 111037.	3.7	24
21	Evaluation of an online education module designed to reduce stillbirth. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 675-683.	0.4	2
22	Development of a core outcome set for interventions to prevent stillbirth. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, 61, 658-666.	0.4	3
23	Interventions relating to fetal movements for improving pregnancy outcomes. The Cochrane Library, 2021, 2021, .	1.5	1
24	Understanding staff views and experiences of a clinical practice change to reduce stillbirth in South Asian women: A cross-sectional survey. Women and Birth, 2021, 34, e390-e395.	0.9	3
25	Neonatal death is a major concern for Indigenous women with asthma during pregnancy and could be prevented with better models of care. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2021, , .	0.4	5
26	Healthcare costs of investigations for stillbirth from a population-based study in Australia. Australian Health Review, 2021, , .	0.5	4
27	Clinical practice guidelines for perinatal bereavement care " An overview. Women and Birth, 2020, 33, 107-110.	0.9	40
28	Induction of labour using prostaglandin E ₂ as an inpatient versus balloon catheter as an outpatient: a multicentre randomised controlled trial. BJOG: an International Journal of Obstetrics and Gynaecology, 2020, 127, 571-579.	1.1	25
29	Stillbirth in Australia 5: Making respectful care after stillbirth a reality: The quest for parent-centred care. Women and Birth, 2020, 33, 531-536.	0.9	5
30	Stillbirth in Australia 6: The future of stillbirth research and education. Women and Birth, 2020, 33, 537-539.	0.9	1
31	Stillbirth in Australia 1: The road to now: Two decades of stillbirth research and advocacy in Australia. Women and Birth, 2020, 33, 506-513.	0.9	17
32	Stillbirth in Australia 2: Working together to reduce stillbirth in Australia: The Safer Baby Bundle initiative. Women and Birth, 2020, 33, 514-519.	0.9	17
33	Consistent evidenced based information for women about fetal movements is important. Women and Birth, 2020, 33, e576.	0.9	0
34	Implementation and evaluation of a quality improvement initiative to reduce late gestation stillbirths in Australia: Safer Baby Bundle study protocol. BMC Pregnancy and Childbirth, 2020, 20, 694.	0.9	11
35	Making real progress with stillbirth prevention. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2020, 60, 495-497.	0.4	4
36	Stillbirth in Lao PDR: a healthcare provider perspective. Global Health Action, 2020, 13, 1786975.	0.7	4

#	ARTICLE	IF	CITATIONS
37	Antenatal interventions for preventing stillbirth, fetal loss and perinatal death: an overview of Cochrane systematic reviews. The Cochrane Library, 2020, 2020, CD009599.	1.5	29
38	Trends in neonatal resuscitation patterns in Queensland, Australia – A 10-year retrospective cohort study. Resuscitation, 2020, 157, 126-132.	1.3	6
39	Stillbirth in Australia 4: Breaking the Silence: Amplifying Public Awareness of Stillbirth in Australia. Women and Birth, 2020, 33, 526-530.	0.9	11
40	Risk factor assessment for fetal growth restriction, are we providing best care?. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2020, 60, 470-473.	0.4	4
41	What are the costs of stillbirth? Capturing the direct health care and macroeconomic costs in Australia. Birth, 2020, 47, 183-190.	1.1	15
42	Safety and efficacy of sildenafil citrate to reduce operative birth for intrapartum fetal compromise at term: a phase 2 randomized controlled trial. American Journal of Obstetrics and Gynecology, 2020, 222, 401-414.	0.7	25
43	The RESPECT Study for consensus on global bereavement care after stillbirth. International Journal of Gynecology and Obstetrics, 2020, 149, 137-147.	1.0	34
44	Protocol for the development and validation of a risk prediction model for stillbirths from 35 weeks gestation in Australia. Diagnostic and Prognostic Research, 2020, 4, 21.	0.8	3
45	Mobile applications providing guidance about decreased fetal movement: Review and content analysis. Women and Birth, 2019, 32, e289-e296.	0.9	26
46	Parents' and healthcare professionals' experiences of care after stillbirth in low- and middle-income countries: a systematic review and meta-summary. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 12-21.	1.1	47
47	Decreased fetal movements (DFM) – finding the balance. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, E14.	0.4	0
48	Interventions in Pregnancy to Reduce Risk of Stillbirth. , 2019, , 48-60.		0
49	Research priorities and potential methodologies to inform care in subsequent pregnancies following stillbirth: a web-based survey of healthcare professionals, researchers and advocates. BMJ Open, 2019, 9, e028735.	0.8	12
50	Cross-validated prediction model for severe adverse neonatal outcomes in a term, non-anomalous, singleton cohort. BMJ Paediatrics Open, 2019, 3, e000424.	0.6	9
51	My Baby's Movements: a stepped wedge cluster randomised controlled trial to raise maternal awareness of fetal movements during pregnancy study protocol. BMC Pregnancy and Childbirth, 2019, 19, 430.	0.9	15
52	Early-onset group B streptococcal disease in a risk factor-based prevention setting: A 15-year population-based study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2019, 59, 422-429.	0.4	8
53	Beyond the headlines: Fetal movement awareness is an important stillbirth prevention strategy. Women and Birth, 2019, 32, 1-2.	0.9	19
54	Care of pregnant women with decreased fetal movements: Update of a clinical practice guideline for Australia and New Zealand. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2018, 58, 463-468.	0.4	30

#	ARTICLE	IF	CITATIONS
55	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 212-224.	1.1	119
56	Interventions for investigating and identifying the causes of stillbirth. The Cochrane Library, 2018, 2018, CD012504.	1.5	18
57	Understanding mothers' decision-making needs for autopsy consent after stillbirth: Framework analysis of a large survey. Birth, 2018, 45, 255-262.	1.1	8
58	Care in subsequent pregnancies following stillbirth: an international survey of parents. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 193-201.	1.1	44
59	Stillbirth prevention: the challenges of public campaigns. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 253-253.	1.1	1
60	Perinatal mortality disparities between public care and private obstetrician-led care: a propensity score analysis. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 149-158.	1.1	17
61	Stillbirth: understand, standardise, educate – time to end preventable harm. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 99-99.	1.1	3
62	Ending preventable stillbirths: midwives role. Women and Birth, 2018, 31, S39.	0.9	0
63	Care prior to and during subsequent pregnancies following stillbirth for improving outcomes. The Cochrane Library, 2018, 2018, CD012203.	1.5	18
64	Improving, but could do better: Trends in gestation-specific stillbirth in Australia, 1994-2015. Paediatric and Perinatal Epidemiology, 2018, 32, 487-494.	0.8	14
65	Bringing stillbirths out of the shadows in Latin America. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 1271-1271.	1.1	3
66	The Effect of Mobile App Interventions on Influencing Healthy Maternal Behavior and Improving Perinatal Health Outcomes: Systematic Review. JMIR MHealth and UHealth, 2018, 6, e10012.	1.8	63
67	Sildenafil in Pregnancy: A Systematic Review of Maternal Tolerance and Obstetric and Perinatal Outcomes. Fetal Diagnosis and Therapy, 2017, 41, 81-88.	0.6	48
68	Measuring women's experience of induction of labor using prostaglandin vaginal gel. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 210, 189-195.	0.5	12
69	Classification of causes and associated conditions for stillbirths and neonatal deaths. Seminars in Fetal and Neonatal Medicine, 2017, 22, 176-185.	1.1	46
70	How have the lives of pregnant women changed in the last 30 years?. Women and Birth, 2017, 30, 342-349.	0.9	6
71	Predictors of autopsy following stillbirth in Queensland, Australia: A population-based study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 33-39.	0.4	6
72	The effect of mobile application interventions on influencing healthy maternal behaviour and improving perinatal health outcomes: a systematic review protocol. Systematic Reviews, 2017, 6, 26.	2.5	22

#	ARTICLE	IF	CITATIONS
73	Predictors of mode of birth and duration of labour following induction using prostaglandin vaginal gel. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2017, 57, 168-175.	0.4	6
74	Planned early birth versus expectant management (waiting) for prelabour rupture of membranes at term (37 weeks or more). The Cochrane Library, 2017, 2017, CD005302.	1.5	85
75	Vaginal progesterone pessaries for pregnant women with a previous preterm birth to prevent neonatal respiratory distress syndrome (the PROGRESS Study): A multicentre, randomised, placebo-controlled trial. PLoS Medicine, 2017, 14, e1002390.	3.9	55
76	Gestational age specific stillbirth risk among Indigenous and non-Indigenous women in Queensland, Australia: a population based study. BMC Pregnancy and Childbirth, 2016, 16, 159.	0.9	18
77	Characteristics of a global classification system for perinatal deaths: a Delphi consensus study. BMC Pregnancy and Childbirth, 2016, 16, 223.	0.9	21
78	eRegistries: indicators for the WHO Essential Interventions for reproductive, maternal, newborn and child health. BMC Pregnancy and Childbirth, 2016, 16, 293.	0.9	24
79	Seeking order amidst chaos: a systematic review of classification systems for causes of stillbirth and neonatal death, 2009–2014. BMC Pregnancy and Childbirth, 2016, 16, 295.	0.9	47
80	Interventions to enhance maternal awareness of decreased fetal movement: a systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 2016, 123, 886-898.	1.1	35
81	Impact of mode of delivery after 32 weeks gestation on neonatal outcome in dichorionic diamniotic twins. Journal of Obstetrics and Gynaecology Research, 2016, 42, 392-398.	0.6	5
82	Care prior to and during subsequent pregnancies following stillbirth for improving outcomes. The Cochrane Library, 2016, , .	1.5	2
83	Classification systems for causes of stillbirth and neonatal death, 2009–2014: an assessment of alignment with characteristics for an effective global system. BMC Pregnancy and Childbirth, 2016, 16, 269.	0.9	31
84	Evaluation of an international educational programme for health care professionals on best practice in the management of a perinatal death: IMproving Perinatal mortality Review and Outcomes Via Education (IMPROVE). BMC Pregnancy and Childbirth, 2016, 16, 376.	0.9	30
85	Systematic review to understand and improve care after stillbirth: a review of parents' and healthcare professionals' experiences. BMC Pregnancy and Childbirth, 2016, 16, 16.	0.9	182
86	Reducing the risk of fetal distress with sildenafil study (RIDSTRESS): a double-blind randomised control trial. Journal of Translational Medicine, 2016, 14, 15.	1.8	18
87	eRegistries: Electronic registries for maternal and child health. BMC Pregnancy and Childbirth, 2016, 16, 11.	0.9	61
88	Stillbirths: progress and unfinished business. Lancet, The, 2016, 387, 574-586.	6.3	195
89	Stillbirths: economic and psychosocial consequences. Lancet, The, 2016, 387, 604-616.	6.3	464
90	Stillbirths: rates, risk factors, and acceleration towards 2030. Lancet, The, 2016, 387, 587-603.	6.3	1,220

#	ARTICLE	IF	CITATIONS
91	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016, 387, 691-702.	6.3	481
92	Induction of labor using prostaglandin vaginal gel: cost analysis comparing early amniotomy with repeat prostaglandin gel. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2016, 199, 96-101.	0.5	5
93	Classifying the causes of perinatal death. <i>Bulletin of the World Health Organization</i> , 2016, 94, 79-79A.	1.5	33
94	Counting every stillbirth and neonatal death through mortality audit to improve quality of care for every pregnant woman and her baby. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, S9.	0.9	90
95	Cyclo-oxygenase (COX) inhibitors for treating preterm labour. <i>The Cochrane Library</i> , 2015, 2015, CD001992.	1.5	78
96	Stillbirth rates among Indigenous and non-Indigenous women in Queensland, Australia: is the gap closing?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 1476-1483.	1.1	22
97	How pregnant women learn about foetal movements: Sources and preferences for information. <i>Women and Birth</i> , 2015, 28, 54-59.	0.9	42
98	Prostaglandin vaginal gel induction of labor comparing amniotomy with repeat prostaglandin gel. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 213, 859.e1-859.e9.	0.7	18
99	Women's frequency of alcohol consumption prior to pregnancy and at their pregnancy-booking visit 2001-2006: A cohort study. <i>Women and Birth</i> , 2015, 28, 160-165.	0.9	7
100	Epidemiology of Fetal and Neonatal Death. , 2015, , 141-164.		9
101	Antibiotics for prelabour rupture of membranes at or near term. <i>The Cochrane Library</i> , 2014, 2014, CD001807.	1.5	26
102	Meeting the needs of parents after a stillbirth or neonatal death. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 137-140.	1.1	95
103	Decision influences and aftermath: parents, stillbirth and autopsy. <i>Health Expectations</i> , 2014, 17, 534-544.	1.1	27
104	Oxytocin receptor antagonists for inhibiting preterm labour. <i>The Cochrane Library</i> , 2014, , CD004452.	1.5	68
105	Calcium channel blockers for inhibiting preterm labour and birth. <i>The Cochrane Library</i> , 2014, 2014, CD002255.	1.5	88
106	Prenatal administration of progesterone for preventing preterm birth in women considered to be at risk of preterm birth. <i>The Cochrane Library</i> , 2013, , CD004947.	1.5	176
107	Working to improve survival and health for babies born very preterm: the WISH project protocol. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 239.	0.9	19
108	Women's views of a fertility awareness and hormonal support approach to subfertility. <i>Human Fertility</i> , 2013, 16, 252-257.	0.7	0

#	ARTICLE	IF	CITATIONS
109	Maintenance therapy with oxytocin antagonists for inhibiting preterm birth after threatened preterm labour. The Cochrane Library, 2013, , CD005938.	1.5	15
110	Prophylactic antibiotics for inhibiting preterm labour with intact membranes. The Cochrane Library, 2013, , CD000246.	1.5	110
111	Interventions for supporting parentsâ€™™ decisions about autopsy after stillbirth. The Cochrane Library, 2013, , CD009932.	1.5	21
112	A Test of Agreement of Customised Birthweight Models. Paediatric and Perinatal Epidemiology, 2013, 27, 131-137.	0.8	6
113	Customised birthweight models: Do they increase identification of atâ€™risk infants?. Journal of Paediatrics and Child Health, 2013, 49, 380-387.	0.4	10
114	Support for mothers, fathers and families after perinatal death. The Cochrane Library, 2013, , CD000452.	1.5	89
115	Interventions for ketosis during labour. The Cochrane Library, 2012, 2012, CD004230.	1.5	186
116	Birth outcomes associated with cannabis use before and during pregnancy. Pediatric Research, 2012, 71, 215-219.	1.1	191
117	Interventions during the antenatal period for preventing stillbirth: an overview of Cochrane systematic reviews. The Cochrane Library, 2012, , .	1.5	4
118	Recent cessation of smoking and its effect on pregnancy outcomes. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 54-58.	0.4	29
119	Term stillbirth in older women. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 286-289.	0.4	6
120	A difficult conversation? The views and experiences of parents and professionals on the consent process for perinatal postmortem after stillbirth. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 987-997.	1.1	91
121	Support for parents following stillbirth. Medical Journal of Australia, 2012, 197, 276-276.	0.8	1
122	Bringing stillbirth out of the shadows for all women having a baby in Australia. Medical Journal of Australia, 2012, 197, 256-257.	0.8	0
123	Overweight and obesity in Australian mothers: epidemic or endemic?. Medical Journal of Australia, 2012, 196, 184-188.	0.8	132
124	Cochrane Review: Immunostimulants for preventing respiratory tract infection in children. Evidence-Based Child Health: A Cochrane Review Journal, 2012, 7, 629-717.	2.0	40
125	Major risk factors for stillbirth in high-income countries: a systematic review and meta-analysis. Lancet, The, 2011, 377, 1331-1340.	6.3	987
126	Stillbirths: the vision for 2020. Lancet, The, 2011, 377, 1798-1805.	6.3	150

#	ARTICLE	IF	CITATIONS
127	Stillbirths: the way forward in high-income countries. <i>Lancet, The</i> , 2011, 377, 1703-1717.	6.3	389
128	The International Stillbirth Alliance: connecting for life. <i>Lancet, The</i> , 2011, 377, 1313.	6.3	6
129	Stillbirth in high-income countries – Authors' reply. <i>Lancet, The</i> , 2011, 378, 875.	6.3	0
130	Tracheal suctioning without disconnection in intubated ventilated neonates. <i>The Cochrane Library</i> , 2011, , CD003065.	1.5	24
131	Major Risk Factors for Stillbirth in High-Income Countries: A Systematic Review and Meta-Analysis. <i>Obstetrical and Gynecological Survey</i> , 2011, 66, 483-485.	0.2	6
132	Transfer of preterm infants from incubator to open cot at lower versus higher body weight. <i>The Cochrane Library</i> , 2011, , CD004214.	1.5	23
133	Cot-nursing versus incubator care for preterm infants. <i>The Cochrane Library</i> , 2011, , CD003062.	1.5	12
134	Illicit drug use before and during pregnancy at a tertiary maternity hospital 2000–2006. <i>Drug and Alcohol Review</i> , 2011, 30, 181-187.	1.1	27
135	Caffeine citrate for very preterm infants: Effects on development, temperament and behaviour. <i>Journal of Paediatrics and Child Health</i> , 2011, 47, 167-172.	0.4	61
136	Analysis of –count-to-ten– fetal movement charts: a prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1229-1238.	1.1	43
137	A survey of policies for the monitoring of fetal growth in Australian and New Zealand hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 493-498.	0.4	10
138	Reduction of Late Stillbirth With the Introduction of Fetal Movement Information and Guidelines. <i>Obstetrical and Gynecological Survey</i> , 2010, 65, 8-9.	0.2	2
139	Implementation of uniform information on fetal movement in a Norwegian population reduced delayed reporting of decreased fetal movement and stillbirths in primiparous women - a clinical quality improvement. <i>BMC Research Notes</i> , 2010, 3, 2.	0.6	59
140	Cochrane review: Chest physiotherapy for reducing respiratory morbidity in infants requiring ventilatory support. <i>Evidence-Based Child Health: A Cochrane Review Journal</i> , 2010, 5, 54-79.	2.0	4
141	Uptake of the Perinatal Society of Australia and New Zealand perinatal mortality audit guideline. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 138-143.	0.4	20
142	Validation and refinement of an Australian customised birthweight model using routinely collected data. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010, 50, 506-511.	0.4	12
143	Definition and epidemiology of stillbirths. <i>Series in Maternal-fetal Medicine</i> , 2010, , 1-15.	0.1	0
144	Essential diagnostic workup of stillbirths. <i>Series in Maternal-fetal Medicine</i> , 2010, , 71-90.	0.1	2

#	ARTICLE	IF	CITATIONS
145	Stillbirths and prevention strategies in developing and developed countries. Series in Maternal-fetal Medicine, 2010, , 65-70.	0.1	0
146	Adverse outcomes of labour in public and private hospitals in Australia. Medical Journal of Australia, 2009, 191, 578-580.	0.8	3
147	Causes of death and associated conditions (Codac) – a utilitarian approach to the classification of perinatal deaths. BMC Pregnancy and Childbirth, 2009, 9, 22.	0.9	100
148	Reduction of late stillbirth with the introduction of fetal movement information and guidelines – a clinical quality improvement. BMC Pregnancy and Childbirth, 2009, 9, 32.	0.9	149
149	Making stillbirths count, making numbers talk - Issues in data collection for stillbirths. BMC Pregnancy and Childbirth, 2009, 9, 58.	0.9	86
150	Progesterone after previous preterm birth for prevention of neonatal respiratory distress syndrome (PROGRESS): a randomised controlled trial. BMC Pregnancy and Childbirth, 2009, 9, 6.	0.9	19
151	Detection and management of decreased fetal movements in Australia and New Zealand: A survey of obstetric practice. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2009, 49, 358-363.	0.4	49
152	An evaluation of classification systems for stillbirth. BMC Pregnancy and Childbirth, 2009, 9, 24.	0.9	131
153	Maintenance therapy with oxytocin antagonists for inhibiting preterm birth after threatened preterm labour. , 2009, , CD005938.		12
154	Midwives' and Obstetricians' Knowledge and Management of Women Presenting With Decreased Fetal Movements. Obstetric Anesthesia Digest, 2009, 29, 193-194.	0.0	0
155	Midwives'™ and obstetricians'™ knowledge and management of women presenting with decreased fetal movements. Acta Obstetrica Et Gynecologica Scandinavica, 2008, 87, 331-339.	1.3	68
156	Implementation of a clinical practice guideline for smoking cessation in a public antenatal care setting. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2008, 48, 552-558.	0.4	16
157	Fetal Movement Assessment. Seminars in Perinatology, 2008, 32, 243-246.	1.1	80
158	Management of Decreased Fetal Movements. Seminars in Perinatology, 2008, 32, 307-311.	1.1	76
159	Chest physiotherapy for reducing respiratory morbidity in infants requiring ventilatory support. The Cochrane Library, 2008, , CD006445.	1.5	27
160	Support for mothers, fathers and families after perinatal death. , 2008, , CD000452.		38
161	Transfer of preterm infants from incubator to open cot at lower versus higher body weight. , 2008, , CD004214.		5
162	Progesterone for the Prevention of Preterm Birth. Obstetrics and Gynecology, 2008, 112, 127-134.	1.2	121

#	ARTICLE	IF	CITATIONS
163	Caffeine Citrate Treatment for Extremely Premature Infants With Apnea: Population Pharmacokinetics, Absolute Bioavailability, and Implications for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2008, 30, 709-716.	1.0	108
164	Midwivesâ€™ and Obstetriciansâ€™ Knowledge and Management of Women Presenting With Decreased Fetal Movements. <i>Obstetrical and Gynecological Survey</i> , 2008, 63, 484-486.	0.2	0
165	A survey of clinician and patient attitudes towards the use of progesterone for women at risk of preterm birth. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 106-109.	0.4	6
166	Prenatal administration of progesterone for preventing preterm birth in women considered to be at risk of preterm birth. , 2006, , CD004947.		94
167	Immunostimulants for preventing respiratory tract infection in children. <i>The Cochrane Library</i> , 2006, , CD004974.	1.5	67
168	Planned early birth versus expectant management (waiting) for prelabour rupture of membranes at term (37 weeks or more). , 2006, , CD005302.		66
169	Post-neonatal mortality by rurality and Indigenous status in Queensland. <i>Journal of Paediatrics and Child Health</i> , 2006, 42, 464-468.	0.4	4
170	Customised birthweight: Coefficients for an Australian population and validation of the model. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006, 46, 388-394.	0.4	15
171	Care of women at risk of preterm birth: A survey of reported practice in Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006, 46, 546-548.	0.4	4
172	Antenatal screening and intrapartum management of Group B streptococcus in the UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 127-127.	1.1	0
173	Severe hypotension and fetal death due to tocolysis with nifedipine. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1582-1583.	1.1	14
174	Routine neonatal postextubation chest physiotherapy: A randomized controlled trial. <i>Journal of Paediatrics and Child Health</i> , 2005, 41, 592-597.	0.4	20
175	Progesterone supplementation for preventing preterm birth: a systematic review and meta-analysis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 526-533.	1.3	43
176	Oxytocin receptor antagonists for inhibiting preterm labour. , 2005, , CD004452.		140
177	Cyclo-oxygenase (COX) inhibitors for treating preterm labour. , 2005, , CD001992.		107
178	High dose caffeine citrate for extubation of preterm infants: a randomised controlled trial. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2004, 89, F499-F503.	1.4	131
179	Classification of perinatal deaths: Development of the Australian and New Zealand classifications. <i>Journal of Paediatrics and Child Health</i> , 2004, 40, 340-347.	0.4	88
180	Reply to Dr Lamont. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 276-277.	0.4	0

#	ARTICLE	IF	CITATIONS
181	Transfer of preterm infants from incubator to open cot at lower versus higher body weight. , 2004, , CD004214.		5
182	Intramuscular penicillin for the prevention of early onset group B streptococcal infection in newborn infants. The Cochrane Library, 2004, , CD003667.	1.5	4
183	Calcium channel blockers for inhibiting preterm labour; a systematic review of the evidence and a protocol for administration of nifedipine. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2003, 43, 192-198.	0.4	72
184	Systematic review of the role of preoxygenation for tracheal suctioning in ventilated newborn infants. Journal of Paediatrics and Child Health, 2003, 39, 163-165.	0.4	10
185	Calcium channel blockers for inhibiting preterm labour. , 2003, , CD002255.		225
186	Prophylactic antibiotics for inhibiting preterm labour with intact membranes. , 2002, , CD000246.		89
187	Antibiotics for prelabour rupture of membranes at or near term. , 2002, , CD001807.		91
188	Chest physiotherapy for preventing morbidity in babies being extubated from mechanical ventilation. The Cochrane Library, 2002, , .	1.5	38
189	Clinical classification systems for evaluating Indigenous perinatal and infant deaths. Medical Journal of Australia, 2001, 175, 181-182.	0.8	2
190	Preoxygenation for tracheal suctioning in intubated, ventilated newborn infants. The Cochrane Library, 2001, , CD000427.	1.5	22
191	Cot-nursing versus incubator care for preterm infants. , 2001, , CD003062.		6
192	Tracheal suctioning without disconnection in intubated ventilated neonates. , 2001, , CD003065.		21
193	Potential risks of chest physiotherapy in preterm infants. Journal of Pediatrics, 1999, 135, 131.	0.9	8
194	Population Pharmacokinetics of Intravenous Amoxicillin in Very Low Birth Weight Infants. Journal of Pharmaceutical Sciences, 1997, 86, 1288-1292.	1.6	32
195	Population pharmacokinetics of intravenous caffeine in neonates with apnea of prematurity*. Clinical Pharmacology and Therapeutics, 1997, 61, 628-640.	2.3	90
196	Saliva as a Valid Alternative to Serum in Monitoring Intravenous Caffeine Treatment for Apnea of Prematurity. Therapeutic Drug Monitoring, 1996, 18, 288-293.	1.0	37
197	Melatonin for non-respiratory sleep disorders in typically developing children. The Cochrane Library, 0, , .	1.5	0
198	Interventions for investigating and identifying the causes of stillbirth. The Cochrane Library, 0, , .	1.5	2