

Atle Van Beelen Granlund

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1493555/publications.pdf>

Version: 2024-02-01

20
papers

715
citations

623574

14
h-index

752573

20
g-index

20
all docs

20
docs citations

20
times ranked

1420
citing authors

#	ARTICLE	IF	CITATIONS
1	Profound gene expression changes in the epithelial monolayer of active ulcerative colitis and Crohn's disease. PLoS ONE, 2022, 17, e0265189.	1.1	13
2	Tofacitinib Downregulates TNF and Poly(I:C)-Dependent MHC-II Expression in the Colonic Epithelium. Frontiers in Immunology, 2022, 13, .	2.2	4
3	Transcriptomic Profiling of Collagenous Colitis Identifies Hallmarks of Nondestructive Inflammatory Bowel Disease. Cellular and Molecular Gastroenterology and Hepatology, 2021, 12, 665-687.	2.3	6
4	Patient Derived Colonoids as Drug Testing Platforms—Critical Importance of Oxygen Concentration. Frontiers in Pharmacology, 2021, 12, 679741.	1.6	8
5	Mucosal and faecal neutrophil gelatinase-associated lipocalin as potential biomarkers for collagenous colitis. Journal of Gastroenterology, 2021, 56, 914-927.	2.3	10
6	Bacterial Mucosa-associated Microbiome in Inflamed and Proximal Noninflamed Ileum of Patients With Crohn's Disease. Inflammatory Bowel Diseases, 2021, 27, 12-24.	0.9	46
7	The serotonin reuptake transporter is reduced in the epithelium of active Crohn's disease and ulcerative colitis. American Journal of Physiology - Renal Physiology, 2020, 319, G761-G768.	1.6	33
8	Intestinal Epithelial Cells Express Immunomodulatory ISG15 During Active Ulcerative Colitis and Crohn's Disease. Journal of Crohn's and Colitis, 2020, 14, 920-934.	0.6	44
9	The Water Channel Aquaporin 8 is a Critical Regulator of Intestinal Fluid Homeostasis in Collagenous Colitis. Journal of Crohn's and Colitis, 2020, 14, 962-973.	0.6	27
10	Mucosal 5-aminosalicylic acid concentration, drug formulation and mucosal microbiome in patients with quiescent ulcerative colitis. Alimentary Pharmacology and Therapeutics, 2019, 49, 1301-1313.	1.9	30
11	Ulcer-associated cell lineage expresses genes involved in regeneration and is hallmarked by high neutrophil gelatinase-associated lipocalin (NGAL) levels. Journal of Pathology, 2019, 248, 316-325.	2.1	12
12	C-C Motif Ligand 20 (CCL20) and C-C Motif Chemokine Receptor 6 (CCR6) in Human Peripheral Blood Mononuclear Cells: Dysregulated in Ulcerative Colitis and a Potential Role for CCL20 in IL-1 β Release. International Journal of Molecular Sciences, 2018, 19, 3257.	1.8	18
13	Expression of neutrophil gelatinase-associated lipocalin (NGAL) in the gut in Crohn's disease. Cell and Tissue Research, 2018, 374, 339-348.	1.5	25
14	The guanylate cyclase-C signaling pathway is down-regulated in inflammatory bowel disease. Scandinavian Journal of Gastroenterology, 2015, 50, 1241-1252.	0.6	60
15	Intestinal barrier homeostasis in inflammatory bowel disease. Scandinavian Journal of Gastroenterology, 2015, 50, 3-12.	0.6	38
16	Expression of CCL20 and Its Corresponding Receptor CCR6 Is Enhanced in Active Inflammatory Bowel Disease, and TLR3 Mediates CCL20 Expression in Colonic Epithelial Cells. PLoS ONE, 2015, 10, e0141710.	1.1	54
17	REG gene expression in inflamed and healthy colon mucosa explored by in situ hybridisation. Cell and Tissue Research, 2013, 352, 639-646.	1.5	75
18	Relevance of TNBS-Colitis in Rats: A Methodological Study with Endoscopic, Histologic and Transcriptomic Characterization and Correlation to IBD. PLoS ONE, 2013, 8, e54543.	1.1	59

#	ARTICLE	IF	CITATIONS
19	Whole Genome Gene Expression Meta-Analysis of Inflammatory Bowel Disease Colon Mucosa Demonstrates Lack of Major Differences between Crohn's Disease and Ulcerative Colitis. PLoS ONE, 2013, 8, e56818.	1.1	111
20	Activation of REG family proteins in colitis. Scandinavian Journal of Gastroenterology, 2011, 46, 1316-1323.	0.6	42