## Olugbenga S Michael

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1494573/olugbenga-s-michael-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

27	112	7	9
papers	citations	h-index	g-index
29	160	3.3	3.21
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
27	Watermelon rind ethanol extract exhibits hepato-renal protection against lead induced-impaired antioxidant defenses in male Wistar rats. <i>Current Research in Physiology</i> , <b>2021</b> , 4, 252-259	1.8	1
26	ACETATE AMELIORATES GLUCOSE DYSREGULATION AND NEUROBEHAVIOURAL DEFICIT IN DEXAMETHASONE PLUS SCOPOLAMINE-TREATED MICE: GUT-HEART-BRAIN CROSSTALK. <i>Journal of Hypertension</i> , <b>2021</b> , 39, e180	1.9	
25	NICOTINE AVERTS CARDIORENAL DYSFUNCTION BY MITIGATING ESTROGEN-PROGESTIN-INDUCED IMPAIRED NA+/K+-ATPASE ACTIVITY AND TRIGLYCERIDE ACCUMULATION IN INSULIN RESISTANT FEMALE RATS. <i>Journal of Hypertension</i> , <b>2021</b> , 39, e332-e333	1.9	
24	Acetate ameliorates nephrotoxicity in streptozotocin-nicotinamide-induced diabetic rats: Involvement of xanthine oxidase activity. <i>Cytokine</i> , <b>2021</b> , 142, 155501	4	4
23	Sodium butyrate arrests pancreato-hepatic synchronous uric acid and lipid dysmetabolism in high fat diet fed Wistar rats. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 133, 110994	7.5	4
22	Cadmium exposure induces cardiac glucometabolic dysregulation and lipid accumulation independent of pyruvate dehydrogenase activity. <i>Annals of Medicine</i> , <b>2021</b> , 53, 1108-1117	1.5	2
21	Rutin prevents cardiac oxidative stress and inflammation induced by bisphenol A and dibutyl phthalate exposure via NRF-2/NF- <b>B</b> pathway. <i>Life Sciences</i> , <b>2021</b> , 284, 119878	6.8	5
20	Estrogen-progestin oral contraceptive and nicotine exposure synergistically confers cardio-renoprotection in female Wistar rats. <i>Biomedicine and Pharmacotherapy</i> , <b>2020</b> , 129, 110387	7.5	1
19	Allopurinol and valproic acid improve cardiac triglyceride and Na-K-ATPase activity independent of circulating aldosterone in female rats with glucose intolerance. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 1-7	2.2	3
18	Spironolactone reversed hepato-ovarian triglyceride accumulation caused by letrozole-induced polycystic ovarian syndrome: tissue uric acid-a familiar foe. <i>Naunyn-Schmiedebergys Archives of Pharmacology</i> , <b>2020</b> , 393, 1055-1066	3.4	4
17	Frequent exposure to varied home cage sizes alters pain sensitivity and some key inflammation-related biomarkers. <i>Journal of Neuroscience Methods</i> , <b>2020</b> , 345, 108890	3	1
16	Sodium acetate prevents nicotine-induced cardiorenal dysmetabolism through uric acid/creatine kinase-dependent pathway. <i>Life Sciences</i> , <b>2020</b> , 257, 118127	6.8	4
15	Blockade of mineralocorticoid receptor ameliorates oral contraceptive-induced insulin resistance by suppressing elevated uric acid and glycogen synthase kinase-3 instead of circulating mineralocorticoid. <i>Archives of Physiology and Biochemistry</i> , <b>2020</b> , 126, 225-234	2.2	7
14	Dipeptidyl peptidase-4 inhibition protects the liver of insulin-resistant female rats against triglyceride accumulation by suppressing uric acid. <i>Biomedicine and Pharmacotherapy</i> , <b>2019</b> , 110, 869-87	· <del>7</del> ·5	7
13	Enhanced hepatic glycogen synthesis and suppressed adenosine deaminase activity by lithium attenuates hepatic triglyceride accumulation in nicotine-exposed rats. <i>Biomedicine and Pharmacotherapy</i> , <b>2019</b> , 109, 1417-1427	7.5	10
12	Ameliorative effect of low-dose spironolactone on obesity and insulin resistance is through replenishment of estrogen in ovariectomized rats. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2019</b> , 97, 65-74	2.4	2
11	Sodium acetate improves disrupted glucoregulation and hepatic triglyceride content in insulin-resistant female rats: involvement of adenosine deaminase and dipeptidyl peptidase-4 activities. <i>Naunyn-Schmiedebergys Archives of Pharmacology</i> , <b>2019</b> , 392, 103-116	3.4	4

## LIST OF PUBLICATIONS

	10	Gestational glucocorticoid exposure disrupts glucose homeostasis that is accompanied by increased endoglin and DPP-4 activity instead of GSK-3 in rats. <i>Environmental Toxicology and Pharmacology</i> , <b>2018</b> , 60, 66-75	5.8	3
	9	Nicotine exposure suppresses hyperinsulinemia and improves endothelial dysfunction mediators independent of corticosteroids in insulin-resistant oral contraceptive-treated female rats. <i>Drug and Chemical Toxicology</i> , <b>2018</b> , 41, 314-323	2.3	7
	8	Ameliorative effect of nicotine exposure on insulin resistance is accompanied by decreased cardiac glycogen synthase kinase-3 and plasminogen activator inhibitor-1 during oral oestrogen-progestin therapy. <i>Archives of Physiology and Biochemistry</i> , <b>2018</b> , 124, 139-148	2.2	14
	7	Inhibition of adenosine deaminase and xanthine oxidase by valproic acid abates hepatic triglyceride accumulation independent of corticosteroids in female rats treated with estrogen-progestin. <i>Canadian Journal of Physiology and Pharmacology</i> , <b>2018</b> , 96, 1092-1103	2.4	3
	6	Sodium acetate improves disrupted glucoregulation and hepatic lipid accumulation in insulin-resistant female rats: involvement of adenosine deaminase and dipeptidyl peptidase-4 activities. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , <b>2018</b> , WCP2018, PO3	o - <b>6-1</b>	
	5	Anti-inflammatory and antithrombotic effects of nicotine exposure in oral contraceptive-induced insulin resistance are glucocorticoid-independent. <i>Pharmacological Reports</i> , <b>2017</b> , 69, 512-519	3.9	13
	4	PS 10-02 ESTROGEN-PROGESTIN ORAL CONTRACEPTIVE CAUSES DYSLIPIDEMIA, ECELL DYSFUNCTION AND ELEVATED PROFIBROTIC MARKERS THROUGH MINERALOCORTICOID RECEPTOR ACTIVATION. <i>Journal of Hypertension</i> , <b>2016</b> , 34, e325	1.9	
,	3	PS 16-08 Nicotine exposure results in amelioration of altered blood rheological, prothrombotic and proinflammatory markers during oral contraceptive treatment. <i>Journal of Hypertension</i> , <b>2016</b> , 34, e467-	e468	
	2	Combined estrogen-progestogen but not progestogen-only oral contraceptive alters glucose tolerance and plasma lipid profile in female rats. <i>Pathophysiology</i> , <b>2012</b> , 19, 29-34	1.8	13
	1	106 VASORELAXATION IN ORAL CONTRACEPTIVE-INDUCED HIGH BLOOD PRESSURE IN FEMALE RATS. <i>Journal of Hypertension</i> , <b>2012</b> , 30, e33	1.9	