

Harold Corby Kistler

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/149491/harold-corby-kistler-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

116
papers

12,876
citations

57
h-index

113
g-index

120
ext. papers

15,353
ext. citations

5.3
avg, IF

6.24
L-index

#	Paper	IF	Citations
116	Phylogenomic Analysis of a 55.1-kb 19-Gene Dataset Resolves a Monophyletic that Includes the Species Complex. <i>Phytopathology</i> , 2021 , 111, 1064-1079	3.8	39
115	Metatranscriptomic Comparison of Endophytic and Pathogenic -Arabidopsis Interactions Reveals Plant Transcriptional Plasticity. <i>Molecular Plant-Microbe Interactions</i> , 2021 , 34, 1071-1083	3.6	3
114	Fusarium graminearum species complex: A bibliographic analysis and web-accessible database for global mapping of species and trichothecene toxin chemotypes. <i>Phytopathology</i> , 2021 ,	3.8	1
113	Plant defense compound triggers mycotoxin synthesis by regulating H2B ub1 and H3K4 me2/3 deposition. <i>New Phytologist</i> , 2021 , 232, 2106-2123	9.8	0
112	Fusarium BP1 is a reader of H3K27 methylation. <i>Nucleic Acids Research</i> , 2021 , 49, 10448-10464	20.1	5
111	The t-SNARE Is Involved in Growth, Defense, and DON Accumulation and Virulence. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 888-901	3.6	4
110	Chromosome-Scale Genome Assembly of Strain Fo47, a Fungal Endophyte and Biocontrol Agent. <i>Molecular Plant-Microbe Interactions</i> , 2020 , 33, 1108-1111	3.6	13
109	The genome of opportunistic fungal pathogen Fusarium oxysporum carries a unique set of lineage-specific chromosomes. <i>Communications Biology</i> , 2020 , 3, 50	6.7	26
108	No to : Phylogenomic and Practical Reasons for Continued Inclusion of the Fusarium solani Species Complex in the Genus. <i>MSphere</i> , 2020 , 5,	5	32
107	Inhibitory and nutrient use phenotypes among coexisting Fusarium and Streptomyces populations suggest local coevolutionary interactions in soil. <i>Environmental Microbiology</i> , 2020 , 22, 976-985	5.2	8
106	A fungal ABC transporter FgAtm1 regulates iron homeostasis via the transcription factor cascade FgAreA-HapX. <i>PLoS Pathogens</i> , 2019 , 15, e1007791	7.6	11
105	Expression of the Fusarium graminearum terpenome and involvement of the endoplasmic reticulum-derived toxosome. <i>Fungal Genetics and Biology</i> , 2019 , 124, 78-87	3.9	15
104	Trichothecene Mycotoxins: Biosynthesis, Regulation, and Management. <i>Annual Review of Phytopathology</i> , 2019 , 57, 15-39	10.8	84
103	A phosphorylated transcription factor regulates sterol biosynthesis in Fusarium graminearum. <i>Nature Communications</i> , 2019 , 10, 1228	17.4	21
102	Nanoscale enrichment of the cytosolic enzyme trichodiene synthase near reorganized endoplasmic reticulum in Fusarium graminearum. <i>Fungal Genetics and Biology</i> , 2019 , 124, 73-77	3.9	10
101	The fungal myosin I is essential for Fusarium toxosome formation. <i>PLoS Pathogens</i> , 2018 , 14, e1006827	7.6	54
100	A high proportion of NX-2 genotype strains are found among Fusarium graminearum isolates from northeastern New York State. <i>European Journal of Plant Pathology</i> , 2018 , 150, 791-796	2.1	22

99	Fusarium graminearum: pathogen or endophyte of North American grasses?. <i>New Phytologist</i> , 2018 , 217, 1203-1212	9.8	81
98	Kinome Expansion in the Fusarium oxysporum Species Complex Driven by Accessory Chromosomes. <i>MSphere</i> , 2018 , 3,	5	20
97	A SIX1 homolog in Fusarium oxysporum f.sp. cubense tropical race 4 contributes to virulence towards Cavendish banana. <i>PLoS ONE</i> , 2018 , 13, e0205896	3.7	25
96	Plant Community Richness Mediates Inhibitory Interactions and Resource Competition between Streptomyces and Fusarium Populations in the Rhizosphere. <i>Microbial Ecology</i> , 2017 , 74, 157-167	4.4	27
95	Plant diversity and plant identity influence Fusarium communities in soil. <i>Mycologia</i> , 2017 , 109, 128-139	2.4	14
94	Effector Gene Suites in Some Soil Isolates of Fusarium oxysporum Are Not Sufficient Predictors of Vascular Wilt in Tomato. <i>Phytopathology</i> , 2017 , 107, 842-851	3.8	19
93	Structural reorganization of the fungal endoplasmic reticulum upon induction of mycotoxin biosynthesis. <i>Scientific Reports</i> , 2017 , 7, 44296	4.9	46
92	Phylogeny, Plant Species, and Plant Diversity Influence Carbon Use Phenotypes Among Fusarium Populations in the Rhizosphere Microbiome. <i>Phytobiomes Journal</i> , 2017 , 1, 150-157	4.8	6
91	Effector profiles distinguish formae speciales of Fusarium oxysporum. <i>Environmental Microbiology</i> , 2016 , 18, 4087-4102	5.2	94
90	Fungal Innate Immunity Induced by Bacterial Microbe-Associated Molecular Patterns (MAMPs). <i>G3: Genes, Genomes, Genetics</i> , 2016 , 6, 1585-95	3.2	20
89	Comparative genomics and prediction of conditionally dispensable sequences in legume-infecting Fusarium oxysporum formae speciales facilitates identification of candidate effectors. <i>BMC Genomics</i> , 2016 , 17, 191	4.5	68
88	Compartmentalized gene regulatory network of the pathogenic fungus Fusarium graminearum. <i>New Phytologist</i> , 2016 , 211, 527-41	9.8	27
87	Examining the Transcriptional Response in Wheat Near-Isogenic Lines to Infection and Deoxynivalenol Treatment. <i>Plant Genome</i> , 2016 , 9, plantgenome2015.05.0032	4.4	27
86	Nutrient use preferences among soil Streptomyces suggest greater resource competition in monoculture than polyculture plant communities. <i>Plant and Soil</i> , 2016 , 409, 329-343	4.2	17
85	Conservation and divergence of the cyclic adenosine monophosphate-protein kinase A (cAMP-PKA) pathway in two plant-pathogenic fungi: Fusarium graminearum and F. verticillioides. <i>Molecular Plant Pathology</i> , 2016 , 17, 196-209	5.7	19
84	Diversity of Fusarium head blight populations and trichothecene toxin types reveals regional differences in pathogen composition and temporal dynamics. <i>Fungal Genetics and Biology</i> , 2015 , 82, 22-31	3.9	72
83	New tricks of an old enemy: isolates of Fusarium graminearum produce a type A trichothecene mycotoxin. <i>Environmental Microbiology</i> , 2015 , 17, 2588-600	5.2	111
82	Population Subdivision of Fusarium graminearum from Barley and Wheat in the Upper Midwestern United States at the Turn of the Century. <i>Phytopathology</i> , 2015 , 105, 1466-74	3.8	16

81	Effort versus Reward: Preparing Samples for Fungal Community Characterization in High-Throughput Sequencing Surveys of Soils. <i>PLoS ONE</i> , 2015 , 10, e0127234	3.7	23
80	Cellular compartmentalization of secondary metabolism. <i>Frontiers in Microbiology</i> , 2015 , 6, 68	5.7	82
79	Soil fungal communities respond to grassland plant community richness and soil edaphics. <i>Microbial Ecology</i> , 2015 , 70, 188-95	4.4	64
78	Genome Sequence of <i>Fusarium oxysporum</i> f. sp. <i>melonis</i> Strain NRRL 26406, a Fungus Causing Wilt Disease on Melon. <i>Genome Announcements</i> , 2014 , 2,		22
77	EBR1 genomic expansion and its role in virulence of <i>Fusarium</i> species. <i>Environmental Microbiology</i> , 2014 , 16, 1982-2003	5.2	21
76	The genome of the generalist plant pathogen <i>Fusarium avenaceum</i> is enriched with genes involved in redox, signaling and secondary metabolism. <i>PLoS ONE</i> , 2014 , 9, e112703	3.7	51
75	Temporal dynamics and population genetic structure of <i>Fusarium graminearum</i> in the upper Midwestern United States. <i>Fungal Genetics and Biology</i> , 2014 , 73, 83-92	3.9	58
74	One fungus, one name: defining the genus <i>Fusarium</i> in a scientifically robust way that preserves longstanding use. <i>Phytopathology</i> , 2013 , 103, 400-8	3.8	155
73	Evolution of Plant Pathogenicity in <i>Fusarium</i> Species 2013 , 485-500		1
72	Cellular development associated with induced mycotoxin synthesis in the filamentous fungus <i>Fusarium graminearum</i> . <i>PLoS ONE</i> , 2013 , 8, e63077	3.7	70
71	<i>Fusarium graminearum</i> Tri12p influences virulence to wheat and trichothecene accumulation. <i>Molecular Plant-Microbe Interactions</i> , 2012 , 25, 1408-18	3.6	67
70	Interactions between <i>Fusarium verticillioides</i> , <i>Ustilago maydis</i> , and <i>Zea mays</i> : an endophyte, a pathogen, and their shared plant host. <i>Fungal Genetics and Biology</i> , 2012 , 49, 578-87	3.9	56
69	Systematics, Phylogeny and Trichothecene Mycotoxin Potential of <i>Fusarium</i> Head Blight Cereal Pathogens. <i>Mycotoxins</i> , 2012 , 62, 91-102	0.2	72
68	The Wor1-like protein Fgp1 regulates pathogenicity, toxin synthesis and reproduction in the phytopathogenic fungus <i>Fusarium graminearum</i> . <i>PLoS Pathogens</i> , 2012 , 8, e1002724	7.6	87
67	Metabolome and transcriptome of the interaction between <i>Ustilago maydis</i> and <i>Fusarium verticillioides</i> in vitro. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 3656-67	4.8	44
66	Npc1 is involved in sterol trafficking in the filamentous fungus <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2011 , 48, 725-30	3.9	12
65	In vitro interactions between <i>Fusarium verticillioides</i> and <i>Ustilago maydis</i> through real-time PCR and metabolic profiling. <i>Fungal Genetics and Biology</i> , 2011 , 48, 874-85	3.9	44
64	Novel <i>Fusarium</i> head blight pathogens from Nepal and Louisiana revealed by multilocus genealogical concordance. <i>Fungal Genetics and Biology</i> , 2011 , 48, 1096-107	3.9	153

63	The transcriptome of <i>Fusarium graminearum</i> during the infection of wheat. <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 995-1000	3.6	95
62	The HDF1 histone deacetylase gene is important for conidiation, sexual reproduction, and pathogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 487-96	3.6	62
61	Nivalenol-type populations of <i>Fusarium graminearum</i> and <i>F. asiaticum</i> are prevalent on wheat in southern Louisiana. <i>Phytopathology</i> , 2011 , 101, 124-34	3.8	133
60	A novel transcriptional factor important for pathogenesis and ascosporeogenesis in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 118-28	3.6	49
59	The transcription factor FgStuAp influences spore development, pathogenicity, and secondary metabolism in <i>Fusarium graminearum</i> . <i>Molecular Plant-Microbe Interactions</i> , 2011 , 24, 54-67	3.6	71
58	Functional analysis of the kinome of the wheat scab fungus <i>Fusarium graminearum</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1002460	7.6	202
57	Comparative genomics reveals mobile pathogenicity chromosomes in <i>Fusarium</i> . <i>Nature</i> , 2010 , 464, 367-73	5.4	1085
56	The genomic organization of plant pathogenicity in <i>Fusarium</i> species. <i>Current Opinion in Plant Biology</i> , 2010 , 13, 420-6	9.9	121
55	Systematic discovery of regulatory motifs in <i>Fusarium graminearum</i> by comparing four <i>Fusarium</i> genomes. <i>BMC Genomics</i> , 2010 , 11, 208	4.5	15
54	Transducin beta-like gene FTL1 is essential for pathogenesis in <i>Fusarium graminearum</i> . <i>Eukaryotic Cell</i> , 2009 , 8, 867-76		72
53	Global gene regulation by <i>Fusarium</i> transcription factors Tri6 and Tri10 reveals adaptations for toxin biosynthesis. <i>Molecular Microbiology</i> , 2009 , 72, 354-67	4.1	191
52	A two-locus DNA sequence database for typing plant and human pathogens within the <i>Fusarium oxysporum</i> species complex. <i>Fungal Genetics and Biology</i> , 2009 , 46, 936-48	3.9	207
51	A novel Asian clade within the <i>Fusarium graminearum</i> species complex includes a newly discovered cereal head blight pathogen from the Russian Far East. <i>Mycologia</i> , 2009 , 101, 841-52	2.4	141
50	Conidial germination in the filamentous fungus <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2008 , 45, 389-99	3.9	136
49	Multilocus genotyping and molecular phylogenetics resolve a novel head blight pathogen within the <i>Fusarium graminearum</i> species complex from Ethiopia. <i>Fungal Genetics and Biology</i> , 2008 , 45, 1514-22	3.9	164
48	Population Subdivision of <i>Fusarium graminearum</i> Sensu Stricto in the Upper Midwestern United States. <i>Phytopathology</i> , 2007 , 97, 1434-9	3.8	127
47	Global molecular surveillance reveals novel <i>Fusarium</i> head blight species and trichothecene toxin diversity. <i>Fungal Genetics and Biology</i> , 2007 , 44, 1191-204	3.9	341
46	The <i>Fusarium graminearum</i> genome reveals a link between localized polymorphism and pathogen specialization. <i>Science</i> , 2007 , 317, 1400-2	33.3	668

45	Bacterial artificial chromosome-based physical map of <i>Gibberella zeae</i> (<i>Fusarium graminearum</i>). <i>Genome</i> , 2007 , 50, 954-62	2.4	2
44	Genomic analysis of host-pathogen interaction between <i>Fusarium graminearum</i> and wheat during early stages of disease development. <i>Microbiology (United Kingdom)</i> , 2006 , 152, 1877-1890	2.9	44
43	Cryptic promoter activity in the coding region of the HMG-CoA reductase gene in <i>Fusarium graminearum</i> . <i>Fungal Genetics and Biology</i> , 2006 , 43, 34-41	3.9	34
42	Development of a <i>Fusarium graminearum</i> Affymetrix GeneChip for profiling fungal gene expression in vitro and in planta. <i>Fungal Genetics and Biology</i> , 2006 , 43, 316-25	3.9	150
41	<i>Gibberella zeae</i> ascospore production and collection for microarray experiments. <i>Journal of Visualized Experiments</i> , 2006 , 115	1.6	2
40	Random Insertional Mutagenesis Identifies Genes Associated with Virulence in the Wheat Scab Fungus <i>Fusarium graminearum</i> . <i>Phytopathology</i> , 2005 , 95, 744-50	3.8	124
39	Pathogenicity and In Planta Mycotoxin Accumulation Among Members of the <i>Fusarium graminearum</i> Species Complex on Wheat and Rice. <i>Phytopathology</i> , 2005 , 95, 1397-404	3.8	170
38	Chromosome complement of the fungal plant pathogen <i>Fusarium graminearum</i> based on genetic and physical mapping and cytological observations. <i>Genetics</i> , 2005 , 171, 985-1001	4	91
37	Heading for disaster: <i>Fusarium graminearum</i> on cereal crops. <i>Molecular Plant Pathology</i> , 2004 , 5, 515-25	5.7	841
36	Development of VNTR markers for two <i>Fusarium graminearum</i> clade species. <i>Molecular Ecology Notes</i> , 2004 , 4, 468-470		57
35	Genealogical concordance between the mating type locus and seven other nuclear genes supports formal recognition of nine phylogenetically distinct species within the <i>Fusarium graminearum</i> clade. <i>Fungal Genetics and Biology</i> , 2004 , 41, 600-23	3.9	577
34	Origin of Race 3 of <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> at a Single Site in California. <i>Phytopathology</i> , 2003 , 93, 1014-22	3.8	69
33	Analysis of expressed sequence tags from <i>Gibberella zeae</i> (anamorph <i>Fusarium graminearum</i>). <i>Fungal Genetics and Biology</i> , 2003 , 38, 187-97	3.9	111
32	The Probable Center of Origin of <i>Fusarium oxysporum</i> f. sp. <i>lycopersici</i> VCG 0033. <i>Plant Disease</i> , 2003 , 87, 1433-1438	1.5	31
31	Ancestral polymorphism and adaptive evolution in the trichothecene mycotoxin gene cluster of phytopathogenic <i>Fusarium</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 9278-83	11.5	414
30	A mitogen-activated protein kinase gene (MGV1) in <i>Fusarium graminearum</i> is required for female fertility, heterokaryon formation, and plant infection. <i>Molecular Plant-Microbe Interactions</i> , 2002 , 15, 1119-27	3.6	342
29	Population Analysis of <i>Fusarium graminearum</i> from Wheat Fields in Eastern China. <i>Phytopathology</i> , 2002 , 92, 1315-22	3.8	164
28	First Report of <i>Sphaeropsis tumefaciens</i> on an Endangered St. John's-Wort in Florida. <i>Plant Disease</i> , 2002 , 86, 1177	1.5	0

27	Genes determining pathogenicity to pea are clustered on a supernumerary chromosome in the fungal plant pathogen <i>Nectria haematococca</i> . <i>Plant Journal</i> , 2001 , 25, 305-14	6.9	146
26	A Molecular Characterization of <i>Cercospora</i> Species Pathogenic to Water Hyacinth and Emendation of <i>C. piaropi</i> . <i>Mycologia</i> , 2001 , 93, 323	2.4	20
25	A molecular characterization of <i>Cercospora</i> species pathogenic to water hyacinth and emendation of <i>C. piaropi</i> . <i>Mycologia</i> , 2001 , 93, 323-334	2.4	24
24	Genetic diversity among isolates of <i>Fusariumoxysporum</i> f.sp. <i>canariensis</i> . <i>Plant Pathology</i> , 2000 , 49, 155-164	3.8	13
23	Role of Horizontal Gene Transfer in the Evolution of Fungi. <i>Annual Review of Phytopathology</i> , 2000 , 38, 325-363	10.8	216
22	Gene genealogies reveal global phylogeographic structure and reproductive isolation among lineages of <i>Fusarium graminearum</i> , the fungus causing wheat scab. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7905-10	11.5	662
21	High levels of gene flow and heterozygote excess characterize <i>Rhizoctonia solani</i> AG-1 IA (<i>Thanatephorus cucumeris</i>) from Texas. <i>Fungal Genetics and Biology</i> , 1999 , 28, 148-59	3.9	69
20	Population Genetic Analysis Corroborates Dispersal of <i>Fusarium oxysporum</i> f. sp. <i>radicis-lycopersici</i> from Florida to Europe. <i>Phytopathology</i> , 1999 , 89, 623-30	3.8	45
19	Rapid Detection of the <i>Fusarium oxysporum</i> Lineage Containing the Canary Island Date Palm Wilt Pathogen. <i>Phytopathology</i> , 1999 , 89, 407-13	3.8	25
18	Systematic Numbering of Vegetative Compatibility Groups in the Plant Pathogenic Fungus <i>Fusarium oxysporum</i> . <i>Phytopathology</i> , 1998 , 88, 30-2	3.8	61
17	Multiple evolutionary origins of the fungus causing Panama disease of banana: concordant evidence from nuclear and mitochondrial gene genealogies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 2044-9	11.5	1252
16	<i>Fusarium oxysporum</i> f. sp. <i>cubense</i> Consists of a Small Number of Divergent and Globally Distributed Clonal Lineages. <i>Phytopathology</i> , 1997 , 87, 915-23	3.8	125
15	Genetic Diversity in the Plant-Pathogenic Fungus <i>Fusarium oxysporum</i> . <i>Phytopathology</i> , 1997 , 87, 474-9	3.8	154
14	Targeted chromosome breakage in filamentous fungi. <i>Fungal Genetics and Biology</i> , 1997 , 22, 13-8	3.9	2
13	Genetic duplication in <i>Fusarium oxysporum</i> . <i>Current Genetics</i> , 1995 , 28, 173-6	2.9	33
12	Nrs1, a repetitive element linked to pisatin demethylase genes on a dispensable chromosome of <i>Nectria haematococca</i> . <i>Molecular Plant-Microbe Interactions</i> , 1995 , 8, 524-31	3.6	19
11	Statistical Analysis of Electrophoretic Karyotype Variation Among Vegetative Compatibility Groups of <i>Fusarium oxysporum</i> f. sp. <i>cubense</i> . <i>Molecular Plant-Microbe Interactions</i> , 1994 , 7, 196	3.6	73
10	New modes of genetic change in filamentous fungi. <i>Annual Review of Phytopathology</i> , 1992 , 30, 131-53	10.8	174

9	Autonomously replicating plasmids and chromosome rearrangement during transformation of <i>Nectria haematococca</i> . <i>Gene</i> , 1992 , 117, 81-9	3.8	53
8	Mitochondrial plasmids do not determine host range in crucifer-infecting strains of <i>Fusarium oxysporum</i> . <i>Plant Pathology</i> , 1992 , 41, 103-112	2.8	17
7	Genetic Manipulation of Plant Pathogenic Fungi 1991 , 152-170		9
6	In vivo rearrangement of foreign DNA by <i>Fusarium oxysporum</i> produces linear self-replicating plasmids. <i>Journal of Bacteriology</i> , 1990 , 172, 3163-71	3.5	109
5	Species-specific banding patterns of restriction endonuclease-digested mitochondrial DNA from the genus <i>Pythium</i> . <i>Experimental Mycology</i> , 1990 , 14, 32-46		65
4	The mitochondrial genome of <i>Fusarium oxysporum</i> . <i>Plasmid</i> , 1989 , 22, 86-9	3.3	20
3	Genetic transformation of the fungal plant wilt pathogen, <i>Fusarium oxysporum</i> . <i>Current Genetics</i> , 1988 , 13, 145-149	2.9	99
2	Relatedness of Strains of <i>Fusarium oxysporum</i> from Crucifers Measured by Examination of Mitochondrial and Ribosomal DNA. <i>Phytopathology</i> , 1987 , 77, 1289	3.8	82
1	Linear plasmidlike DNA in the plant pathogenic fungus <i>Fusarium oxysporum</i> f. sp. <i>conglutinans</i> . <i>Journal of Bacteriology</i> , 1986 , 167, 587-93	3.5	67