

# Anneleen Kuijsten

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1495212/anneleen-kuijsten-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31 papers	1,152 citations	18 h-index	31 g-index
31 ext. papers	1,346 ext. citations	6.8 avg, IF	3.88 L-index

#	Paper	IF	Citations
31	Pharmacokinetics of enterolignans in healthy men and women consuming a single dose of secoisolariciresinol diglucoside. <i>Journal of Nutrition</i> , <b>2005</b> , 135, 795-801	4.1	103
30	Eating fish and risk of type 2 diabetes: A population-based, prospective follow-up study. <i>Diabetes Care</i> , <b>2009</b> , 32, 2021-6	14.6	92
29	Adapted dietary inflammatory index and its association with a summary score for low-grade inflammation and markers of glucose metabolism: the Cohort study on Diabetes and Atherosclerosis Maastricht (CODAM) and the Hoorn study. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 98, 1522-32	7	91
28	Intermittent administration of iron and sulfadoxine-pyrimethamine to control anaemia in Kenyan children: a randomised controlled trial. <i>Lancet, The</i> , <b>2002</b> , 360, 908-14	4.0	74
27	The relative bioavailability of enterolignans in humans is enhanced by milling and crushing of flaxseed. <i>Journal of Nutrition</i> , <b>2005</b> , 135, 2812-6	4.1	70
26	Plasma enterolignans are associated with lower colorectal adenoma risk. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2006</b> , 15, 1132-6	4	69
25	Dietary glycemic index, glycemic load, and digestible carbohydrate intake are not associated with risk of type 2 diabetes in eight European countries. <i>Journal of Nutrition</i> , <b>2013</b> , 143, 93-9	4.1	66
24	The prospective association between total and type of fish intake and type 2 diabetes in 8 European countries: EPIC-InterAct Study. <i>American Journal of Clinical Nutrition</i> , <b>2012</b> , 95, 1445-53	7	65
23	Meat consumption and its association with C-reactive protein and incident type 2 diabetes: the Rotterdam Study. <i>Diabetes Care</i> , <b>2012</b> , 35, 1499-505	14.6	54
22	Relation between plasma enterodiol and enterolactone and dietary intake of lignans in a Dutch endoscopy-based population. <i>Journal of Nutrition</i> , <b>2007</b> , 137, 1266-71	4.1	51
21	Operationalising the health aspects of sustainable diets: a review. <i>Public Health Nutrition</i> , <b>2017</b> , 20, 739-757	3.57	50
20	Population-attributable risk of dietary aflatoxins and hepatitis B virus infection with respect to hepatocellular carcinoma. <i>Nutrition and Cancer</i> , <b>2004</b> , 48, 15-21	2.8	50
19	Tea consumption and incidence of type 2 diabetes in Europe: the EPIC-InterAct case-cohort study. <i>PLoS ONE</i> , <b>2012</b> , 7, e36910	3.7	44
18	Geographic and socioeconomic diversity of food and nutrient intakes: a comparison of four European countries. <i>European Journal of Nutrition</i> , <b>2019</b> , 58, 1475-1493	5.2	44
17	Diet quality indices for research in low- and middle-income countries: a systematic review. <i>Nutrition Reviews</i> , <b>2019</b> ,	6.4	33
16	Glycemic index and glycemic load and their association with C-reactive protein and incident type 2 diabetes. <i>Journal of Nutrition and Metabolism</i> , <b>2011</b> , 2011, 623076	2.7	33
15	Assessing Sustainable Food and Nutrition Security of the EU Food System—An Integrated Approach. <i>Sustainability</i> , <b>2018</b> , 10, 4271	3.6	29

14	Dietary choices and environmental impact in four European countries. <i>Journal of Cleaner Production</i> , <b>2019</b> , 237, 117827	10.3	28
13	Plasma enterolignans are not associated with nonfatal myocardial infarction risk. <i>Atherosclerosis</i> , <b>2009</b> , 203, 145-52	3.1	16
12	A validated method for the quantification of enterodiol and enterolactone in plasma using isotope dilution liquid chromatography with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2005</b> , 822, 178-84	3.2	15
11	Comparison of fatty acid proportions in serum cholesteryl esters among people with different glucose tolerance status: the CoDAM study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , <b>2012</b> , 22, 133-40	4.5	14
10	Plasma enterolignan concentrations and colorectal cancer risk in a nested case-control study. <i>American Journal of Epidemiology</i> , <b>2008</b> , 167, 734-42	3.8	14
9	FFQ versus repeated 24-h recalls for estimating diet-related environmental impact. <i>Nutrition Journal</i> , <b>2019</b> , 18, 2	4.3	11
8	SHARP-Indicators Database towards a public database for environmental sustainability. <i>Data in Brief</i> , <b>2019</b> , 27, 104617	1.2	9
7	A Sustainability Compass for policy navigation to sustainable food systems. <i>Global Food Security</i> , <b>2021</b> , 29, 100546	8.3	9
6	Improving health and carbon footprints of European diets using a benchmarking approach. <i>Public Health Nutrition</i> , <b>2021</b> , 24, 565-575	3.3	8
5	Paying the price for environmentally sustainable and healthy EU diets. <i>Global Food Security</i> , <b>2021</b> , 28, 100437	8.3	7
4	Consumers' Perceptions on food-related sustainability: A systematic review. <i>Journal of Cleaner Production</i> , <b>2022</b> , 341, 130904	10.3	3
3	Methodological Aspects of Diet Quality Indicators in Childhood: A Mapping Review. <i>Advances in Nutrition</i> , <b>2021</b> , 12, 2435-2494	10	0
2	PS4 - 21. Tea consumption and incidence of type 2 diabetes in Europe: the EPICInterAct case-cohort study. <i>Nederlands Tijdschrift Voor Diabetologie</i> , <b>2012</b> , 10, 112-113	0	
1	Eating Fish and Risk of Type 2 Diabetes: A Population-Based, Prospective Follow-Up Study: Response to Boucher and Mannan. <i>Diabetes Care</i> , <b>2010</b> , 33, e126-e126	14.6	