

Takafumi Horie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1495400/takafumi-horie-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

194
citations

8
h-index

11
g-index

58
ext. papers

235
ext. citations

2.5
avg, IF

2.81
L-index

#	Paper	IF	Citations
57	Forced Motion of a Single Particle in Micron-sized Particle Dispersion. <i>Journal of the Society of Powder Technology, Japan</i> , 2021 , 58, 138-146	0.3	
56	Enzymatic starch hydrolysis performance of Taylor-Couette flow reactor with ribbed inner cylinder. <i>Chemical Engineering Science</i> , 2021 , 231, 116270	4.4	4
55	Effect of Sn _x Pt _y Alloy Structures in SnPt Bimetallic Nanoparticle Catalysts on Catalytic Activity for Hydrogenation of Acetic Acid. <i>Journal of Chemical Engineering of Japan</i> , 2020 , 53, 383-388	0.8	2
54	Gas Absorption Enhancement of Slug Flow in the Presence of Non-Porous Silica Fine Particles. <i>Journal of Chemical Engineering of Japan</i> , 2020 , 53, 409-413	0.8	
53	Impacts of the Surfactant Concentration on the Sedimentation Characteristics of Silica Hard-Shell Microcapsules Containing Phase Change Materials. <i>Journal of Chemical Engineering of Japan</i> , 2020 , 53, 431-437	0.8	1
52	Advances in Biological Liquid Crystals. <i>Small</i> , 2019 , 15, e1900019	11	17
51	Flow and sedimentation characteristics of silica hard-shell microcapsule slurries treated with additives. <i>International Journal of Refrigeration</i> , 2019 , 106, 18-23	3.8	4
50	Energy Saving Performances of the Internal Heat Integrated Batch Distillation for Non-Ideal Mixture. <i>Journal of Chemical Engineering of Japan</i> , 2019 , 52, 215-221	0.8	
49	Effect of geometrical configuration of reactor on a ZrP nano-dispersion process using ultrasonic irradiation. <i>Ultrasonics Sonochemistry</i> , 2019 , 52, 157-163	8.9	4
48	Intensification of hollow fiber membrane cross-flow filtration by the combination of helical baffle and oscillatory flow. <i>Journal of Membrane Science</i> , 2018 , 554, 134-139	9.6	10
47	Hydrogen production for photocatalytic decomposition of water with urea as a reducing agent. <i>Catalysis Today</i> , 2018 , 307, 231-236	5.3	4
46	Role of Al ³⁺ species in beta zeolites for Baeyer-Villiger oxidation of cyclic ketones by using H ₂ O ₂ as an environmentally friendly oxidant. <i>Catalysis Today</i> , 2018 , 307, 293-300	5.3	3
45	Improvement of separation performance by fluid motion in the membrane module with a helical baffle. <i>Separation and Purification Technology</i> , 2018 , 198, 52-59	8.3	11
44	Flow dynamics in Taylor-Couette flow reactor with axial distribution of temperature. <i>AIChE Journal</i> , 2018 , 64, 1075-1082	3.6	8
43	EFFECTS OF FABRICATION CONDITIONS ON SILICA HARD-SHELL MICROCAPSULES CONTAINING PHASE CHANGE MATERIALS 2018 ,		3
42	Synthesis of bimetallic SnPt-nanoparticle catalysts for chemoselective hydrogenation of crotonaldehyde: Relationship between Sn _x Pt _y alloy phase and catalytic performance. <i>Catalysis Today</i> , 2018 , 303, 241-248	5.3	12
41	Using Motion Analysis to Evaluate Techniques for Whipping Heavy Cream by Hand. <i>Journal of Chemical Engineering of Japan</i> , 2018 , 51, 180-184	0.8	

40	Economic Evaluation of Heat-Pump-Assisted Distillation Systems. <i>Kagaku Kogaku Ronbunshu</i> , 2018 , 44, 303-307	0.4	
39	Estimation of Mutual Diffusion Coefficient as a Function of Moisture Content and Temperature from Coating Temperature History During Coating Drying. <i>Kagaku Kogaku Ronbunshu</i> , 2018 , 44, 153-160 ^{0.4}		
38	Prediction of onset of Taylor-Couette instability for shear-thinning fluids. <i>Rheologica Acta</i> , 2017 , 56, 73-84	13	
37	Process development of starch hydrolysis using mixing characteristics of Taylor vortices. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017 , 81, 755-761	2.1	9
36	Preparation of Porous Titania by Sol-Gel Method Using Alkylketene Dimers as a Template. <i>Journal of Chemical Engineering of Japan</i> , 2017 , 50, 450-454	0.8	2
35	Application Method of Rate Based Model to Analysis of Dynamic Behavior of Stirred Tank Reactor for Phase Transfer Catalysis with the Third Liquid Phase. <i>Journal of Chemical Engineering of Japan</i> , 2017 , 50, 408-414	0.8	
34	Thermal treatment of starch slurry in Couette-Taylor flow apparatus. <i>Chemical and Process Engineering - Inzynieria Chemiczna I Procesowa</i> , 2017 , 38, 345-361		0
33	Preparation of a Photoresponsive Tracer to Evaluate the Performance of Dry-Type Powder Photoreactors. <i>Journal of Chemical Engineering of Japan</i> , 2017 , 50, 710-715	0.8	1
32	Models of Particle Exposure on the Dried Surface of Slurry Coating with Low Particle Concentration in Polymer Solution. <i>Kagaku Kogaku Ronbunshu</i> , 2017 , 43, 37-44	0.4	
31	Effect of ultrasonic pretreatment on emulsion polymerization of styrene. <i>Ultrasonics Sonochemistry</i> , 2016 , 31, 337-41	8.9	8
30	Drying Model for Coating of Aqueous Solution of Plasticized Polymer. <i>Kagaku Kogaku Ronbunshu</i> , 2016 , 42, 68-75	0.4	1
29	Application of picene thin-film semiconductor as a photocatalyst for photocatalytic hydrogen formation from water. <i>Applied Catalysis B: Environmental</i> , 2016 , 192, 88-92	21.8	7
28	Estimation Method for Intrinsic Drying Rate of Fick-Type Coating. <i>Kagaku Kogaku Ronbunshu</i> , 2015 , 41, 387-391	0.4	
27	Process Development for Ultrasonic Fracturing of Zirconium Phosphate Particles. <i>Journal of Chemical Engineering of Japan</i> , 2014 , 47, 124-129	0.8	7
26	Measurement of Infrared Drying Rate of Coating by an Extended Temperature-Change Method. <i>Kagaku Kogaku Ronbunshu</i> , 2014 , 40, 50-55	0.4	2
25	Process intensification of continuous starch hydrolysis with a Couette-Taylor flow reactor. <i>Chemical Engineering Research and Design</i> , 2013 , 91, 2259-2264	5.5	20
24	Cutting-Edge Research at the Membrane Center in Kobe University in Japan. <i>Biotechnology and Biotechnological Equipment</i> , 2013 , 27, 3478-3484	1.6	
23	Enhancement of Gas Hold-Up with a Taylor Vortex Flow System Equipped with Ribs. <i>Journal of Chemical Engineering of Japan</i> , 2013 , 46, 27-32	0.8	0

22	Estimation of Coating Drying Rate on Different Base Films. <i>Kagaku Kogaku Ronbunshu</i> , 2013 , 39, 539-544	0.4	1
21	Synthesis of thiol-capped gold nanoparticle with a flow system using organosilane as a reducing agent. <i>Tetrahedron Letters</i> , 2012 , 53, 4457-4459	2	8
20	Process Intensification of Emulsion Polymerization Using a Compartment Reactor. <i>Chemical Engineering and Technology</i> , 2012 , 35, 1273-1280	2	
19	Effect of Temperature Change on Geometric Structure of Isolated Mixing Regions in Stirred Vessel. <i>International Journal of Chemical Engineering</i> , 2012 , 2012, 1-6	2.2	2
18	Operation for Fine Particle Dispersion in Shear-Thinning Fluid in a Stirred Vessel. <i>Journal of Chemical Engineering of Japan</i> , 2012 , 45, 258-264	0.8	
17	Liquid-Liquid two phase flow of millichannel with a dynamic mixer. <i>Chemical Engineering and Processing: Process Intensification</i> , 2011 , 50, 1-8	3.7	3
16	Kinetic Analysis of Syngas Formation from Carbon Dioxide (Dry Reforming of Methane with Carbon Dioxide) for Process Intensification. <i>Kagaku Kogaku Ronbunshu</i> , 2011 , 37, 128-133	0.4	1
15	Process Intensification of Continuous Emulsion Polymerization of Vinyl Acetate by a Method of Function Module Representation. <i>Kagaku Kogaku Ronbunshu</i> , 2011 , 37, 134-139	0.4	1
14	Estimation of Binder Segregation in a Porous Slab from the Conductive Drying Rate Curve. <i>Kagaku Kogaku Ronbunshu</i> , 2011 , 37, 229-234	0.4	2
13	Effect of Solution Diffusion on Binder Segregation Model during Convective Drying of Porous Solid. <i>Kagaku Kogaku Ronbunshu</i> , 2011 , 37, 235-240	0.4	2
12	Application to Slurry Slab of Binder Segregation Model during Convective Drying of Porous Solid. <i>Kagaku Kogaku Ronbunshu</i> , 2011 , 37, 432-440	0.4	1
11	Dispersion of Floating Particles in a Taylor Vortex Flow Reactor. <i>Journal of Chemical Engineering of Japan</i> , 2010 , 43, 319-325	0.8	2
10	Characteristics of Continuous Emulsion Polymerization of Vinyl Acetate with a Compartment Reactor. <i>Journal of Chemical Engineering of Japan</i> , 2010 , 43, 70-75	0.8	2
9	Thermal Power Generated in a Wet Porous Slab by Dielectric Drying. <i>Kagaku Kogaku Ronbunshu</i> , 2010 , 36, 379-382	0.4	
8	Measurement of Drying Rate of Water-based Coat with Two Volatile Components by the Temperature-change Method. <i>Kagaku Kogaku Ronbunshu</i> , 2010 , 36, 64-69	0.4	1
7	Prediction of Binder Saturation Profile in Convectively Dried Porous Material Wetted with Binder Solution. <i>Kagaku Kogaku Ronbunshu</i> , 2010 , 36, 449-456	0.4	4
6	Oxidative Coupling of Propane with a Two-Layered Catalyst Bed Reactor. <i>Chemical Product and Process Modeling</i> , 2009 , 4,	1.1	1
5	Effect of Particle Motion in Isolated Mixing Regions on Mixing in Stirred Vessel. <i>Journal of Chemical Engineering of Japan</i> , 2009 , 42, 459-463	0.8	2

4	Correlative Method for Drying Rate Curves of Coated Film with Constant Temperature of Hot Air. <i>Kagaku Kogaku Ronbunshu</i> , 2009 , 35, 639-645	0.4	1
3	Effect of flow rate on temperature in a BiPO catalyst bed: Global enhancement by forced flow rate cycling. <i>Chemical Engineering Science</i> , 2008 , 63, 4981-4990	4.4	3
2	Oxidative Coupling of Propylene under the Condition of Forced Composition Cycling with a Microreactor. <i>Kagaku Kogaku Ronbunshu</i> , 2008 , 34, 102-107	0.4	2
1	Design and Fabrication of a Microreactor for High Temperature Catalytic Oxidation Using Forced Composition Cycling. <i>Kagaku Kogaku Ronbunshu</i> , 2004 , 30, 142-147	0.4	2