

Ann-Marie Svensson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1495447/publications.pdf>

Version: 2024-02-01

70
papers

5,290
citations

218677

26
h-index

88630

70
g-index

70
all docs

70
docs citations

70
times ranked

7316
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors, Mortality, and Cardiovascular Outcomes in Patients with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2018, 379, 633-644.	27.0	888
2	Mortality and Cardiovascular Disease in Type 1 and Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2017, 376, 1407-1418.	27.0	880
3	Glycemic Control and Excess Mortality in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2014, 371, 1972-1982.	27.0	717
4	Excess mortality and cardiovascular disease in young adults with type 1 diabetes in relation to age at onset: a nationwide, register-based cohort study. <i>Lancet, The</i> , 2018, 392, 477-486.	13.7	492
5	Glycaemic control and incidence of heart failure in 20 000 patients with type 1 diabetes: an observational study. <i>Lancet, The</i> , 2011, 378, 140-146.	13.7	222
6	Cardiovascular disease and mortality in patients with type 2 diabetes after bariatric surgery in Sweden: a nationwide, matched, observational cohort study. <i>Lancet Diabetes and Endocrinology, the</i> , 2015, 3, 847-854.	11.4	144
7	Glycemic Control and Cardiovascular Disease in 7,454 Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2010, 33, 1640-1646.	8.6	122
8	Cancer incidence in persons with type 1 diabetes: a five-country study of 9,000 cancers in type 1 diabetic individuals. <i>Diabetologia</i> , 2016, 59, 980-988.	6.3	119
9	HbA _{1c} level as a risk factor for retinopathy and nephropathy in children and adults with type 1 diabetes: Swedish population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 366, l4894.	2.3	109
10	Relative Prognostic Importance and Optimal Levels of Risk Factors for Mortality and Cardiovascular Outcomes in Type 1 Diabetes Mellitus. <i>Circulation</i> , 2019, 139, 1900-1912.	1.6	108
11	Range of Risk Factor Levels. <i>Circulation</i> , 2017, 135, 1522-1531.	1.6	102
12	Association Between Socioeconomic Status and Mortality, Cardiovascular Disease, and Cancer in Patients With Type 2 Diabetes. <i>JAMA Internal Medicine</i> , 2016, 176, 1146.	5.1	100
13	The incidence of diabetes among 34-year olds in Sweden: new data and better methods. <i>Diabetologia</i> , 2014, 57, 1375-1381.	6.3	87
14	Recent trends in life expectancy for people with type 1 diabetes in Sweden. <i>Diabetologia</i> , 2016, 59, 1167-1176.	6.3	81
15	Risk of atrial fibrillation in persons with type 2 diabetes and the excess risk in relation to glycaemic control and renal function: a Swedish cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 9.	6.8	70
16	Use of sodium glucose cotransporter 2 inhibitors and risk of major cardiovascular events and heart failure: Scandinavian register based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 366, l4772.	2.3	69
17	Use of sodium-glucose co-transporter 2 inhibitors and risk of serious renal events: Scandinavian cohort study. <i>BMJ, The</i> , 2020, 369, m1186.	6.0	63
18	Impact of Socioeconomic Status on Cardiovascular Disease and Mortality in 24,947 Individuals With Type 1 Diabetes. <i>Diabetes Care</i> , 2015, 38, 1518-1527.	8.6	61

#	ARTICLE	IF	CITATIONS
19	Severe Hypoglycemia and Mortality After Cardiovascular Events for Type 1 Diabetic Patients in Sweden. <i>Diabetes Care</i> , 2014, 37, 2974-2981.	8.6	44
20	Renal and Cardiovascular Outcomes After Weight Loss From Gastric Bypass Surgery in Type 2 Diabetes: Cardiorenal Risk Reductions Exceed Atherosclerotic Benefits. <i>Diabetes Care</i> , 2020, 43, 1276-1284.	8.6	43
21	Glycaemic control and excess risk of major coronary events in persons with type 1 diabetes. <i>Heart</i> , 2017, 103, 1687-1695.	2.9	41
22	Use of Glucagon-Like Peptide 1 Receptor Agonists and Risk of Serious Renal Events: Scandinavian Cohort Study. <i>Diabetes Care</i> , 2020, 43, 1326-1335.	8.6	41
23	Risk Factors for Severe Liver Disease in Patients With Type 2 Diabetes. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2769-2775.e4.	4.4	37
24	Effect of flash glucose monitoring in adults with type 1 diabetes: a nationwide, longitudinal observational study of 14,372 flash users compared with 7691 glucose sensor naive controls. <i>Diabetologia</i> , 2021, 64, 1595-1603.	6.3	34
25	Excess risk of hospitalisation for heart failure among people with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 2300-2309.	6.3	31
26	Impact of ethnicity on progress of glycaemic control in 131 935 newly diagnosed patients with type 2 diabetes: a nationwide observational study from the Swedish National Diabetes Register. <i>BMJ Open</i> , 2015, 5, e007599-e007599.	1.9	29
27	Risk factors for atrial fibrillation in type 2 diabetes: report from the Swedish National Diabetes Register (NDR). <i>Diabetologia</i> , 2015, 58, 2259-2268.	6.3	28
28	Potential Effects of Bariatric Surgery on the Incidence of Heart Failure and Atrial Fibrillation in Patients With Type 2 Diabetes Mellitus and Obesity and on Mortality in Patients With Preexisting Heart Failure: A Nationwide, Matched, Observational Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e019323.	3.7	28
29	International comparison of glycaemic control in people with type 1 diabetes: an update and extension. <i>Diabetic Medicine</i> , 2022, 39, e14766.	2.3	28
30	Cardiorenal and other diabetes related outcomes with SGLT-2 inhibitors compared to GLP-1 receptor agonists in type 2 diabetes: nationwide observational study. <i>Cardiovascular Diabetology</i> , 2021, 20, 67.	6.8	27
31	Pros and cons of gastric bypass surgery in individuals with obesity and type 2 diabetes: nationwide, matched, observational cohort study. <i>BMJ Open</i> , 2019, 9, e023882.	1.9	25
32	Mortality in patients with diabetes mellitus and Addison's disease: a nationwide, matched, observational cohort study. <i>European Journal of Endocrinology</i> , 2017, 176, 31-39.	3.7	23
33	Health Utilities of Type 2 Diabetes-Related Complications: A Cross-Sectional Study in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 4939-4952.	2.6	22
34	Considerably decreased risk of cardiovascular disease with combined reductions in HbA1c, blood pressure and blood lipids in type 2 diabetes: Report from the Swedish National Diabetes Register. <i>Diabetes and Vascular Disease Research</i> , 2016, 13, 268-277.	2.0	22
35	Development and validation of a cardiovascular risk prediction model in type 1 diabetes. <i>Diabetologia</i> , 2021, 64, 2001-2011.	6.3	22
36	PCI Versus CABG in Patients With Type 1 Diabetes and Multivessel Disease. <i>Journal of the American College of Cardiology</i> , 2017, 70, 1441-1451.	2.8	21

#	ARTICLE	IF	CITATIONS
37	Incidence, prevalence and seasonal onset variation of Addison's disease among persons with type 1 diabetes mellitus: nationwide, matched cohort studies. <i>European Journal of Endocrinology</i> , 2018, 178, 113-120.	3.7	19
38	Comparison between data-driven clusters and models based on clinical features to predict outcomes in type 2 diabetes: nationwide observational study. <i>Diabetologia</i> , 2021, 64, 1973-1981.	6.3	19
39	Estimated glucose disposal rate and risk of stroke and mortality in type 2 diabetes: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 202.	6.8	19
40	Excess risk of lower extremity amputations in people with type 1 diabetes compared with the general population: amputations and type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000602.	2.8	17
41	The influence of a history of diabetes on treatment and outcome in acute myocardial infarction, during two time periods and in two different countries. <i>International Journal of Cardiology</i> , 2007, 119, 319-325.	1.7	16
42	Risk Factors for Atrial Fibrillation in People With Type 1 Diabetes: An Observational Cohort Study of 36,258 Patients From the Swedish National Diabetes Registry. <i>Diabetes Care</i> , 2019, 42, 1530-1538.	8.6	16
43	Influence of diabetes on long-term outcome among unselected patients with acute coronary events. <i>Scandinavian Cardiovascular Journal</i> , 2004, 38, 229-234.	1.2	15
44	Indications for Insulin Pump Therapy in Type 1 Diabetes and Associations With Glycemic Control. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 1027-1033.	2.2	15
45	Variability in body weight and the risk of cardiovascular complications in type 2 diabetes: results from the Swedish National Diabetes Register. <i>Cardiovascular Diabetology</i> , 2021, 20, 173.	6.8	14
46	Risk factors and incidence over time for lower extremity amputations in people with type 1 diabetes: an observational cohort study of 46,088 patients from the Swedish National Diabetes Registry. <i>Diabetologia</i> , 2021, 64, 2751-2761.	6.3	13
47	The comparative cardiovascular and renal effectiveness of sodium-glucose cotransporter inhibitors and glucagon-like peptide-1 receptor agonists: A Scandinavian cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 473-485.	4.4	13
48	A Patient-Level Model to Estimate Lifetime Health Outcomes of Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2020, 43, 1741-1749.	8.6	12
49	Body mass index as a risk factor for coronary events and mortality in patients with type 1 diabetes. <i>Open Heart</i> , 2018, 5, e000727.	2.3	11
50	Development of a life expectancy table for individuals with type 1 diabetes. <i>Diabetologia</i> , 2021, 64, 2228-2236.	6.3	10
51	Changes in risk factors and their contribution to reduction of mortality risk following gastric bypass surgery among obese individuals with type 2 diabetes: a nationwide, matched, observational cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000386.	2.8	9
52	Use of incretin-based drugs and risk of cholangiocarcinoma: Scandinavian cohort study. <i>Diabetologia</i> , 2021, 64, 2204-2214.	6.3	9
53	Cost-Effectiveness of the FreeStyle Libre [®] System Versus Blood Glucose Self-Monitoring in Individuals with Type 2 Diabetes on Insulin Treatment in Sweden. <i>Diabetes Therapy</i> , 2021, 12, 3137-3152.	2.5	9
54	Cardiovascular Disease in Patients with Type 2 Diabetes and in Patients Starting Empagliflozin Treatment: Nationwide Survey. <i>Diabetes Therapy</i> , 2019, 10, 1523-1530.	2.5	8

#	ARTICLE	IF	CITATIONS
55	Persistence with IDegLira in Patients in Clinical Practice: A Nationwide Observational Study in Sweden. <i>Diabetes Therapy</i> , 2020, 11, 1807-1820.	2.5	8
56	Resources and organisation in primary health care are associated with HbA 1c level: A nationwide study of 230 958 people with Type 2 diabetes mellitus. <i>Primary Care Diabetes</i> , 2018, 12, 23-33.	1.8	7
57	Adherence to lipid-lowering therapy and risk for cardiovascular disease and death in type 1 diabetes mellitus: a population-based study from the Swedish National Diabetes Register. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000719.	2.8	7
58	Glycemic Control and Risk of Sepsis and Subsequent Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 127-133.	8.6	7
59	The impact of diabetes mellitus on major amputation among patients with chronic limb threatening ischemia undergoing elective endovascular therapy- a nationwide propensity score adjusted analysis. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107675.	2.3	6
60	Glycaemic control and excess risk of major coronary events in patients with type 2 diabetes: a population-based study. <i>Open Heart</i> , 2019, 6, e000967.	2.3	5
61	Impact of Socioeconomic Factors and Gender on Refill Adherence and Persistence to Lipid-Lowering Therapy in Type 1 Diabetes. <i>Diabetes Therapy</i> , 2021, 12, 2371-2386.	2.5	5
62	Early Clinical Indicators of Addison Disease in Adults With Type 1 Diabetes: A Nationwide, Observational, Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 1148-1157.	3.6	4
63	Efficacy and Safety of Treatment with New Basal Insulin Analogues in Type 1 Diabetes: Nation-Wide Survey. <i>Diabetes Therapy</i> , 2020, 11, 725-734.	2.5	3
64	Characteristics of Continuous Glucose Monitoring Metrics in Persons with Type 1 and Type 2 Diabetes Treated with Multiple Daily Insulin Injections. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 425-433.	4.4	3
65	Renal Complications and Duration of Diabetes: An International Comparison in Persons with Type 1 Diabetes. <i>Diabetes Therapy</i> , 2021, 12, 3093-3105.	2.5	3
66	Sodium-glucose Cotransporter 2 Inhibitors and Risk of Bladder and Renal Cancer: Scandinavian Cohort Study. <i>Diabetes Care</i> , 2022, 45, e93-e96.	8.6	3
67	Glycated Hemoglobin A1c Levels in Type 1 Diabetes Mellitus and Outcomes After Myocardial Infarction. <i>Circulation</i> , 2019, 139, 2380-2382.	1.6	2
68	Electrical atrial vulnerability and renal complications in type 2 diabetes. Reply to Montaigne D, Coisne A, Sosner P et al [letter]. <i>Diabetologia</i> , 2016, 59, 863-864.	6.3	1
69	Associations between quality of work features in primary health care and glycaemic control in people with Type 2 diabetes mellitus: A nationwide survey. <i>Primary Care Diabetes</i> , 2019, 13, 176-186.	1.8	1
70	Organisation of primary diabetes care in people with type 2 diabetes in relation to all-cause mortality: A nationwide register-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2020, 167, 108352.	2.8	1