Katarzyna Januszewska

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/14956/publications.pdf

Version: 2024-02-01

933447 888059 19 546 10 17 citations g-index h-index papers 19 19 19 648 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Models are useful, but they are still only the models …. European Journal of Cardio-thoracic Surgery, 2022, 62, .	1.4	O
2	Cobra-Head Cuffed Vascular Graft as Right Ventricle-to-Pulmonary Artery Shunt in Norwood Procedure. Annals of Thoracic Surgery, 2020, 112, 156-161.	1.3	1
3	Geometry of the pulmonary arteries before the Fontan operation: can we influence it during the Norwood procedure?. European Journal of Cardio-thoracic Surgery, 2020, 57, 1098-1104.	1.4	O
4	Extubation in the Operating Room After Fontan Procedure: Does It Make a Difference?. Pediatric Cardiology, 2019, 40, 468-476.	1.3	6
5	Single Ostium of the Right and Left Coronary Artery From the Right Pulmonary Artery. Annals of Thoracic Surgery, 2018, 105, e67-e69.	1.3	6
6	Lateral Atrial Tunnel Fontan Operation Predisposes to the Junctional Rhythm. Pediatric Cardiology, 2017, 38, 712-718.	1.3	2
7	Closing the gap in paediatric ventricular assist device therapy with the Berlin Heart EXCOR® 15-ml pumpâ€. Interactive Cardiovascular and Thoracic Surgery, 2017, 24, ivw437.	1.1	12
8	Results of the Fontan operation with no early mortality in 248 consecutive patients. Kardiologia Polska, 2017, 75, 255-260.	0.6	9
9	Perturbation of the microvascular glycocalyx and perfusion in infants after cardiopulmonary bypass. Journal of Thoracic and Cardiovascular Surgery, 2015, 150, 1474-1481.e1.	0.8	33
10	Acute Degradation of the Endothelial Glycocalyx in Infants Undergoing Cardiac Surgical Procedures. Annals of Thoracic Surgery, 2015, 99, 926-931.	1.3	47
11	Scimitar Syndrome Associated With Abnormal Hepatic Venous Drainage. World Journal for Pediatric & Samp; Congenital Heart Surgery, 2015, 6, 474-476.	0.8	3
12	Validation of Cell-Cycle Arrest Biomarkers for Acute Kidney Injury after Pediatric Cardiac Surgery. PLoS ONE, 2014, 9, e110865.	2.5	101
13	Influence of Pulmonary Artery Size on Early Outcome After the Fontan Operation. Annals of Thoracic Surgery, 2014, 97, 1387-1393.	1.3	17
14	Right Ventricle-to-Pulmonary Artery Shunt in Norwood Procedure: Early Results. World Journal for Pediatric & Decimal Results (2010, 1, 44-50.	0.8	4
15	Consequences of Right Ventricle–to–Pulmonary Artery Shunt at the First Stage for the Fontan Operation. Annals of Thoracic Surgery, 2007, 84, 1611-1617.	1.3	11
16	Right ventricle-to-pulmonary artery shunt and modified Blalock–Taussig shunt in preparation to hemi-Fontan procedure in children with hypoplastic left heart syndrome. European Journal of Cardio-thoracic Surgery, 2005, 27, 956-961.	1.4	44
17	Right Ventricle to Pulmonary Artery Conduit Improves Outcome After Stage I Norwood for Hypoplastic Left Heart Syndrome. Circulation, 2003, 108, 155II–160.	1.6	116
18	Right ventricle-to-pulmonary artery shunt versus modified Blalock-Taussig shunt in the Norwood procedure for hypoplastic left heart syndrome – influence on early and late haemodynamic statusâ~†. European Journal of Cardio-thoracic Surgery, 2003, 23, 728-734.	1.4	95

#	Article	IF	CITATIONS
19	Factors influencing early outcome of Norwood procedure for hypoplastic left heart syndrome✩. European Journal of Cardio-thoracic Surgery, 2000, 18, 202-206.	1.4	39