

# Diane van der Woude

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1495627/publications.pdf>

Version: 2024-02-01

88  
papers

4,559  
citations

136885

32  
h-index

106281

65  
g-index

89  
all docs

89  
docs citations

89  
times ranked

4938  
citing authors

#	ARTICLE	IF	CITATIONS
1	Response to: "Correspondence on "Onset of rheumatoid arthritis after COVID-19: coincidence or connected?" by Roongta et al. <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e137-e137.	0.5	9
2	NT-proBNP and sRAGE levels in early rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2023, 52, 243-249.	0.6	2
3	Genetic predisposition (HLA-SE) is associated with ACPA-IgG variable domain glycosylation in the predisease phase of RA. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 141-143.	0.5	11
4	From phenotype to pathophysiology" placing rheumatic diseases in an immunological perspective. <i>Lancet Rheumatology</i> , The, 2022, 4, e166-e167.	2.2	5
5	DOP27 Humoral immune response after SARS-CoV-2 vaccination in patients with immune-mediated inflammatory diseases treated with immunosuppressive therapy - a Target to B! study. <i>Journal of Crohn's and Colitis</i> , 2022, 16, i079-i079.	0.6	2
6	IgG Anti-Citrullinated Protein Antibody Variable Domain Glycosylation Increases Before the Onset of Rheumatoid Arthritis and Stabilizes Thereafter: A Cross-Sectional Study Encompassing ~1,500 Samples. <i>Arthritis and Rheumatology</i> , 2022, 74, 1147-1158.	2.9	23
7	Risk factors associated with short-term adverse events after SARS-CoV-2 vaccination in patients with immune-mediated inflammatory diseases. <i>BMC Medicine</i> , 2022, 20, 100.	2.3	15
8	Humoral responses after second and third SARS-CoV-2 vaccination in patients with immune-mediated inflammatory disorders on immunosuppressants: a cohort study. <i>Lancet Rheumatology</i> , The, 2022, 4, e338-e350.	2.2	88
9	In rheumatoid arthritis patients, total IgA1 and IgA2 levels are elevated: implications for the mucosal origin hypothesis. <i>Rheumatology</i> , 2022, 62, 407-416.	0.9	6
10	Cross-reactivity of anti-modified protein antibodies is also present in predisease and individuals without rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1332-1334.	0.5	0
11	Breakthrough SARS-CoV-2 infections with the delta (B.1.617.2) variant in vaccinated patients with immune-mediated inflammatory diseases using immunosuppressants: a substudy of two prospective cohort studies. <i>Lancet Rheumatology</i> , The, 2022, 4, e417-e429.	2.2	33
12	Anti-citrullinated protein antibodies dominate the association of long-term outcomes and anti-modified protein antibodies in rheumatoid arthritis. <i>Lancet Rheumatology</i> , The, 2022, 4, e316-e317.	2.2	3
13	From risk to chronicity: evolution of autoreactive B cell and antibody responses in rheumatoid arthritis. <i>Nature Reviews Rheumatology</i> , 2022, 18, 371-383.	3.5	32
14	Association Between Bone Mineral Density and Autoantibodies in Patients With Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021, 73, 921-930.	2.9	17
15	Onset of rheumatoid arthritis after COVID-19: coincidence or connected?. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 1096-1098.	0.5	53
16	Evolution of anti-modified protein antibody responses can be driven by consecutive exposure to different post-translational modifications. <i>Arthritis Research and Therapy</i> , 2021, 23, 298.	1.6	5
17	Autoantibodies and B Cells: The ABC of rheumatoid arthritis pathophysiology. <i>Immunological Reviews</i> , 2020, 294, 148-163.	2.8	86
18	Secretory form of rheumatoid arthritis-associated autoantibodies in serum are mainly of the IgM isotype, suggesting a continuous reactivation of autoantibody responses at mucosal surfaces. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 146-148.	0.5	22

#	ARTICLE	IF	CITATIONS
19	In rheumatoid arthritis, changes in autoantibody levels reflect intensity of immunosuppression, not subsequent treatment response. <i>Arthritis Research and Therapy</i> , 2019, 21, 28.	1.6	33
20	Different classes of anti-modified protein antibodies are induced on exposure to antigens expressing only one type of modification. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 908-916.	0.5	34
21	Circulating calprotectin (S100A8/A9) is higher in rheumatoid arthritis patients that relapse within 12 months of tapering anti-rheumatic drugs. <i>Arthritis Research and Therapy</i> , 2019, 21, 268.	1.6	19
22	Autoantibody status is not associated with early treatment response to first-line methotrexate in patients with early rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 149-153.	0.9	11
23	Autoantibody Development under Treatment with Immune-Checkpoint Inhibitors. <i>Cancer Immunology Research</i> , 2019, 7, 6-11.	1.6	118
24	Baseline autoantibody profile in rheumatoid arthritis is associated with early treatment response but not long-term outcomes. <i>Arthritis Research and Therapy</i> , 2018, 20, 33.	1.6	39
25	Comment on "Aggregatibacter actinomycetemcomitans induced hypercitrullination links periodontal infection to autoimmunity in rheumatoid arthritis". <i>Science Translational Medicine</i> , 2018, 10, .	5.8	24
26	Update on the epidemiology, risk factors, and disease outcomes of rheumatoid arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2018, 32, 174-187.	1.4	289
27	Triple Positivity for Anti-Citrullinated Protein Autoantibodies, Rheumatoid Factor, and Anti-Carbamylated Protein Antibodies Conferring High Specificity for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1721-1731.	2.9	81
28	Anti-Carbamylated Protein Antibodies and Higher Baseline Disease Activity in Rheumatoid Arthritis: A Replication Study in Three Cohorts: Comment on the Article by Truchetet et al. <i>Arthritis and Rheumatology</i> , 2018, 70, 2096-2097.	2.9	6
29	In RA, becoming seronegative over the first year of treatment does not translate to better chances of drug-free remission. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1836-1838.	0.5	12
30	Rheumatoid arthritis phenotype at presentation differs depending on the number of autoantibodies present. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 716-720.	0.5	35
31	Long-term mortality in patients with ST-segment elevation myocardial infarction is associated with anti-citrullinated protein antibodies. <i>International Journal of Cardiology</i> , 2017, 240, 20-24.	0.8	11
32	The role of autoantibodies in the pathophysiology of rheumatoid arthritis. <i>Seminars in Immunopathology</i> , 2017, 39, 437-446.	2.8	203
33	The contribution of autoantibodies to post-translationally modified proteins to inflammatory arthritis. <i>Current Opinion in Rheumatology</i> , 2017, 29, 195-200.	2.0	0
34	Antibodies against collagen type II are not a general marker of acute arthritis onset. <i>Annals of the Rheumatic Diseases</i> , 2017, 77, annrheumdis-2017-211974.	0.5	4
35	Molecular basis for increased susceptibility of Indigenous North Americans to seropositive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1915-1923.	0.5	36
36	The isotype and IgG subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2017, 19, 190.	1.6	20

#	ARTICLE	IF	CITATIONS
37	The role of anticitrullinated protein antibodies in the early stages of rheumatoid arthritis. <i>Current Opinion in Rheumatology</i> , 2016, 28, 275-281.	2.0	18
38	The target of ACPA. <i>Rheumatology</i> , 2016, 55, 1711-1713.	0.9	2
39	Smoking is associated with the concurrent presence of multiple autoantibodies in rheumatoid arthritis rather than with anti-citrullinated protein antibodies per se: a multicenter cohort study. <i>Arthritis Research and Therapy</i> , 2016, 18, 285.	1.6	43
40	Anti-carbamylated protein antibodies: a specific hallmark for rheumatoid arthritis. Comparison to conditions known for enhanced carbamylation; renal failure, smoking and chronic inflammation. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1575-1576.	0.5	32
41	A2.10â€¦The isotype and subclass distribution of anti-carbamylated protein antibodies in rheumatoid arthritis patients. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, A19.1-A19.	0.5	0
42	SAT0085â€¦Do Specific Acpas or Other Autoantibodies Measured by A Novel Assay Predict Response To Methotrexate Monotherapy in Patients with Early Dmard-Naïve Ra?. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 696.1-696.	0.5	0
43	Protective effect of HLA-DRB1*13 alleles during specific phases in the development of ACPA-positive RA. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1891-1898.	0.5	12
44	HLA and anti-citrullinated protein antibodies: Building blocks in RA. <i>Best Practice and Research in Clinical Rheumatology</i> , 2015, 29, 692-705.	1.4	12
45	An investigation of the added value of an ACPA multiplex assay in an early rheumatoid arthritis setting. <i>Arthritis Research and Therapy</i> , 2015, 17, 276.	1.6	21
46	Marginal Genetic Effects Estimation in Family and Twin Studies Using Random-Effects Models. <i>Biometrics</i> , 2015, 71, 1130-1138.	0.8	8
47	Crossreactivity to vinculin and microbes provides a molecular basis for HLA-based protection against rheumatoid arthritis. <i>Nature Communications</i> , 2015, 6, 6681.	5.8	66
48	Fine-mapping the human leukocyte antigen locus in rheumatoid arthritis and other rheumatic diseases. <i>Current Opinion in Rheumatology</i> , 2015, 27, 256-261.	2.0	14
49	How undifferentiated arthritis evolves into chronic arthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014, 28, 551-564.	1.4	3
50	Anti-CarP antibodies in two large cohorts of patients with rheumatoid arthritis and their relationship to genetic risk factors, cigarette smoking and other autoantibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1761-1768.	0.5	111
51	HLA and rheumatoid arthritis: How do they connect?. <i>Annals of Medicine</i> , 2014, 46, 304-310.	1.5	26
52	Pathogenic relevance of anti-citrullinated vimentin antibodies: Comment on the article by Montes et al. <i>Arthritis and Rheumatism</i> , 2013, 65, 541-542.	6.7	0
53	Editorial: Family Studies in the Information Age. <i>Arthritis and Rheumatism</i> , 2013, 65, 2762-2764.	6.7	0
54	Patients with early arthritis consume less alcohol than controls, regardless of the type of arthritis. <i>Rheumatology</i> , 2013, 52, 1701-1707.	0.9	14

#	ARTICLE	IF	CITATIONS
55	The contribution of genetic risk factors other than the HLA shared epitope alleles to the genetic variance of rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, A52.1-A52.	0.5	0
56	Sustained drug-free remission in rheumatoid arthritis after DAS-driven or non-DAS-driven therapy: a comparison of two cohort studies. <i>Rheumatology</i> , 2012, 51, 1120-1128.	0.9	38
57	Combining Family and Twin Data in Association Studies to Estimate the Noninherited Maternal Antigens Effect. <i>Genetic Epidemiology</i> , 2012, 36, 811-819.	0.6	2
58	The interaction between HLA shared epitope alleles and smoking and its contribution to autoimmunity against several citrullinated antigens. <i>Arthritis and Rheumatism</i> , 2011, 63, 1823-1832.	6.7	55
59	Distinct ACPA fine-specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, A5-A5.	0.5	0
60	Anti-cyclic citrullinated peptide antibodies are a collection of anti-citrullinated protein antibodies and contain overlapping and non-overlapping reactivities. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 188-193.	0.5	118
61	Genetics of ACPA-positive rheumatoid arthritis: the beginning of the end?. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, i51-i54.	0.5	32
62	Distinct ACPA fine specificities, formed under the influence of HLA shared epitope alleles, have no effect on radiographic joint damage in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1461-1464.	0.5	45
63	Anti-citrullinated protein antibodies have a low avidity compared with antibodies against recall antigens. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 373-379.	0.5	69
64	ACPA (anti-citrullinated protein antibodies) and rheumatoid arthritis. <i>Acta Reumatologica Portuguesa</i> , 2011, 36, 205-7.	0.2	6
65	Protection against anti-citrullinated protein antibody-positive rheumatoid arthritis is predominantly associated with HLA-DRB1*1301: A meta-analysis of HLA-DRB1 associations with anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis in four European populations. <i>Arthritis and Rheumatism</i> , 2010, 62, 1236-1245.	6.7	135
66	Glycan profiling of anti-citrullinated protein antibodies isolated from human serum and synovial fluid. <i>Arthritis and Rheumatism</i> , 2010, 62, 1620-1629.	6.7	183
67	Long-term impact of delay in assessment of patients with early arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 3537-3546.	6.7	357
68	Gene-environment interaction influences the reactivity of autoantibodies to citrullinated antigens in rheumatoid arthritis. <i>Nature Genetics</i> , 2010, 42, 814-816.	9.4	65
69	Epitope spreading of the anti-citrullinated protein antibody response occurs before disease onset and is associated with the disease course of early arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1554-1561.	0.5	268
70	Anti-citrullinated protein antibodies have a low avidity compared to antibodies against recall-antigens. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, A7-A7.	0.5	0
71	Anti-CCP antibodies are a collection of ACPA that are cross-reactive to multiple citrullinated antigens. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, A8-A8.	0.5	3
72	The ACPA isotype profile reflects long-term radiographic progression in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1110-1116.	0.5	68

#	ARTICLE	IF	CITATIONS
73	Antibodies to <i>Porphyromonas gingivalis</i> Are Associated with Anticitrullinated Protein Antibodies in Patients with Rheumatoid Arthritis and Their Relatives. <i>Journal of Rheumatology</i> , 2010, 37, 1105-1112.	1.0	195
74	Every shared epitope allele for itself?. <i>Nature Reviews Rheumatology</i> , 2009, 5, 477-478.	3.5	2
75	Quantitative heritability of anti-citrullinated protein antibody-positive and anti-citrullinated protein antibody-negative rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 916-923.	6.7	200
76	Anti-cyclic citrullinated peptide antibodies from rheumatoid arthritis patients activate complement via both the classical and alternative pathways. <i>Arthritis and Rheumatism</i> , 2009, 60, 1923-1931.	6.7	212
77	Prevalence of and predictive factors for sustained disease-modifying antirheumatic drug-free remission in rheumatoid arthritis: Results from two large early arthritis cohorts. <i>Arthritis and Rheumatism</i> , 2009, 60, 2262-2271.	6.7	193
78	Value of anti-modified citrullinated vimentin and third-generation anti-cyclic citrullinated peptide compared with second-generation anti-cyclic citrullinated peptide and rheumatoid factor in predicting disease outcome in undifferentiated arthritis and rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 2232-2241.	6.7	138
79	Immunoglobulin 1 (IgG1) Fc-glycosylation profiling of anti-citrullinated peptide antibodies from human serum. <i>Proteomics - Clinical Applications</i> , 2009, 3, 106-115.	0.8	33
80	Marked differences in fine specificity and isotype usage of the anti-citrullinated protein antibody in health and disease. <i>Arthritis and Rheumatism</i> , 2008, 58, 3000-3008.	6.7	156
81	Translating basic research into clinical rheumatology. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 299-310.	1.4	6
82	The battle between anti-cyclic citrullinated peptide and rheumatoid factor tests—a winner at last?. <i>Nature Clinical Practice Rheumatology</i> , 2007, 3, 696-697.	3.2	1
83	Bariatric Surgery and Mortality. <i>New England Journal of Medicine</i> , 2007, 357, 2633-2634.	13.9	3
84	Cutting Edge: Inducible Costimulator Protein Regulates Both Th1 and Th2 Responses to Cutaneous Leishmaniasis. <i>Journal of Immunology</i> , 2002, 168, 991-995.	0.4	56
85	CTLA-4 regulates cell cycle progression during a primary immune response. <i>European Journal of Immunology</i> , 2002, 32, 366-373.	1.6	115
86	T helper differentiation in resistant and susceptible B7-deficient mice infected with <i>Leishmania major</i> . <i>European Journal of Immunology</i> , 2002, 32, 1764.	1.6	22
87	Modulation of IFN- $\gamma$ -induced immunogenicity by phosphatidylethanolamine-linked hyaluronic acid1. <i>Transplantation</i> , 2002, 73, 984-992.	0.5	12
88	Presence of SARS-CoV-2 antibodies in patients with COVID-19 like symptoms from the IENIMINI cohort. <i>Scandinavian Journal of Rheumatology</i> , 0, , 1-4.	0.6	0