

# Roberto Gilli

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1495633/publications.pdf>

Version: 2024-02-01

140  
papers

13,338  
citations

26630

56  
h-index

20961

115  
g-index

142  
all docs

142  
docs citations

142  
times ranked

5021  
citing authors

#	ARTICLE	IF	CITATIONS
1	The properties of the X-ray corona in the distant ( $z = 3.91$ ) quasar APM 08279+5255. <i>Astronomy and Astrophysics</i> , 2022, 662, A98.	5.1	6
2	The XMM-SERVS Survey: XMM-Newton Point-source Catalogs for the W-CDF-S and ELAIS-S1 Fields. <i>Astrophysical Journal, Supplement Series</i> , 2021, 256, 21.	7.7	16
3	X-Ray Redshifts for Obscured AGN: A Case Study in the J1030 Deep Field. <i>Astrophysical Journal</i> , 2021, 906, 90.	4.5	12
4	Lower-luminosity Obscured AGN Host Galaxies Are Not Predominantly in Major-merging Systems at Cosmic Noon. <i>Astrophysical Journal</i> , 2021, 919, 129.	4.5	7
5	Compton-thick AGN in the NuSTAR Era VI: The Observed Compton-thick Fraction in the Local Universe. <i>Astrophysical Journal</i> , 2021, 922, 252.	4.5	19
6	The XMM deep survey in the CDFS. <i>Astronomy and Astrophysics</i> , 2020, 639, A51.	5.1	11
7	Mock catalogs for the extragalactic X-ray sky: Simulating AGN surveys with ATHENA and with the AXIS probe. <i>Astronomy and Astrophysics</i> , 2020, 642, A184.	5.1	25
8	A Large Population of Obscured AGN in Disguise as Low-luminosity AGN in Chandra Deep Field South. <i>Astrophysical Journal</i> , 2020, 897, 160.	4.5	30
9	Piercing through Highly Obscured and Compton-thick AGNs in the Chandra Deep Fields. I. X-Ray Spectral and Long-term Variability Analyses. <i>Astrophysical Journal</i> , 2019, 877, 5.	4.5	23
10	NuSTAR Measurement of Coronal Temperature in Two Luminous, High-redshift Quasars. <i>Astrophysical Journal Letters</i> , 2019, 875, L20.	8.3	18
11	Broadband Spectral Energy Distributions of SDSS-selected Quasars and of Their Host Galaxies: Intense Activity at the Onset of AGN Feedback. <i>Astrophysical Journal</i> , 2019, 871, 136.	4.5	14
12	Discovery of a galaxy overdensity around a powerful, heavily obscured FR II radio galaxy at $z = 1.7$ : star formation promoted by large-scale AGN feedback?. <i>Astronomy and Astrophysics</i> , 2019, 632, A26.	5.1	24
13	<i>Chandra</i> COSMOS Legacy Survey: Clustering dependence of Type 2 active galactic nuclei on host galaxy properties. <i>Astronomy and Astrophysics</i> , 2019, 632, A88.	5.1	9
14	X-Ray Properties of AGN in Brightest Cluster Galaxies. I. A Systematic Study of the Chandra Archive in the 0.2 <math>\lesssim z \lesssim 0.3</math> and 0.55 <math>\lesssim z \lesssim 0.75</math> Redshift Range. <i>Astrophysical Journal</i> , 2018, 859, 65.	4.5	15
15	X-UDS: The <i>Chandra</i> Legacy Survey of the UKIDSS Ultra Deep Survey Field. <i>Astrophysical Journal, Supplement Series</i> , 2018, 236, 48.	7.7	55
16	The Chandra COSMOS Legacy Survey: Energy Spectrum of the Cosmic X-Ray Background and Constraints on Undetected Populations. <i>Astrophysical Journal</i> , 2017, 837, 19.	4.5	71
17	Exponentially growing bubbles around early supermassive black holes. <i>Astronomy and Astrophysics</i> , 2017, 603, A69.	5.1	8
18	X-Ray Spectral Analyses of AGNs from the 7Ms Chandra Deep Field-South Survey: The Distribution, Variability, and Evolutions of AGN Obscuration. <i>Astrophysical Journal, Supplement Series</i> , 2017, 232, 8.	7.7	52

#	ARTICLE	IF	CITATIONS
19	The most obscured AGN in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2015, 578, A120.	5.1	26
20	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 583, A141.	5.1	25
21	The XMM-Newton survey in the H-ATLAS field. <i>Astronomy and Astrophysics</i> , 2015, 577, A121.	5.1	17
22	Mass without radiation: Heavily obscured AGNs, the X-ray background, and the black hole mass density. <i>Astronomy and Astrophysics</i> , 2015, 574, L10.	5.1	46
23	Compton thick AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2015, 573, A137.	5.1	77
24	RADIO LOUD AGNs ARE MERGERS. <i>Astrophysical Journal</i> , 2015, 806, 147.	4.5	127
25	DETAILED SHAPE AND EVOLUTIONARY BEHAVIOR OF THE X-RAY LUMINOSITY FUNCTION OF ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2015, 804, 104.	4.5	86
26	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2015, 574, A144.	5.1	7
27	X-ray observation of ULAS J1120+0641, the most distant quasar at $z = 7.08$ . <i>Astronomy and Astrophysics</i> , 2014, 563, A46.	5.1	21
28	The space density of Compton-thick AGN at $z \sim 0.8$ in the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2014, 571, A34.	5.1	18
29	Primordial environment of super massive black holes: large-scale galaxy overdensities around $z \sim 6$ quasars with LBT. <i>Astronomy and Astrophysics</i> , 2014, 568, A1.	5.1	57
30	The hard X-ray luminosity function of high-redshift ( $3 < z < 5$ ) active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 445, 3557-3574.	4.4	77
31	Black hole accretion preferentially occurs in gas-rich galaxies*. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 441, 1059-1065.	4.4	49
32	CLUSTERING OF MODERATE LUMINOSITY X-RAY-SELECTED TYPE 1 AND TYPE 2 AGNS AT $z \sim 3$ . <i>Astrophysical Journal</i> , 2014, 796, 4.	4.5	48
33	ACTIVE GALACTIC NUCLEUS X-RAY VARIABILITY IN THE XMM-COSMOS SURVEY. <i>Astrophysical Journal</i> , 2014, 781, 105.	4.5	51
34	NuSTAR J033202+2746.8: DIRECT CONSTRAINTS ON THE COMPTON REFLECTION IN A HEAVILY OBSCURED QUASAR AT $z \sim 2$ . <i>Astrophysical Journal</i> , 2014, 786, 16.	4.5	29
35	The dust content of QSO hosts at high redshift. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 438, 2765-2783.	4.4	52
36	The incidence of obscuration in active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2014, 437, 3550-3567.	4.4	245

#	ARTICLE	IF	CITATIONS
37	ALMA reveals a warm and compact starburst around a heavily obscured supermassive black hole at $z = 4.75$ . <i>Astronomy and Astrophysics</i> , 2014, 562, A67.	5.1	63
38	Analysis of X-ray spectral variability and black hole mass determination of the NLS1 galaxy Mrk 766. <i>Astronomy and Astrophysics</i> , 2014, 562, A44.	5.1	17
39	The Chandra-COSMOS survey â€“ IV. X-ray spectra of the bright sample. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 431, 978-996.	4.4	55
40	THE OBSCURED FRACTION OF ACTIVE GALACTIC NUCLEI IN THE XMM-COSMOS SURVEY: A SPECTRAL ENERGY DISTRIBUTION PERSPECTIVE. <i>Astrophysical Journal</i> , 2013, 777, 86.	4.5	118
41	The high-redshift ( $z > 3$ ) active galactic nucleus population in the 4-Ms Chandra Deep Field-South. <i>Monthly Notices of the Royal Astronomical Society</i> , 2013, 428, 354-369.	4.4	37
42	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A42.	5.1	54
43	Obscured AGN at $z \sim 1$ from the zCOSMOS-Bright Survey. <i>Astronomy and Astrophysics</i> , 2013, 556, A29.	5.1	44
44	GOODS-Herschel: radio-excess signature of hidden AGN activity in distant star-forming galaxies. <i>Astronomy and Astrophysics</i> , 2013, 549, A59.	5.1	110
45	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A43.	5.1	56
46	The XMM Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2013, 555, A79.	5.1	15
47	THE CHANDRA COSMOS SURVEY. III. OPTICAL AND INFRARED IDENTIFICATION OF X-RAY POINT SOURCES. <i>Astrophysical Journal, Supplement Series</i> , 2012, 201, 30.	7.7	200
48	CHANDRA OBSERVATIONS OF 3C RADIO SOURCES WITH $z < 0.3$ . II. COMPLETING THE SNAPSHOT SURVEY. <i>Astrophysical Journal, Supplement Series</i> , 2012, 203, 31.	7.7	52
49	TRACKING DOWN THE SOURCE POPULATION RESPONSIBLE FOR THE UNRESOLVED COSMIC $6-8$ keV BACKGROUND. <i>Astrophysical Journal</i> , 2012, 758, 129.	4.5	49
50	GOODS-Herschel: ultra-deep XMM-Newton observations reveal AGN/star-formation connection. <i>Astronomy and Astrophysics</i> , 2012, 546, A58.	5.1	94
51	The XMM deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2012, 546, A84.	5.1	45
52	CHANDRA HIGH-RESOLUTION OBSERVATIONS OF CID-42, A CANDIDATE RECOILING SUPERMASSIVE BLACK HOLE. <i>Astrophysical Journal</i> , 2012, 752, 49.	4.5	53
53	THE 4 Ms CHANDRA DEEP FIELD-SOUTH NUMBER COUNTS APPORTIONED BY SOURCE CLASS: PERVASIVE ACTIVE GALACTIC NUCLEI AND THE ASCENT OF NORMAL GALAXIES. <i>Astrophysical Journal</i> , 2012, 752, 46.	4.5	173
54	SPECTRAL ENERGY DISTRIBUTIONS OF TYPE 1 ACTIVE GALACTIC NUCLEI IN THE COSMOS SURVEY. I. THE XMM-COSMOS SAMPLE. <i>Astrophysical Journal</i> , 2012, 759, 6.	4.5	67

#	ARTICLE	IF	CITATIONS
55	The nature of the unresolved extragalactic cosmic soft X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 427, 651-663.	4.4	44
56	OCCUPATION OF X-RAY-SELECTED GALAXY GROUPS BY X-RAY ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2012, 758, 47.	4.5	63
57	Spectrum of the unresolved cosmic X-ray background: what is unresolved 50 years after its discovery. <i>Astronomy and Astrophysics</i> , 2012, 548, A87.	5.1	41
58	X-ray properties of radio-selected star forming galaxies in the <i>Chandra</i> -COSMOS survey. <i>Astronomy and Astrophysics</i> , 2012, 542, A16.	5.1	11
59	Fe K emission from active galaxies in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2012, 537, A86.	5.1	35
60	Bolometric luminosities and Eddington ratios of X-ray selected active galactic nuclei in the <i>XMM</i> -COSMOS survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2012, 425, 623-640.	4.4	315
61	The bolometric output and host-galaxy properties of obscured AGN in the XMM-COSMOS survey. <i>Astronomy and Astrophysics</i> , 2011, 534, A110.	5.1	54
62	A COMPTON-THICK ACTIVE GALACTIC NUCLEUS AT $z \approx 1/4$ 5 IN THE 4 Ms CHANDRA DEEP FIELD SOUTH. <i>Astrophysical Journal Letters</i> , 2011, 730, L28.	8.3	52
63	REVEALING A POPULATION OF HEAVILY OBSCURED ACTIVE GALACTIC NUCLEI AT $z \approx 0.5-1$ IN THE CHANDRA DEEP FIELD-SOUTH. <i>Astrophysical Journal</i> , 2011, 740, 37.	4.5	36
64	Black hole accretion and host galaxies of obscured quasars in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2011, 535, A80.	5.1	76
65	On the $L_x/L_{60-100\text{keV}}$ ratio as a diagnostic for Compton-thick AGN. <i>Astronomy and Astrophysics</i> , 2011, 534, A23.	5.1	29
66	THE IMPACT OF GALAXY INTERACTIONS ON ACTIVE GALACTIC NUCLEUS ACTIVITY IN zCOSMOS. <i>Astrophysical Journal</i> , 2011, 743, 2.	4.5	148
67	THE POPULATION OF HIGH-REDSHIFT ACTIVE GALACTIC NUCLEI IN THE <i>CHANDRA</i> -COSMOS SURVEY. <i>Astrophysical Journal</i> , 2011, 741, 91.	4.5	76
68	THE <i>XMM-NEWTON</i> WIDE FIELD SURVEY IN THE COSMOS FIELD: REDSHIFT EVOLUTION OF AGN BIAS AND SUBDOMINANT ROLE OF MERGERS IN TRIGGERING MODERATE-LUMINOSITY AGNs AT REDSHIFTS UP TO 2.2. <i>Astrophysical Journal</i> , 2011, 736, 99.	4.5	118
69	X-ray observations of highly obscured $z \approx 0.7-1$ sources: an efficient method for selecting Compton-thick AGN?. <i>Astronomy and Astrophysics</i> , 2011, 531, A116.	5.1	23
70	DISSECTING PHOTOMETRIC REDSHIFT FOR ACTIVE GALACTIC NUCLEUS USING <i>XMM</i> - AND <i>CHANDRA</i> -COSMOS SAMPLES. <i>Astrophysical Journal</i> , 2011, 742, 61.	4.5	205
71	X-RAY SPECTRAL CONSTRAINTS FOR $z \approx 2$ MASSIVE GALAXIES: THE IDENTIFICATION OF REFLECTION-DOMINATED ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2011, 738, 44.	4.5	53
72	The <i>XMM</i> Deep survey in the CDF-S. <i>Astronomy and Astrophysics</i> , 2011, 526, L9.	5.1	119

#	ARTICLE	IF	CITATIONS
73	THE CHANDRA DEEP FIELD-SOUTH SURVEY: 4 Ms SOURCE CATALOGS. <i>Astrophysical Journal, Supplement Series</i> , 2011, 195, 10.	7.7	488
74	Wide Field X-ray Telescope: a moderate class mission. <i>Proceedings of SPIE</i> , 2010, , .	0.8	5
75	ON THE COSMIC EVOLUTION OF THE SCALING RELATIONS BETWEEN BLACK HOLES AND THEIR HOST GALAXIES: BROAD-LINE ACTIVE GALACTIC NUCLEI IN THE zCOSMOS SURVEY. <i>Astrophysical Journal</i> , 2010, 708, 137-157.	4.5	276
76	The X-ray to optical-UV luminosity ratio of X-ray selected type 1 AGN in XMM-COSMOS. <i>Astronomy and Astrophysics</i> , 2010, 512, A34.	5.1	306
77	THE XMM-NEWTON WIDE-FIELD SURVEY IN THE COSMOS FIELD (XMM-COSMOS): DEMOGRAPHY AND MULTIWAVELENGTH PROPERTIES OF OBSCURED AND UNOBSCURED LUMINOUS ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2010, 716, 348-369.	4.5	266
78	A RUNAWAY BLACK HOLE IN COSMOS: GRAVITATIONAL WAVE OR SLINGSHOT RECOIL?. <i>Astrophysical Journal</i> , 2010, 717, 209-222.	4.5	101
79	CHANDRA OBSERVATIONS OF 3C RADIO SOURCES WITH $z < 0.3$ : NUCLEI, DIFFUSE EMISSION, JETS, AND HOTSPOTS. <i>Astrophysical Journal</i> , 2010, 714, 589-604.	4.5	61
80	SUZAKU OBSERVATIONS OF HARD X-RAY-SELECTED SEYFERT 2 GALAXIES. <i>Astrophysical Journal</i> , 2010, 717, 787-794.	4.5	42
81	Discovery of Compton-thick quasars in the Sloan Digital Sky Survey. <i>Monthly Notices of the Royal Astronomical Society</i> , 2010, , .	4.4	16
82	The X-ray to [Ne V] 3426 flux ratio: discovering heavily obscured AGN in the distant Universe. <i>Astronomy and Astrophysics</i> , 2010, 519, A92.	5.1	71
83	Ultraluminous X-ray sources out to $z \sim 0.3$ in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2010, 514, A85.	5.1	15
84	THE EXTENDED CHANDRA DEEP FIELD-SOUTH SURVEY: OPTICAL SPECTROSCOPY OF FAINT X-RAY SOURCES WITH THE VLT AND KECK. <i>Astrophysical Journal, Supplement Series</i> , 2010, 191, 124-142.	7.7	123
85	Extended X-ray emission in radio galaxies: 3C 305. , 2010, , .		1
86	Resolved mid-infrared imaging of AGN: an isotropic measure of intrinsic power. , 2010, , .		0
87	The Wide Field X-ray Telescope Mission "A Digital Sky Survey in X-rays. , 2010, , .		1
88	The Chandra 3C Snapshot Survey for Sources with $z < 0.3$ . , 2010, , .		0
89	The evolution of obscured accretion. , 2010, , .		2
90	ONGOING AND CO-EVOLVING STAR FORMATION IN zCOSMOS GALAXIES HOSTING ACTIVE GALACTIC NUCLEI. <i>Astrophysical Journal</i> , 2009, 696, 396-410.	4.5	197

#	ARTICLE	IF	CITATIONS
91	PHOTOMETRIC REDSHIFT AND CLASSIFICATION FOR THE XMM-COSMOS SOURCES. <i>Astrophysical Journal</i> , 2009, 690, 1250-1263.	4.5	292
92	The XMM-Newton wide-field survey in the COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 497, 635-648.	5.1	230
93	The Infrared View of Luminous X-ray Selected Type 2 Quasars, and Coeval Nuclear Activity and Star Formation at $z \approx 2$ . , 2009, , .		0
94	XEUS: the physics of the hot evolving universe. <i>Experimental Astronomy</i> , 2009, 23, 139-168.	3.7	8
95	The spatial distribution of X-ray selected AGN in the Chandra deep fields: a theoretical perspective. <i>Monthly Notices of the Royal Astronomical Society</i> , 2009, 396, 1404-1414.	4.4	15
96	EXTENDED X-RAY EMISSION IN RADIO GALAXIES: THE PECULIAR CASE OF 3C 305. <i>Astrophysical Journal</i> , 2009, 692, L123-L126.	4.5	34
97	CHASING HIGHLY OBSCURED QSOs IN THE COSMOS FIELD. <i>Astrophysical Journal</i> , 2009, 693, 447-462.	4.5	191
98	Resolved Mid-Infrared Imaging of AGN: An Isotropic Measure of Intrinsic Power. <i>Proceedings of the International Astronomical Union</i> , 2009, 5, 108-108.	0.0	0
99	THE CHANDRA COSMOS SURVEY. I. OVERVIEW AND POINT SOURCE CATALOG. <i>Astrophysical Journal, Supplement Series</i> , 2009, 184, 158-171.	7.7	361
100	Resolving the mid-infrared cores of local Seyferts. <i>Astronomy and Astrophysics</i> , 2009, 502, 457-472.	5.1	322
101	The spatial clustering of X-ray selected AGN in the XMM-COSMOS field. <i>Astronomy and Astrophysics</i> , 2009, 494, 33-48.	5.1	90
102	The Evolution of AGN Host Galaxies: From Blue to Red and the Influence of Large Scale Structures. <i>Astrophysical Journal</i> , 2008, 675, 1025-1040.	4.5	136
103	The Chandra Deep Field "South Survey: 2 Ms Source Catalogs. <i>Astrophysical Journal, Supplement Series</i> , 2008, 179, 19-36.	7.7	250
104	High precision X-ray $\log N$ vs $\log S$ distributions: implications for the obscured AGN population. <i>Astronomy and Astrophysics</i> , 2008, 492, 51-69.	5.1	72
105	Compton Thick AGN in the SMC Era. <i>Progress of Theoretical Physics Supplement</i> , 2007, 169, 274-277.	0.1	12
106	The XMM-Newton Wide-Field Survey in the COSMOS Field. I. Survey Description. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 29-37.	7.7	263
107	The XMM-Newton Wide-Field Survey in the COSMOS Field. V. Angular Clustering of the X-ray Point Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 396-405.	7.7	49
108	The XMM-Newton Wide-Field Survey in the COSMOS Field. IV. X-ray Spectral Properties of Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 368-382.	7.7	89

#	ARTICLE	IF	CITATIONS
109	The XMM-Newton Wide-Field Survey in the COSMOS Field. II. X-Ray Data and the $\log N - \log S$ Relations. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 341-352.	7.7	136
110	Multiwavelength Study of Massive Galaxies at $z \sim 1/4$ . II. Widespread Compton-thick Active Galactic Nuclei and the Concurrent Growth of Black Holes and Bulges. <i>Astrophysical Journal</i> , 2007, 670, 173-189.	4.5	289
111	The synthesis of the cosmic X-ray background in the Chandra and XMM-Newton era. <i>Astronomy and Astrophysics</i> , 2007, 463, 79-96.	5.1	703
112	The spatial clustering of mid-IR-selected star forming galaxies at $z \sim 1$ in the GOODS fields. <i>Astronomy and Astrophysics</i> , 2007, 475, 83-99.	5.1	33
113	Relativistic Iron Lines at High Redshifts. , 2007, , 202-206.		1
114	The XMM-Newton Wide-Field Survey in the COSMOS Field. III. Optical Identification and Multiwavelength Properties of a Large Sample of X-Ray-Selected Sources. <i>Astrophysical Journal, Supplement Series</i> , 2007, 172, 353-367.	7.7	147
115	Low Radiative Efficiency Accretion at Work in Active Galactic Nuclei: The Nuclear Spectral Energy Distribution of NGC 4565. <i>Astrophysical Journal</i> , 2006, 651, 728-734.	4.5	23
116	Rolling down from the 30 keV peak: Modelling the Hard X-Ray and $\gamma$ -Ray Backgrounds. <i>Experimental Astronomy</i> , 2006, 20, 41-47.	3.7	7
117	Rolling down from the 30 keV peak: Modelling the hard X-ray and $\gamma$ -ray backgrounds. , 2006, , 41-47.		0
118	The Iron Line Background. <i>Astrophysical Journal</i> , 2005, 621, L5-L8.	4.5	30
119	Warm-hot intergalactic medium in the Sculptor supercluster. <i>Monthly Notices of the Royal Astronomical Society</i> , 2005, 357, 929-936.	4.4	28
120	Constraining the thermal history of the warm-hot intergalactic medium. <i>Astronomy and Astrophysics</i> , 2005, 434, 801-809.	5.1	8
121	Local supermassive black holes, relics of active galactic nuclei and the X-ray background. <i>Monthly Notices of the Royal Astronomical Society</i> , 2004, 351, 169-185.	4.4	1,233
122	The X-ray background and the deep X-ray surveys. <i>Advances in Space Research</i> , 2004, 34, 2470-2477.	2.6	23
123	Photometric Redshift of X-Ray Sources in the Chandra Deep Field-South. <i>Astrophysical Journal, Supplement Series</i> , 2004, 155, 73-87.	7.7	96
124	24 Micron Properties of X-Ray-selected Active Galactic Nuclei. <i>Astrophysical Journal, Supplement Series</i> , 2004, 154, 160-165.	7.7	38
125	The X-Ray-derived Cosmological Star Formation History and the Galaxy X-Ray Luminosity Functions in the Chandra Deep Fields North and South. <i>Astrophysical Journal</i> , 2004, 607, 721-738.	4.5	77
126	Redshift Spikes in the Chandra Deep Field South. , 2004, , 287-290.		0



#	ARTICLE	IF	CITATIONS
127	Elusive active galactic nuclei. <i>Monthly Notices of the Royal Astronomical Society</i> , 2003, 344, L59-L64.	4.4	121
128	Tracing the Large-Scale Structure in the Chandra Deep Field South. <i>Astrophysical Journal</i> , 2003, 592, 721-727.	4.5	136
129	A Puzzling X-Ray Source Found in the Chandra Deep Field-South. <i>Astrophysical Journal</i> , 2003, 590, L87-L90.	4.5	13
130	The Nuclear Spectral Energy Distribution of NGC 6251: A BL Lacertae Object in the Center of an FR I Radio Galaxy. <i>Astrophysical Journal</i> , 2003, 597, 166-174.	4.5	27
131	What Do the Hubble Space Telescope and Chandra Tell Us about the Jet and the Nuclear Region of the Radio Galaxy 3C 270?. <i>Astrophysical Journal</i> , 2003, 582, 645-653.	4.5	29
132	A [ITAL]Chandra[/ITAL] Minisurvey of X-Ray "weak Quasars. <i>Astrophysical Journal</i> , 2003, 587, L9-L13.	4.5	18
133	Hubble Space Telescope Imaging in the Chandra Deep Field "South. II. WFPC2 Observations of an X-Ray Flux-limited Sample from the 1 Million Second Chandra Catalog. <i>Astrophysical Journal</i> , 2002, 567, 657-671.	4.5	22
134	The Chandra Deep Field "South: The 1 Million Second Exposure. <i>Astrophysical Journal</i> , 2002, 566, 667-674.	4.5	289
135	Chandra Deep Field South: The 1 Ms Catalog. <i>Astrophysical Journal, Supplement Series</i> , 2002, 139, 369-410.	7.7	501
136	The Contribution of Quasars to the Far-Infrared Background. <i>Astrophysical Journal</i> , 2002, 566, L67-L70.	4.5	15
137	The Cosmic Reality Check. <i>Scientific American</i> , 2002, 286, 60-67.	1.0	2
138	A Classic Type 2 QSO. <i>Astrophysical Journal</i> , 2002, 571, 218-225.	4.5	199
139	Hubble Space Telescope Imaging in the Chandra Deep Field "South. I. Multiple Active Galactic Nucleus Populations. <i>Astrophysical Journal</i> , 2001, 560, 127-138.	4.5	23
140	First Results from the X-Ray and Optical Survey of the Chandra Deep Field South. <i>Astrophysical Journal</i> , 2001, 551, 624-634.	4.5	410