

Jae-Hui Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1495642/publications.pdf>

Version: 2024-02-01

74
papers

1,039
citations

567144

15
h-index

501076

28
g-index

75
all docs

75
docs citations

75
times ranked

810
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for Geographic Atrophy After Intravitreal Ranibizumab Injections for Retinal Angiomatous Proliferation. <i>American Journal of Ophthalmology</i> , 2015, 159, 285-292.e1.	1.7	91
2	Assessment of retinal layers and visual rehabilitation after epiretinal membrane removal. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1055-1064.	1.0	90
3	Thinner Choroid and Greater Drusen Extent in Retinal Angiomatous Proliferation Than in Typical Exudative Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2013, 155, 743-749.e2.	1.7	77
4	Intravitreal Anti-Vascular Endothelial Growth Factor for Submacular Hemorrhage from Choroidal Neovascularization. <i>Ophthalmology</i> , 2014, 121, 926-935.	2.5	69
5	Asymmetric Elongation of Foveal Tissue after Macular Hole Surgery and Its Impact on Metamorphopsia. <i>Ophthalmology</i> , 2012, 119, 2133-2140.	2.5	51
6	PREVALENCE OF SUBTYPES OF RETICULAR PSEUDODRUSEN IN NEWLY DIAGNOSED EXUDATIVE AGE-RELATED MACULAR DEGENERATION AND POLYPOIDAL CHOROIDAL VASCULOPATHY IN KOREAN PATIENTS. <i>Retina</i> , 2015, 35, 2604-2612.	1.0	43
7	Short-term choroidal thickness changes in patients treated with either ranibizumab or aflibercept: a comparative study. <i>British Journal of Ophthalmology</i> , 2016, 100, 1634-1639.	2.1	40
8	NATURAL COURSE OF PATIENTS DISCONTINUING TREATMENT FOR AGE-RELATED MACULAR DEGENERATION AND FACTORS ASSOCIATED WITH VISUAL PROGNOSIS. <i>Retina</i> , 2017, 37, 2254-2261.	1.0	36
9	Fellow-eye neovascularization in unilateral retinal angiomatous proliferation in a Korean population. <i>Acta Ophthalmologica</i> , 2016, 94, e49-53.	0.6	32
10	Long-term visual outcome and prognostic factors of Intravitreal anti-vascular endothelial growth factor treatment for retinal angiomatous proliferation. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2016, 254, 23-30.	1.0	31
11	Choroidal Vascular Hyperpermeability and Punctate Hyperfluorescent Spot in Choroidal Neovascularization. , 2015, 56, 1909.		24
12	Overestimation of subfoveal choroidal thickness by measurement based on horizontally compressed optical coherence tomography images. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2013, 251, 1091-1096.	1.0	21
13	DIFFERENCE IN TREATMENT OUTCOMES ACCORDING TO OPTICAL COHERENCE TOMOGRAPHY-BASED STAGES IN TYPE 3 NEOVASCULARIZATION (RETINAL ANGIOMATOUS PROLIFERATION). <i>Retina</i> , 2018, 38, 2356-2362.	1.0	18
14	Increase in the Population of Patients with Neovascular Age-Related Macular Degeneration Who Underwent Long-Term Active Treatment. <i>Scientific Reports</i> , 2019, 9, 13264.	1.6	17
15	Characteristics of Perifoveal Exudative Vascular Anomalous Complex in Korean Patients. <i>Seminars in Ophthalmology</i> , 2019, 34, 353-358.	0.8	17
16	Age-related differences in the prevalence of subtypes of Neovascular age-related macular degeneration in the first diagnosed eye. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 891-898.	1.0	16
17	Topographic Changes of Retinal Layers after Resolution of Acute Retinal Detachment. , 2012, 53, 7316.		15
18	Factors influencing the exudation recurrence after cataract surgery in patients previously treated with anti-vascular endothelial growth factor for exudative age-related macular degeneration. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2014, 252, 1573-1579.	1.0	15

#	ARTICLE	IF	CITATIONS
19	DIAGNOSIS OF TYPE 3 NEOVASCULARIZATION BASED ON OPTICAL COHERENCE TOMOGRAPHY IMAGES. <i>Retina</i> , 2016, 36, 1506-1515.	1.0	13
20	Characteristics of Submacular Hemorrhages in Age-Related Macular Degeneration. <i>Optometry and Vision Science</i> , 2017, 94, 556-563.	0.6	13
21	Quantification of retinal changes after resolution of submacular hemorrhage secondary to polypoidal choroidal vasculopathy. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 54-62.	0.9	13
22	Intravitreal aflibercept for submacular hemorrhage secondary to neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 107-116.	1.0	13
23	The Effects of Cataract Surgery on Patients With Wet Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2015, 160, 1312.	1.7	12
24	Incidence and Timing of the First Recurrence in Neovascular Age-Related Macular Degeneration: Comparison Between Ranibizumab and Aflibercept. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2017, 33, 445-451.	0.6	12
25	Short-term efficacy of intravitreal triamcinolone acetonide for bevacizumab-resistant diabetic macular oedema. <i>Acta Ophthalmologica</i> , 2015, 93, e178-e179.	0.6	11
26	RECURRENCE IN PATIENTS WITH TYPE 3 NEOVASCULARIZATION (RETINAL ANGIOMATOUS PROLIFERATION) AFTER INTRAVITREAL RANIBIZUMAB. <i>Retina</i> , 2017, 37, 1508-1515.	1.0	11
27	Prechoroidal Cleft in Type 3 Neovascularization: Incidence, Timing, and Its Association with Visual Outcome. <i>Journal of Ophthalmology</i> , 2018, 2018, 1-8.	0.6	11
28	Early Recurrent Hemorrhage in Submacular Hemorrhage Secondary to Type 3 Neovascularization or Retinal Angiomatous Proliferation: Incidence and Influence on Visual Prognosis. <i>Seminars in Ophthalmology</i> , 2018, 33, 820-828.	0.8	11
29	Selective Retina Therapy with Real-Time Feedback-Controlled Dosimetry for Treating Acute Idiopathic Central Serous Chorioretinopathy in Korean Patients. <i>Journal of Ophthalmology</i> , 2018, 2018, 1-9.	0.6	11
30	Results of Switching from Pro Re Nata to Treat-and-Extend Regimen in Treatment of Patients with Type 3 Neovascularization. <i>Seminars in Ophthalmology</i> , 2020, 35, 33-40.	0.8	11
31	Long-Term Treatment Outcomes in Type 3 Neovascularization: Focus on the Difference in Outcomes between Geographic Atrophy and Fibrotic Scarring. <i>Journal of Clinical Medicine</i> , 2020, 9, 1145.	1.0	11
32	Burden of diabetic macular oedema in patients receiving anti-vascular endothelial growth factor therapy in South Korea: a healthcare resource use and cost analysis. <i>BMJ Open</i> , 2020, 10, e042484.	0.8	10
33	Imaging Suprachoroidal Layer in Exudative Age-Related Macular Degeneration. <i>Current Eye Research</i> , 2016, 41, 715-720.	0.7	9
34	Hyperpigmented spots after treatment for submacular hemorrhage secondary to polypoidal choroidal vasculopathy. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2018, 256, 469-477.	1.0	9
35	Development of Submacular Hemorrhage in Neovascular Age-related Macular Degeneration: Influence on Visual Prognosis in a Clinical Setting. <i>Korean Journal of Ophthalmology: KJO</i> , 2018, 32, 361.	0.5	9
36	Focal retinal pigment epithelium atrophy at the location of type 3 neovascularization lesion: a morphologic feature associated with low reactivation rate and favorable prognosis. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 1661-1669.	1.0	9

#	ARTICLE	IF	CITATIONS
37	Long-term incidence and timing of reactivation in patients with type 3 neovascularization after initial treatment. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2019, 257, 1183-1189.	1.0	9
38	Fibrovascular pigment epithelial detachment in eyes with subretinal hemorrhage secondary to neovascular AMD or PCV: a morphologic predictor associated with poor treatment outcomes. <i>Scientific Reports</i> , 2020, 10, 14943.	1.6	9
39	Long-term Clinical Course after Vitrectomy for Breakthrough Vitreous Hemorrhage Secondary to Neovascular Age-related Macular Degeneration and Polypoidal Choroidal Vasculopathy. <i>Scientific Reports</i> , 2020, 10, 359.	1.6	9
40	Difference in treatment burden of neovascular age-related macular degeneration among different types of neovascularization. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 1821-1830.	1.0	9
41	Vitrectomy Combined with Intravitreal Triamcinolone Acetonide Injection and Macular Laser Photocoagulation for Nontractional Diabetic Macular Edema. <i>Korean Journal of Ophthalmology: KJO</i> , 2013, 27, 186.	0.5	8
42	LONG-TERM VISUAL CHANGES IN INITIALLY STRONGER FELLOW EYES IN PATIENTS WITH UNILATERAL TYPE 3 NEOVASCULARIZATION. <i>Retina</i> , 2019, 39, 1672-1681.	1.0	8
43	Radiating hemorrhage in exudative age-related macular degeneration. <i>Japanese Journal of Ophthalmology</i> , 2016, 60, 466-475.	0.9	7
44	Long-term natural history of the idiopathic epiretinal membrane in children and young adults. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 2141-2150.	1.0	7
45	Polypoidal choroidal vasculopathy in patients aged less than 50 years: characteristics and 6-month treatment outcome. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2016, 254, 1083-1089.	1.0	6
46	Abrupt visual loss during anti-vascular endothelial growth factor treatment for type 3 neovascularization. <i>International Journal of Ophthalmology</i> , 2019, 12, 480-487.	0.5	6
47	A conjunctival cyst with delayed internal hemorrhage after strabismus surgery. <i>Journal of AAPOS</i> , 2008, 12, 409-411.	0.2	5
48	Short-Term Changes in Choroidal Thickness After Aflibercept Therapy for Neovascular Age-Related Macular Degeneration. <i>American Journal of Ophthalmology</i> , 2015, 160, 207.	1.7	5
49	Long-Term Outcomes in Patients with Neovascular Age-Related Macular Degeneration Who Maintain Dry Macula after Three Monthly Ranibizumab Injections. <i>Seminars in Ophthalmology</i> , 2018, 33, 371-376.	0.8	5
50	Long-term switching between ranibizumab and aflibercept in neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2020, 258, 1677-1685.	1.0	5
51	Treatment of Bilateral Retinal Angiomatous Proliferation with Anti-vascular Endothelial Growth Factor: 12-Month Outcome. <i>Korean Journal of Ophthalmology: KJO</i> , 2017, 31, 240.	0.5	4
52	Investigation of the Trend of Selecting Anti-Vascular Endothelial Growth Factor Agents for the Initial Treatment of Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy. <i>Journal of Clinical Medicine</i> , 2021, 10, 3580.	1.0	4
53	Five-Year Reactivation After Ranibizumab or Aflibercept Treatment for Neovascular Age-Related Macular Degeneration and Polypoidal Choroidal Vasculopathy. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2021, 37, 525-533.	0.6	4
54	Long-term Changes in Choroidal Thickness in Eyes with Type 3 Macular Neovascularization. <i>Retina</i> , 2020, Publish Ahead of Print, 1251-1258.	1.0	4

#	ARTICLE	IF	CITATIONS
55	Efficacy of Intravitreal Bevacizumab for Recurrent Central Serous Chorioretinopathy in Patients Who Had Previously Responded Well to the Same Therapy. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2016, 32, 425-430.	0.6	3
56	Influence of bevacizumab therapy and intraretinal hemorrhage in long-term outcomes of hemorrhagic retinal arterial macroaneurysm. <i>Scientific Reports</i> , 2021, 11, 14246.	1.6	3
57	Short-Term Outcomes of Switching to Ranibizumab in Polypoidal Choroidal Vasculopathy Resistant to Aflibercept Therapy. <i>Journal of Clinical Medicine</i> , 2021, 10, 5739.	1.0	3
58	The Effect of Myopic Optical Defocus on the Humphrey Matrix 30-2 Threshold Test. <i>Journal of Glaucoma</i> , 2010, 19, 257-263.	0.8	2
59	Eyes that Do Not Meet the Eligibility Criteria of Clinical Trials on Age-Related Macular Degeneration: Proportion of the Real-World Patient Population and Reasons for Exclusion. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-8.	0.6	2
60	LONG-TERM COURSE AND VISUAL OUTCOMES OF PRECHOROIDAL CLEFT IN NEOVASCULAR AGE-RELATED MACULAR DEGENERATION AND POLYPOIDAL CHOROIDAL VASCULOPATHY. <i>Retina</i> , 2021, 41, 2436-2445.	1.0	2
61	Characteristics of spontaneous reattachment of rhegmatogenous retinal detachment: optical coherence tomography features and follow-up outcomes. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2021, 259, 3703-3710.	1.0	2
62	Clinical Evaluation of Accommodative Intraocular Lens Implantation in High Myopic Eyes. <i>Korean Journal of Ophthalmology: KJO</i> , 2008, 22, 81.	0.5	1
63	Polypoidal Choroidal Vasculopathy with Feeder Vessels: Characteristics, Fellow Eye Findings, and Long-term Treatment Outcomes. <i>Korean Journal of Ophthalmology: KJO</i> , 2017, 31, 230.	0.5	1
64	Visual Prognosis in the Better-seeing Eyes of Patients with Unilateral Polypoidal Choroidal Vasculopathy. <i>Optometry and Vision Science</i> , 2019, 96, 686-694.	0.6	1
65	Decreased Periodicity of Reactivation Interval in Neovascular Age-Related Macular Degeneration in Patients with a Late First Reactivation After Initial Treatment. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2020, 36, 703-710.	0.6	1
66	Proportion of and Reason for Bevacizumab Usage in the Treatment of Wet Age-related Macular Degeneration. <i>Journal of Korean Ophthalmological Society</i> , 2021, 62, 1076-1083.	0.0	1
67	Intravitreal Anti-Vascular Endothelial Growth Factor Therapy for Retinal Angiomatous Proliferation: A Review of the Literature and Therapeutic Considerations. <i>Journal of Retina</i> , 2016, 1, 11-22.	0.1	1
68	Re: Yamamoto et al.: One-year results of intravitreal aflibercept for polypoidal choroidal vasculopathy (<i>Ophthalmology</i> 2015;122:1866-72). <i>Ophthalmology</i> , 2016, 123, e13.	2.5	0
69	Long-Term Outcomes of Switching from Fixed-Dose to As-Needed Regimen for Treating Submacular Hemorrhage Secondary to Polypoidal Choroidal Vasculopathy. <i>Journal of Clinical Medicine</i> , 2020, 9, 2637.	1.0	0
70	Re: Nguyen et al.: Characterization of poor visual outcomes of neovascular age-related macular degeneration treated with anti-vascular endothelial growth factor agents (<i>Ophthalmology</i> .) <i>Tj ETQq0 0 0 rgBT /Overclock 10 T6 50 137 T</i>	0.0	0
71	Short-Term Outcomes of Cataract Surgery in Patients with a History of Central Serous Chorioretinopathy. <i>Journal of Ophthalmology</i> , 2021, 2021, 1-6.	0.6	0
72	Proportion and Reasons for Ineligibility to Re-register for Extended Health Insurance in Neovascular Age-related Macular Degeneration. <i>Journal of Korean Ophthalmological Society</i> , 2021, 62, 948-956.	0.0	0

#	ARTICLE	IF	CITATIONS
73	Development of Subretinal Hemorrhage during Treatment of Neovascular Age-related Macular Degeneration Using a Treat-and-extend Regimen: A Case Report. <i>Journal of Retina</i> , 2021, 6, 155-161.	0.1	0
74	Development of subretinal hemorrhage after treatment discontinuation for neovascular age-related macular degeneration and polypoidal choroidal vasculopathy. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 0, , .	1.0	0