

Chuan-De Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1498708/publications.pdf>

Version: 2024-02-01

73
papers

4,176
citations

147726

31
h-index

110317

64
g-index

73
all docs

73
docs citations

73
times ranked

5090
citing authors

#	ARTICLE	IF	CITATIONS
1	ZIF-67 Derivative Decorated MXene for a Highly Integrated Flexible Self-Powered Photodetector. ACS Applied Materials & Interfaces, 2022, 14, 19725-19735.	4.0	14
2	Modifying CsPbX ₃ (X = Cl, Br, I) with a Zeolitic Imidazolate Framework through Mechanical Milling for Aqueous Photocatalytic H ₂ Evolution. ACS Applied Energy Materials, 2022, 5, 6248-6255.	2.5	9
3	Generation of local redox potential from confined nano-bimetals in porous metal silicate materials for high-performance catalysis. Catalysis Science and Technology, 2022, 12, 4584-4590.	2.1	4
4	Heterostructured Mo-Doped CoP on MXene Supports Enhanced the Alkaline Hydrogen Evolution Activity. ChemistrySelect, 2022, 7, .	0.7	2
5	Transformation of metal-organic frameworks with retained networks. Chemical Communications, 2022, 58, 8602-8613.	2.2	11
6	Passing the framework skeleton and properties of coordination materials onto organic framework materials. Chemical Communications, 2021, 57, 1348-1351.	2.2	2
7	<i>In situ</i> creation of multi-metallic species inside porous silicate materials with tunable catalytic properties. Chemical Communications, 2021, 57, 6185-6188.	2.2	7
8	Photocatalytic Hydrogen Evolution Coupled with Production of Highly Value-Added Organic Chemicals by a Composite Photocatalyst CdIn ₂ S ₄ @MIL-53(SO) ₃ Ni _{1/2} . Chemistry - an Asian Journal, 2021, 16, 1499-1506.	1.7	12
9	Engineering Bimetallic Centers in Porous Metal Silicate Materials for Hydrogenation of Furfural at Lower Temperature. , 2021, 3, 1249-1257.		9
10	Interwrapping Distinct Metal-Organic Frameworks in Dual-MOFs for the Creation of Unique Composite Catalysts. Research, 2021, 2021, 9835935.	2.8	12
11	High-loading Pt Single-Atom Catalyst on CeO ₂ -Modified Diatomite Support. Chemistry - an Asian Journal, 2021, 16, 2622-2625.	1.7	6
12	Synthesis and Catalytic Properties of Porous Metal Silica Materials Templated and Functionalized by Extended Coordination Cages. Inorganic Chemistry, 2020, 59, 767-776.	1.9	16
13	Creation of Redox-Active Pd Nanoparticles Inside the Defect Pores of MOF UiO-66 with Unique Semihydrogenation Catalytic Properties. Advanced Functional Materials, 2020, 30, 1908519.	7.8	24
14	In Situ Generation and Stabilization of Accessible Cu/Cu ₂ O Heterojunctions inside Organic Frameworks for Highly Efficient Catalysis. Angewandte Chemie, 2020, 132, 1941-1947.	1.6	19
15	In Situ Generation and Stabilization of Accessible Cu/Cu ₂ O Heterojunctions inside Organic Frameworks for Highly Efficient Catalysis. Angewandte Chemie - International Edition, 2020, 59, 1925-1931.	7.2	81
16	Anchoring Zn-phthalocyanines in the pore matrices of UiO-67 to improve highly the photocatalytic oxidation efficiency. Applied Catalysis B: Environmental, 2020, 279, 119350.	10.8	21
17	<i>One-pot tandem ring-opening polymerization of N-sulfonyl aziridines and click-chemistry to produce well-defined star-shaped polyaziridines. Journal of Polymer Science, 2020, 58, 2116-2125.</i>	2.0	15
18	A robust strategy of homogeneously hybridizing silica and Cu ₃ (BTC) ₂ to in situ synthesize highly dispersed copper catalyst for furfural hydrogenation. Applied Catalysis A: General, 2020, 596, 117518.	2.2	20

#	ARTICLE	IF	CITATIONS
19	The crucial roles of guest water in a biocompatible coordination network in the catalytic ring-opening polymerization of cyclic esters: a new mechanistic perspective. <i>Chemical Science</i> , 2020, 11, 3345-3354.	3.7	11
20	Modular synthesis of 1-aryl 2-perfluoroalkyl ketones via N-heterocyclic carbene catalysis. <i>Chemical Communications</i> , 2020, 56, 3801-3804.	2.2	55
21	Tuning the pore structures and photocatalytic properties of a 2D covalent organic framework with multi-branched photoactive moieties. <i>Nanoscale</i> , 2020, 12, 16136-16142.	2.8	25
22	Facile preparation of biomass lignin-based hydroxyethyl cellulose super-absorbent hydrogel for dye pollutant removal. <i>International Journal of Biological Macromolecules</i> , 2019, 137, 939-947.	3.6	61
23	Suspending Ion Electrocatalysts in Charged Metal-Organic Frameworks to Improve the Conductivity and Selectivity in Electroorganic Synthesis. <i>Chemistry - an Asian Journal</i> , 2019, 14, 3627-3634.	1.7	9
24	2-Azaallyl Anion Initiated Ring-Opening Polymerization of N-Sulfonyl Aziridines: One-Pot Synthesis of Primary Amine-Ended Telechelic Polyaziridines. <i>Macromolecules</i> , 2019, 52, 3888-3896.	2.2	23
25	Reducing energy barriers of chemical reactions with a nanomicrocell catalyst consisting of integrated active sites in conductive matrices. <i>Science Bulletin</i> , 2019, 64, 385-390.	4.3	10
26	Transformation of Metal-Organic Frameworks into Stable Organic Frameworks with Inherited Skeletons and Catalytic Properties. <i>Angewandte Chemie</i> , 2019, 131, 8203-8207.	1.6	31
27	Transformation of Metal-Organic Frameworks into Stable Organic Frameworks with Inherited Skeletons and Catalytic Properties. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 8119-8123.	7.2	41
28	Carboxylic Acid Initiated Organocatalytic Ring-Opening Polymerization of N-Sulfonyl Aziridines: An Easy Access to Well-Controlled Polyaziridine-Based Architectural and Functionalized Polymers. <i>Macromolecules</i> , 2019, 52, 8793-8802.	2.2	26
29	Sulfuryl chloride as a functional additive towards dendrite-free and long-life Li metal anodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 25003-25009.	5.2	20
30	A Versatile Metalloporphyrinic Framework Platform for Highly Efficient Bioinspired, Photo- and Asymmetric Catalysis. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 168-172.	7.2	25
31	A Versatile Metalloporphyrinic Framework Platform for Highly Efficient Bioinspired, Photo- and Asymmetric Catalysis. <i>Angewandte Chemie</i> , 2019, 131, 174-178.	1.6	4
32	Designed fabrication of biomimetic metal-organic frameworks for catalytic applications. <i>Coordination Chemistry Reviews</i> , 2019, 378, 445-465.	9.5	131
33	Suspending ionic single-atom catalysts in porphyrinic frameworks for highly efficient aerobic oxidation at room temperature. <i>Journal of Catalysis</i> , 2018, 358, 43-49.	3.1	24
34	Visible-Light Photocatalytic Synthesis of Amines from Imines via Transfer Hydrogenation Using Quantum Dots as Catalysts. <i>Journal of Organic Chemistry</i> , 2018, 83, 11886-11895.	1.7	47
35	Incorporation of Fe-phthalocyanines into a porous organic framework for highly efficient photocatalytic oxidation of arylalkanes. <i>Applied Catalysis B: Environmental</i> , 2018, 234, 290-295.	10.8	52
36	Biomimetic Activation of Molecular Oxygen with a Combined Metalloporphyrinic Framework and Co-catalyst Platform. <i>ChemCatChem</i> , 2017, 9, 1192-1196.	1.8	28

#	ARTICLE	IF	CITATIONS
37	Incorporation of Molecular Catalysts in Metal-Organic Frameworks for Highly Efficient Heterogeneous Catalysis. <i>Advanced Materials</i> , 2017, 29, 1605446.	11.1	275
38	Improvement of the CO ₂ Capture Capability of a Metal-Organic Framework by Encapsulating Dye Molecules inside the Mesopore Space. <i>Crystal Growth and Design</i> , 2017, 17, 2688-2693.	1.4	14
39	Structural Transformation of Porous Polyoxometalate Frameworks and Highly Efficient Biomimetic Aerobic Oxidation of Aliphatic Alcohols. <i>ACS Catalysis</i> , 2017, 7, 6573-6580.	5.5	68
40	Immobilization of polyoxometalates in crystalline solids for highly efficient heterogeneous catalysis. <i>Dalton Transactions</i> , 2016, 45, 10101-10112.	1.6	83
41	Assembly of a Metalloporphyrin-Polyoxometalate Hybrid Material for Highly Efficient Activation of Molecular Oxygen. <i>Inorganic Chemistry</i> , 2016, 55, 7295-7300.	1.9	46
42	Doubly Interpenetrated Metal-Organic Framework for Highly Selective C ₂ H ₂ /CH ₄ and C ₂ H ₂ /CO ₂ Separation at Room Temperature. <i>Crystal Growth and Design</i> , 2016, 16, 7194-7197.	1.4	80
43	Polarized three-photon-pumped laser in a single MOF microcrystal. <i>Nature Communications</i> , 2016, 7, 11087.	5.8	165
44	A Highly Sensitive Luminescent Dye@MOF Composite for Probing Different Volatile Organic Compounds. <i>ChemPlusChem</i> , 2016, 81, 758-763.	1.3	31
45	A Noninterpenetrated Metal-Organic Framework Built from an Enlarged Tetracarboxylic Acid for Small Hydrocarbon Separation. <i>Crystal Growth and Design</i> , 2015, 15, 4071-4074.	1.4	21
46	A new metal-organic framework with potential for adsorptive separation of methane from carbon dioxide, acetylene, ethylene, and ethane established by simulated breakthrough experiments. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2628.	5.2	91
47	Rational construction of metal-organic frameworks for heterogeneous catalysis. <i>Inorganic Chemistry Frontiers</i> , 2014, 1, 721-734.	3.0	64
48	A new MOF-5 homologue for selective separation of methane from C ₂ hydrocarbons at room temperature. <i>APL Materials</i> , 2014, 2, .	2.2	33
49	Recent advances on porous homochiral coordination polymers containing amino acid synthons. <i>CrystEngComm</i> , 2014, 16, 4907-4918.	1.3	51
50	A NbO type microporous metal-organic framework constructed from a naphthalene derived ligand for CH ₄ and C ₂ H ₂ storage at room temperature. <i>RSC Advances</i> , 2014, 4, 49457-49461.	1.7	23
51	Porous Metal-Organic Frameworks for Heterogeneous Biomimetic Catalysis. <i>Accounts of Chemical Research</i> , 2014, 47, 1199-1207.	7.6	661
52	A Metal-Organic Framework with Open Metal Sites for Enhanced Confinement of Sulfur and Lithium-Sulfur Battery of Long Cycling Life. <i>Crystal Growth and Design</i> , 2013, 13, 5116-5120.	1.4	124
53	A mesoporous lanthanide-organic framework constructed from a dendritic hexacarboxylate with cages of 2.4 nm. <i>CrystEngComm</i> , 2013, 15, 9328.	1.3	36
54	A cationic microporous metal-organic framework for highly selective separation of small hydrocarbons at room temperature. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9916.	5.2	83

#	ARTICLE	IF	CITATIONS
55	A microporous metal-organic framework assembled from an aromatic tetracarboxylate for H ₂ purification. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2543.	5.2	62
56	Four Honeycomb Metal-Organic Frameworks with a Flexible Tripodal Polyaromatic Acid. <i>Crystal Growth and Design</i> , 2013, 13, 1429-1437.	1.4	36
57	A Doubly Interpenetrated Metal-Organic Framework with Open Metal Sites and Suitable Pore Sizes for Highly Selective Separation of Small Hydrocarbons at Room Temperature. <i>Crystal Growth and Design</i> , 2013, 13, 2094-2097.	1.4	96
58	Expanded Organic Building Units for the Construction of Highly Porous Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2013, 19, 14886-14894.	1.7	66
59	Five coordination networks based on zwitterionic ligands: synthesis, crystal structures and optical properties. <i>CrystEngComm</i> , 2012, 14, 847-852.	1.3	20
60	Color tunable and white light emitting Tb ³⁺ and Eu ³⁺ doped lanthanide metal-organic framework materials. <i>Journal of Materials Chemistry</i> , 2012, 22, 3210.	6.7	200
61	A Multifunctional Organic-Inorganic Hybrid Structure Based on Mn ^{III} -Porphyrin and Polyoxometalate as a Highly Effective Dye Scavenger and Heterogeneous Catalyst. <i>Journal of the American Chemical Society</i> , 2012, 134, 87-90.	6.6	408
62	Five porphyrin-core-dependent metal-organic frameworks and framework-dependent fluorescent properties. <i>CrystEngComm</i> , 2012, 14, 4850.	1.3	46
63	Five intercalating coordination networks based on an identical anionic lamella and diverse hydrated cations. <i>CrystEngComm</i> , 2011, 13, 6027.	1.3	8
64	Syntheses, crystal structures and optical properties of six homochiral coordination networks based on phenyl acid-amino acids. <i>CrystEngComm</i> , 2011, 13, 6422.	1.3	27
65	A series of metal-organic coordination polymers containing multiple chiral centers. <i>CrystEngComm</i> , 2011, 13, 1570-1579.	1.3	28
66	Crystal Engineering of Metal-Organic Frameworks for Heterogeneous Catalysis. , 2011, , 271-298.		6
67	A Sn ^{IV} -Porphyrin-Based Metal-Organic Framework for the Selective Photo-Oxygenation of Phenol and Sulfides. <i>Inorganic Chemistry</i> , 2011, 50, 5318-5320.	1.9	150
68	Four Novel Coordination Polymers Based on a Flexible Zwitterionic Ligand and Their Framework Dependent Luminescent Properties. <i>Crystal Growth and Design</i> , 2010, 10, 4590-4595.	1.4	55
69	Synthesis of a Bis(1,2,3-phenylene) Cryptand and Its Dual-Response Binding to Paraquat and Diquat. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 6804-6809.	1.2	27
70	Two Chiral Nonlinear Optical Coordination Networks Based on Interwoven Two-Dimensional Square Grids of Double Helices. <i>Crystal Growth and Design</i> , 2010, 10, 5291-5296.	1.4	44
71	The roles of the coordination modes of bridging ligands for the formation of two 3D metal-organic coordination networks. <i>CrystEngComm</i> , 2010, 12, 3437.	1.3	9
72	Formation of a 2D supramolecular water framework via metal-organic unit templating. <i>CrystEngComm</i> , 2010, 12, 688-690.	1.3	12

#	ARTICLE	IF	CITATIONS
73	Heterogeneous catalyzed aryl–nitrogen bond formations using a valine derivative bridged metal–organic coordination polymer. Dalton Transactions, 2009, , 6790.	1.6	20