## Elena Adinolfi

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1499618/elena-adinolfi-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 4,760 70 32 h-index g-index citations papers 80 5,785 5.2 5.73 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
70	Extracellular ATP is increased by release of ATP-loaded microparticles triggered by nutrient deprivation <i>Theranostics</i> , <b>2022</b> , 12, 859-874	12.1	O
69	Irradiation causes senescence, ATP release, and P2X7 receptor isoform switch in glioblastoma <i>Cell Death and Disease</i> , <b>2022</b> , 13, 80	9.8	1
68	Administration of P2X7 Receptor Blockers in Oncological Experimental Models. <i>Methods in Molecular Biology</i> , <b>2022</b> , 303-314	1.4	
67	P2X7 promotes metastatic spreading and triggers release of miRNA-containing exosomes and microvesicles from melanoma cells. <i>Cell Death and Disease</i> , <b>2021</b> , 12, 1088	9.8	4
66	The P2RX7B splice variant modulates osteosarcoma cell behaviour and metastatic properties <i>Journal of Bone Oncology</i> , <b>2021</b> , 31, 100398	4.5	1
65	Role of ATP in Extracellular Vesicle Biogenesis and Dynamics. Frontiers in Pharmacology, 2021, 12, 6540	<b>23</b> .6	5
64	P2X7 Receptor in Hematological Malignancies. Frontiers in Cell and Developmental Biology, <b>2021</b> , 9, 645	6 <del>9.5</del>	7
63	The ATP/P2X7 axis is a crucial regulator of leukemic initiating cells proliferation and homing and an emerging therapeutic target in acute myeloid leukemia. <i>Purinergic Signalling</i> , <b>2021</b> , 17, 319-321	3.8	1
62	Astrocytes-derived extracellular vesicles in motion at the neuron surface: Involvement of the prion protein. <i>Journal of Extracellular Vesicles</i> , <b>2021</b> , 10, e12114	16.4	5
61	P2X7 Variants in Oncogenesis. <i>Cells</i> , <b>2021</b> , 10,	7.9	15
60	Cancer Metabostemness and Metabolic Reprogramming via P2X7 Receptor. <i>Cells</i> , <b>2021</b> , 10,	7.9	3
59	The P2X7 Receptor 489C>T Gain of Function Polymorphism Favors HHV-6A Infection and Associates With Female Idiopathic Infertility. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 96	5.6	11
58	P2X7 in Cancer: From Molecular Mechanisms to Therapeutics. <i>Frontiers in Pharmacology</i> , <b>2020</b> , 11, 793	5.6	37
57	Detection of Extracellular ATP in the Tumor Microenvironment, Using the pmeLUC Biosensor. <i>Methods in Molecular Biology</i> , <b>2020</b> , 2041, 183-195	1.4	20
56	Differential sensitivity of acute myeloid leukemia cells to daunorubicin depends on P2X7A versus P2X7B receptor expression. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 876	9.8	18
55	Denatonium as a Bitter Taste Receptor Agonist Modifies Transcriptomic Profile and Functions of Acute Myeloid Leukemia Cells. <i>Frontiers in Oncology</i> , <b>2020</b> , 10, 1225	5.3	5
54	Structure, function and techniques of investigation of the P2X7 receptor (P2X7R) in mammalian cells. <i>Methods in Enzymology</i> , <b>2019</b> , 629, 115-150	1.7	18

## (2015-2019)

53	The P2X7 receptor modulates immune cells infiltration, ectonucleotidases expression and extracellular ATP levels in the tumor microenvironment. <i>Oncogene</i> , <b>2019</b> , 38, 3636-3650	9.2	87
52	Amyloid Elependent mitochondrial toxicity in mouse microglia requires P2X7 receptor expression and is prevented by nimodipine. <i>Scientific Reports</i> , <b>2019</b> , 9, 6475	4.9	29
51	Role of the P2X7 receptor in tumor-associated inflammation. <i>Current Opinion in Pharmacology</i> , <b>2019</b> , 47, 59-64	5.1	19
50	Involvement of P2X7 Receptors in the Osteogenic Differentiation of Mesenchymal Stromal/Stem Cells Derived from Human Subcutaneous Adipose Tissue. <i>Stem Cell Reviews and Reports</i> , <b>2019</b> , 15, 574-	589 <sup>1</sup>	9
49	Mechanisms of Tolerance Induction through T Regulatory Cells during Chemotherapy-Mediated Immunogenic Cell Death in Acute Myeloid Leukemia. <i>Blood</i> , <b>2019</b> , 134, 2332-2332	2.2	
48	The P2X7 receptor: A main player in inflammation. <i>Biochemical Pharmacology</i> , <b>2018</b> , 151, 234-244	6	159
47	Kinin and Purine Signaling Contributes to Neuroblastoma Metastasis. <i>Frontiers in Pharmacology</i> , <b>2018</b> , 9, 500	5.6	25
46	Extracellular ATP and P2 purinergic signalling in the tumour microenvironment. <i>Nature Reviews Cancer</i> , <b>2018</b> , 18, 601-618	31.3	275
45	Emerging Roles of Purinergic Signaling in Diabetes. <i>Medicinal Chemistry</i> , <b>2018</b> , 14, 428-438	1.8	7
44	Extracellular purines, purinergic receptors and tumor growth. <i>Oncogene</i> , <b>2017</b> , 36, 293-303	9.2	272
43	ATP Release from Chemotherapy-Treated Dying Leukemia Cells Elicits an Immune Suppressive Effect by Increasing Regulatory T Cells and Tolerogenic Dendritic Cells. <i>Frontiers in Immunology</i> , <b>2017</b> , 8, 1918	8.4	55
42	Extracellular ATP induces apoptosis through P2X7R activation in acute myeloid leukemia cells but not in normal hematopoietic stem cells. <i>Oncotarget</i> , <b>2017</b> , 8, 5895-5908	3.3	32
41	P2X7 Receptor Orchestrates Multiple Signalling Pathways Triggering Inflammation, Autophagy and Metabolic/Trophic Responses. <i>Current Medicinal Chemistry</i> , <b>2017</b> , 24, 2261-2275	4.3	49
40	P2 receptors in cancer progression and metastatic spreading. <i>Current Opinion in Pharmacology</i> , <b>2016</b> , 29, 17-25	5.1	29
39	Chemotherapy-Dependent ATP Release from Leukemia Dying Cells Induces Indoleamine 2,3-Dioxygenase 1 in Dendritic Cells. <i>Blood</i> , <b>2016</b> , 128, 3711-3711	2.2	
38	P2X7 Receptor as a Therapeutic Target. <i>Advances in Protein Chemistry and Structural Biology</i> , <b>2016</b> , 104, 39-79	5.3	62
37	Editorial (Thematic Issue: Purinergic P2X Receptors: Physiological and Pathological Roles and Potential as Therapeutic Targets). <i>Current Medicinal Chemistry</i> , <b>2015</b> , 22, 782-782	4.3	5
36	Accelerated tumor progression in mice lacking the ATP receptor P2X7. Cancer Research, <b>2015</b> , 75, 635-4	<b>14</b> 10.1	96

35	The P2X7 receptor is a key modulator of the PI3K/GSK3 NEGF signaling network: evidence in experimental neuroblastoma. <i>Oncogene</i> , <b>2015</b> , 34, 5240-51	9.2	104
34	Emerging roles of P2X receptors in cancer. Current Medicinal Chemistry, 2015, 22, 878-90	4.3	41
33	P2X7 Receptor Activation By ATP As Target of Novel Therapies in Acute Myeloid Leukemia. <i>Blood</i> , <b>2015</b> , 126, 3684-3684	2.2	
32	The Induction of Inhibitory Pathways in Dendritic Cells May Hamper the Efficient Activation of Anti-Leukemia T Cells within Chemotherapy-Induced Immunogenic Cell Death. <i>Blood</i> , <b>2015</b> , 126, 1019-1	0713	
31	P2X receptors: New players in cancer pain. World Journal of Biological Chemistry, 2014, 5, 429-36	3.8	18
30	Trophic activity of human P2X7 receptor isoforms A and B in osteosarcoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e107224	<b>4</b> 3.7	57
29	New intriguing roles of ATP and its receptors in promoting tumor metastasis: presented by Maria P. Abbracchio. <i>Purinergic Signalling</i> , <b>2013</b> , 9, 487-90	3.8	4
28	Purinergic signaling in bone. <i>Journal of Osteoporosis</i> , <b>2013</b> , 2013, 673684	2.8	5
27	The P2X7 receptor is a key modulator of aerobic glycolysis. <i>Cell Death and Disease</i> , <b>2012</b> , 3, e370	9.8	86
26	P2X7 Receptor Function in Bone-Related Cancer. <i>Journal of Osteoporosis</i> , <b>2012</b> , 2012, 637863	2.8	30
25	Purinergic signaling in giant cell formation. Frontiers in Bioscience - Elite, 2012, 4, 41-55	1.6	7
24	Expression of P2X7 receptor increases in vivo tumor growth. <i>Cancer Research</i> , <b>2012</b> , 72, 2957-69	10.1	236
23	Trophic activity of a naturally occurring truncated isoform of the P2X7 receptor. <i>FASEB Journal</i> , <b>2010</b> , 24, 3393-404	0.9	173
22	cAMP efflux from human trophoblast cell lines: a role for multidrug resistance protein (MRP)1 transporter. <i>Molecular Human Reproduction</i> , <b>2010</b> , 16, 481-91	4.4	14
21	The dominant-negative von Willebrand factor gene deletion p.P1127_C1948delinsR: molecular mechanism and modulation. <i>Blood</i> , <b>2010</b> , 116, 5371-6	2.2	19
20	Expression of the P2X7 receptor increases the Ca2+ content of the endoplasmic reticulum, activates NFATc1, and protects from apoptosis. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 10120-8	5.4	74
19	P2X(7): a growth-promoting receptor-implications for cancer. <i>Purinergic Signalling</i> , <b>2009</b> , 5, 251-6	3.8	109
18	Somatostatin as a regulator of first-trimester human trophoblast functions. <i>Placenta</i> , <b>2008</b> , 29, 660-70	3.4	4

## LIST OF PUBLICATIONS

17	Stimulation of purinergic receptors modulates chemokine expression in human keratinocytes. Journal of Investigative Dermatology, <b>2007</b> , 127, 660-7	4.3	45
16	Stimulation of P2 (P2X7) receptors in human dendritic cells induces the release of tissue factor-bearing microparticles. <i>FASEB Journal</i> , <b>2007</b> , 21, 1926-33	0.9	75
15	Stimulation of P2 receptors causes release of IL-1beta-loaded microvesicles from human dendritic cells. <i>Blood</i> , <b>2007</b> , 109, 3856-64	2.2	192
14	The extracellular nucleotide UTP is a potent inducer of hematopoietic stem cell migration. <i>Blood</i> , <b>2007</b> , 109, 533-42	2.2	86
13	Involvement of the purinergic P2X7 receptor in the formation of multinucleated giant cells. <i>Journal of Immunology</i> , <b>2006</b> , 177, 7257-65	5.3	64
12	The P2X7 receptor: a key player in IL-1 processing and release. <i>Journal of Immunology</i> , <b>2006</b> , 176, 3877-	8 <b>3</b> .3	839
11	P2X(7) receptor: Death or life?. Purinergic Signalling, 2005, 1, 219-27	3.8	104
10	Basal activation of the P2X7 ATP receptor elevates mitochondrial calcium and potential, increases cellular ATP levels, and promotes serum-independent growth. <i>Molecular Biology of the Cell</i> , <b>2005</b> , 16, 3260-72	3.5	204
9	Pseudoapoptosis induced by brief activation of ATP-gated P2X7 receptors. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 33968-76	5.4	123
8	Enhanced P2X7 activity in human fibroblasts from diabetic patients: a possible pathogenetic mechanism for vascular damage in diabetes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2004</b> , 24, 1240-5	9.4	41
7	The antibiotic polymyxin B modulates P2X7 receptor function. <i>Journal of Immunology</i> , <b>2004</b> , 173, 4652-	<b>69</b> .3	65
6	Tyrosine phosphorylation of HSP90 within the P2X7 receptor complex negatively regulates P2X7 receptors. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 37344-51	5.4	78
5	Human leukocyte antigen-A, -B, -C and -DR alleles and soluble human leukocyte antigen class I serum level in MBiEes disease. <i>Acta Oto-Laryngologica</i> , <b>2002</b> , 26-9	1.6	14
4	P2X7 receptor expression in evolutive and indolent forms of chronic B lymphocytic leukemia. <i>Blood</i> , <b>2002</b> , 99, 706-8	2.2	161
3	Increased proliferation rate of lymphoid cells transfected with the P2X(7) ATP receptor. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 33206-8	5.4	160
2	Homology modeling and active-site residues probing of the thermophilic Alicyclobacillus acidocaldarius esterase 2. <i>Protein Science</i> , <b>1999</b> , 8, 1789-96	6.3	30
1	Overexpression and properties of a new thermophilic and thermostable esterase from Bacillus acidocaldarius with sequence similarity to hormone-sensitive lipase subfamily. <i>Biochemical Journal</i> , <b>1998</b> , 332 ( Pt 1), 203-12	3.8	127