

Frederick I Burge

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1499827/frederick-i-burge-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

1,371
citations

20
h-index

34
g-index

89
ext. papers

1,620
ext. citations

2.4
avg, IF

4.3
L-index

#	Paper	IF	Citations
78	Operational definitions of attributes of primary health care: consensus among Canadian experts. <i>Annals of Family Medicine</i> , 2007 , 5, 336-44	2.9	156
77	Dehydration symptoms of palliative care cancer patients. <i>Journal of Pain and Symptom Management</i> , 1993 , 8, 454-64	4.8	94
76	A population-based study of age inequalities in access to palliative care among cancer patients. <i>Medical Care</i> , 2008 , 46, 1203-11	3.1	81
75	Toward population-based indicators of quality end-of-life care: testing stakeholder agreement. <i>Cancer</i> , 2008 , 112, 2301-8	6.4	73
74	A case study of nurse practitioner role implementation in primary care: what happens when new roles are introduced?. <i>BMC Nursing</i> , 2013 , 12, 1	3.2	53
73	Preferred and Actual Location of Death: What Factors Enable a Preferred Home Death?. <i>Journal of Palliative Medicine</i> , 2015 , 18, 1054-9	2.2	42
72	Palliative Care Patients in the Emergency Department. <i>Journal of Palliative Care</i> , 2008 , 24, 247-255	1.8	42
71	Quality Indicators of End-of-Life Care in Patients With Cancer: What Rate Is Right?. <i>Journal of Oncology Practice</i> , 2015 , 11, e279-87	3.1	40
70	Health care restructuring and family physician care for those who died of cancer. <i>BMC Family Practice</i> , 2005 , 6, 1	2.6	40
69	Transitions in care during the end of life: changes experienced following enrolment in a comprehensive palliative care program. <i>BMC Palliative Care</i> , 2005 , 4, 3	3	37
68	Adherence to antihypertensive medications among family practice patients with diabetes mellitus and hypertension. <i>Canadian Family Physician</i> , 2013 , 59, e93-e100	0.9	37
67	Home visits by family physicians during the end-of-life: Does patient income or residence play a role?. <i>BMC Palliative Care</i> , 2005 , 4, 1	3	36
66	Does Increasing Home Care Nursing Reduce Emergency Department Visits at the End of Life? A Population-Based Cohort Study of Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 204-12	4.8	35
65	Bereaved family member perceptions of patient-focused family-centred care during the last 30 days of life using a mortality follow-back survey: does location matter?. <i>BMC Palliative Care</i> , 2014 , 13, 25	3	28
64	Can the introduction of an integrated service model to an existing comprehensive palliative care service impact emergency department visits among enrolled patients?. <i>Journal of Palliative Medicine</i> , 2009 , 12, 245-52	2.2	28
63	Factors associated with multiple transitions in care during the end of life following enrollment in a comprehensive palliative care program. <i>BMC Palliative Care</i> , 2006 , 5, 4	3	27
62	Quality indicators for cardiovascular primary care. <i>Canadian Journal of Cardiology</i> , 2007 , 23, 383-8	3.8	24

61	Where a cancer patient dies: the effect of rural residency. <i>Journal of Rural Health</i> , 2005 , 21, 233-8	4.6	23
60	A qualitative study of evidence in primary care: what the practitioners are saying. <i>Cmaj</i> , 2002 , 166, 1525-30	3.9	23
59	An international cross-sectional survey on the Quality and Costs of Primary Care (QUALICO-PC): recruitment and data collection of places delivering primary care across Canada. <i>BMC Family Practice</i> , 2015 , 16, 20	2.6	22
58	Impact of comorbidity and healthcare utilization on colorectal cancer stage at diagnosis: literature review. <i>Cancer Causes and Control</i> , 2012 , 23, 213-20	2.8	20
57	Evaluating a Palliative Care Program: Methodology and limitations. <i>Journal of Palliative Care</i> , 1996 , 12, 23-33	1.8	20
56	End-of-Life Cancer Care: Temporal Association between Homecare Nursing and Hospitalizations. <i>Journal of Palliative Medicine</i> , 2016 , 19, 263-70	2.2	20
55	Community pharmacists' experiences and people at risk of suicide in Canada and Australia: a thematic analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1173-1184	4.5	19
54	Applying the consolidated framework for implementation research to identify barriers affecting implementation of an online frailty tool into primary health care: a qualitative study. <i>BMC Health Services Research</i> , 2018 , 18, 395	2.9	18
53	Inequalities in End-Of-Life Care for Colorectal Cancer Patients in Nova Scotia, Canada. <i>Journal of Palliative Care</i> , 2012 , 28, 90-96	1.8	17
52	Development and implementation of training for interdisciplinary research in primary health care. <i>Academic Medicine</i> , 2010 , 85, 974-9	3.9	16
51	Family physician visits and early recognition of melanoma. <i>Canadian Journal of Public Health</i> , 2005 , 96, 136-9	3.2	14
50	Palliative care patients in the emergency department. <i>Journal of Palliative Care</i> , 2008 , 24, 247-55	1.8	14
49	A basic model for assessing primary health care electronic medical record data quality. <i>BMC Medical Informatics and Decision Making</i> , 2019 , 19, 30	3.6	13
48	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. <i>BMJ Open</i> , 2017 , 7, e017701	3	13
47	The effect of an educational intervention on meperidine use in Nova Scotia, Canada: a time series analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 177-83	2.6	13
46	Asthma in primary care: making guidelines work. <i>Canadian Respiratory Journal</i> , 2001 , 8 Suppl A, 29A-34A2.1	2.1	12
45	Hypertension and type 2 diabetes: what family physicians can do to improve control of blood pressure--an observational study. <i>BMC Family Practice</i> , 2011 , 12, 86	2.6	11
44	Inequalities in end-of-life care for colorectal cancer patients in Nova Scotia, Canada. <i>Journal of Palliative Care</i> , 2012 , 28, 90-6	1.8	11

43	Using quality indicators to evaluate the effect of implementing an enhanced collaborative care model among a community, primary healthcare practice population. <i>Canadian Journal of Nursing Leadership</i> , 2012 , 25, 28-42	1	10
42	Evaluating the Implementation and Feasibility of a Web-Based Tool to Support Timely Identification and Care for the Frail Population in Primary Healthcare Settings. <i>International Journal of Health Policy and Management</i> , 2017 , 6, 377-382	2.5	10
41	Survey of Australian and Canadian Community Pharmacists' Experiences With Patients at Risk of Suicide. <i>Psychiatric Services</i> , 2020 , 71, 293-296	3.3	10
40	Quality Indicator Rates for Seriously Ill Home Care Clients: Analysis of Resident Assessment Instrument for Home Care Data in Six Canadian Provinces. <i>Journal of Palliative Medicine</i> , 2019 , 22, 1346-1356	2.3	9
39	Gaps in primary healthcare electronic medical record research and knowledge: findings of a pan-Canadian study. <i>Healthcare Policy</i> , 2014 , 10, 46-59	1.1	9
38	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016 , 12, 33-51	1.1	8
37	End-of-life population study methods. <i>Canadian Journal of Public Health</i> , 2001 , 92, 385-6	3.2	7
36	Drug management for hypertension in type 2 diabetes in family practice. <i>Canadian Family Physician</i> , 2009 , 55, 728-34	0.9	7
35	Stakeholders' Views on identifying patients in primary care at risk of dying: a qualitative descriptive study using focus groups and interviews. <i>British Journal of General Practice</i> , 2018 , 68, e612-e620	1.6	7
34	Evidence-based cardiovascular care in the community: a population-based cross-sectional study. <i>BMC Family Practice</i> , 2004 , 5, 6	2.6	6
33	Case Management in Primary Care for Frequent Users of Health Care Services: A Realist Synthesis. <i>Annals of Family Medicine</i> , 2020 , 18, 218-226	2.9	5
32	How does Canada stack up? A bibliometric analysis of the primary healthcare electronic medical record literature. <i>Informatics in Primary Care</i> , 2012 , 20, 233-40		5
31	Practice patterns among early-career primary care (ECPC) physicians and workforce planning implications: protocol for a mixed methods study. <i>BMJ Open</i> , 2019 , 9, e030477	3	5
30	Addressing quadruple aims through primary care and public health collaboration: ten Canadian case studies. <i>BMC Public Health</i> , 2020 , 20, 507	4.1	5
29	Trajectory of psychosocial symptoms among home care patients with cancer at end-of-life. <i>Psycho-Oncology</i> , 2021 , 30, 103-110	3.9	5
28	Measuring Patient Experiences: Is It Meaningful and Actionable?. <i>Healthcare Papers</i> , 2017 , 17, 22-29	0.7	4
27	Improving Care for the Frail in Nova Scotia: An Implementation Evaluation of a Frailty Portal in Primary Care Practice. <i>International Journal of Health Policy and Management</i> , 2019 , 8, 112-123	2.5	4
26	Transdisciplinary understandings and training on research: successfully building research capacity in primary health care. <i>Canadian Family Physician</i> , 2014 , 60, 581-2	0.9	4

25	Using the CollaboraKTion framework to report on primary care practice recruitment and data collection: costs and successes in a cross-sectional practice-based survey in British Columbia, Ontario, and Nova Scotia, Canada. <i>BMC Family Practice</i> , 2018 , 19, 87	2.6	3
24	Measurement and rural primary health care: a scoping review. <i>Rural and Remote Health</i> , 2019 , 19, 4911	1.3	3
23	Regional variation in primary care improvement strategies and policy: case studies that consider qualitative contextual data for performance measurement in three Canadian provinces. <i>BMJ Open</i> , 2019 , 9, e029622	3	3
22	Effect of Early Palliative Care on End-of-Life Health Care Costs: A Population-Based, Propensity Score-Matched Cohort Study. <i>JCO Oncology Practice</i> , 2021 , OP2100299	2.3	3
21	Citizen perspectives on the use of publicly reported primary care performance information: Results from citizen-patient dialogues in three Canadian provinces. <i>Health Expectations</i> , 2019 , 22, 974-982	3.7	2
20	Does access to end-of-life homecare nursing differ by province and community size?: A population-based cohort study of cancer decedents across Canada. <i>Health Policy</i> , 2018 , 122, 134-139	3.2	2
19	Gaps in Primary Healthcare Electronic Medical Record Research and Knowledge: Findings of a Pan-Canadian Study. <i>Healthcare Policy</i> , 2014 , 10, 46-59	1.1	2
18	Spiritual and emotional support of primary informal end-of-life caregivers in Nova Scotia. <i>Journal of Palliative Care</i> , 2012 , 28, 169-74	1.8	2
17	Statistical research: lost in translation? If you want to get doctors onside, speak their language. <i>Canadian Family Physician</i> , 2016 , 62, 524	0.9	2
16	Computer use in primary care practices in Canada. <i>Canadian Family Physician</i> , 2017 , 63, e284-e290	0.9	2
15	Influencers on deprescribing practice of primary healthcare providers in Nova Scotia: An examination using behavior change frameworks. <i>Medicine Access Point of Care</i> , 2020 , 4, 239920262092250	0.8	2
14	Priority measures for publicly reporting primary care performance: Results of public engagement through deliberative dialogues in 3 Canadian provinces. <i>Health Expectations</i> , 2020 , 23, 1213-1223	3.7	2
13	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016 , 12, 33-51	1.1	2
12	End-of-life outcomes with or without early palliative care: a propensity score matched, population-based cancer cohort study. <i>BMJ Open</i> , 2021 , 11, e041432	3	2
11	Prevalence of Having Advance Directives and a Signed Power of Attorney in Nova Scotia. <i>Journal of Palliative Care</i> , 2019 , 34, 189-196	1.8	1
10	Population segments as a tool for health care performance reporting: an exploratory study in the Canadian province of British Columbia. <i>BMC Family Practice</i> , 2020 , 21, 98	2.6	1
9	Protocol for a mixed-method analysis of implementation of case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs. <i>BMJ Open</i> , 2020 , 10, e038241	3	1
8	Benchmarking time to initiation of end-of-life homecare nursing: a population-based cancer cohort study in regions across Canada. <i>BMC Palliative Care</i> , 2018 , 17, 70	3	1

7	Assessing the acceptability of quality indicators and linkages to payment in primary care in nova scotia. <i>Healthcare Policy</i> , 2011 , 6, 72-83	1.1	1
6	Value in Primary Healthcare - Measuring What Matters?. <i>HealthcarePapers</i> , 2019 , 18, 58-67	0.7	1
5	Trajectory of End-of-Life Pain and Other Physical Symptoms among Cancer Patients Receiving Home Care. <i>Current Oncology</i> , 2021 , 28, 1641-1651	2.8	1
4	Quality of End-of-Life Cancer Care in Canada: A 12-Year Retrospective Analysis of Three ProvincesT Administrative Health Care Data Evaluating Changes over Time.. <i>Current Oncology</i> , 2021 , 28, 4673-4685	2.8	0
3	Comparing the Attainment of the Patient’s Medical Home Model across Regions in Three Canadian Provinces: A Cross-Sectional Study.. <i>Healthcare Policy</i> , 2021 , 17, 19-37	1.1	0
2	Differences in Mode Preferences, Response Rates, and Mode Effect Between Automated Email and Phone Survey Systems for Patients of Primary Care Practices: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e21240	7.6	0
1	I Would Never Do That!. <i>Journal of Palliative Care</i> , 1994 , 10, 73-75	1.8	