Frederick I Burge

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1499827/frederick-i-burge-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78
papers

1,371
citations

20
h-index
g-index

89
ext. papers

2.4
ext. papers
ext. citations

20
h-index
g-index

L-index

#	Paper	IF	Citations
78	Quality of End-of-Life Cancer Care in Canada: A 12-Year Retrospective Analysis of Three ProvincesT Administrative Health Care Data Evaluating Changes over Time <i>Current Oncology</i> , 2021 , 28, 4673-4685	2.8	O
77	Comparing the Attainment of the Patient's Medical Home Model across Regions in Three Canadian Provinces: A Cross-Sectional Study <i>Healthcare Policy</i> , 2021 , 17, 19-37	1.1	0
76	Trajectory of End-of-Life Pain and Other Physical Symptoms among Cancer Patients Receiving Home Care. <i>Current Oncology</i> , 2021 , 28, 1641-1651	2.8	1
75	Trajectory of psychosocial symptoms among home care patients with cancer at end-of-life. <i>Psycho-Oncology</i> , 2021 , 30, 103-110	3.9	5
74	End-of-life outcomes with or without early palliative care: a propensity score matched, population-based cancer cohort study. <i>BMJ Open</i> , 2021 , 11, e041432	3	2
73	Effect of Early Palliative Care on End-of-Life Health Care Costs: A Population-Based, Propensity Score-Matched Cohort Study. <i>JCO Oncology Practice</i> , 2021 , OP2100299	2.3	3
72	Differences in Mode Preferences, Response Rates, and Mode Effect Between Automated Email and Phone Survey Systems for Patients of Primary Care Practices: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e21240	7.6	O
71	Population segments as a tool for health care performance reporting: an exploratory study in the Canadian province of British Columbia. <i>BMC Family Practice</i> , 2020 , 21, 98	2.6	1
70	Case Management in Primary Care for Frequent Users of Health Care Services: A Realist Synthesis. <i>Annals of Family Medicine</i> , 2020 , 18, 218-226	2.9	5
69	Protocol for a mixed-method analysis of implementation of case management in primary care for frequent users of healthcare services with chronic diseases and complex care needs. <i>BMJ Open</i> , 2020 , 10, e038241	3	1
68	Survey of Australian and Canadian Community PharmacistsTExperiences With Patients at Risk of Suicide. <i>Psychiatric Services</i> , 2020 , 71, 293-296	3.3	10
67	Influencers on deprescribing practice of primary healthcare providers in Nova Scotia: An examination using behavior change frameworks. <i>Medicine Access Point of Care</i> , 2020 , 4, 2399202620922	2 50 8	2
66	Priority measures for publicly reporting primary care performance: Results of public engagement through deliberative dialogues in 3 Canadian provinces. <i>Health Expectations</i> , 2020 , 23, 1213-1223	3.7	2
65	Addressing quadruple aims through primary care and public health collaboration: ten Canadian case studies. <i>BMC Public Health</i> , 2020 , 20, 507	4.1	5
64	Citizen perspectives on the use of publicly reported primary care performance information: Results from citizen-patient dialogues in three Canadian provinces. <i>Health Expectations</i> , 2019 , 22, 974-982	3.7	2
63	Quality Indicator Rates for Seriously Ill Home Care Clients: Analysis of Resident Assessment Instrument for Home Care Data in Six Canadian Provinces. <i>Journal of Palliative Medicine</i> , 2019 , 22, 1346	-1356	9
62	Prevalence of Having Advance Directives and a Signed Power of Attorney in Nova Scotia. <i>Journal of Palliative Care</i> , 2019 , 34, 189-196	1.8	1

61	A basic model for assessing primary health care electronic medical record data quality. <i>BMC Medical Informatics and Decision Making</i> , 2019 , 19, 30	3.6	13
60	Improving Care for the Frail in Nova Scotia: An Implementation Evaluation of a Frailty Portal in Primary Care Practice. <i>International Journal of Health Policy and Management</i> , 2019 , 8, 112-123	2.5	4
59	Measurement and rural primary health care: a scoping review. Rural and Remote Health, 2019, 19, 4911	1.3	3
58	Value in Primary Healthcare - Measuring What Matters?. <i>HealthcarePapers</i> , 2019 , 18, 58-67	0.7	1
57	Practice patterns among early-career primary care (ECPC) physicians and workforce planning implications: protocol for a mixed methods study. <i>BMJ Open</i> , 2019 , 9, e030477	3	5
56	Regional variation in primary care improvement strategies and policy: case studies that consider qualitative contextual data for performance measurement in three Canadian provinces. <i>BMJ Open</i> , 2019 , 9, e029622	3	3
55	Does access to end-of-life homecare nursing differ by province and community size?: A population-based cohort study of cancer decedents across Canada. <i>Health Policy</i> , 2018 , 122, 134-139	3.2	2
54	Benchmarking time to initiation of end-of-life homecare nursing: a population-based cancer cohort study in regions across Canada. <i>BMC Palliative Care</i> , 2018 , 17, 70	3	1
53	Using the CollaboraKTion framework to report on primary care practice recruitment and data collection: costs and successes in a cross-sectional practice-based survey in British Columbia, Ontario, and Nova Scotia, Canada. <i>BMC Family Practice</i> , 2018 , 19, 87	2.6	3
52	Applying the consolidated framework for implementation research to identify barriers affecting implementation of an online frailty tool into primary health care: a qualitative study. <i>BMC Health Services Research</i> , 2018 , 18, 395	2.9	18
51	StakeholdersTviews on identifying patients in primary care at risk of dying: a qualitative descriptive study using focus groups and interviews. <i>British Journal of General Practice</i> , 2018 , 68, e612-e620	1.6	7
50	Community pharmacistsTexperiences and people at risk of suicide in Canada and Australia: a thematic analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018 , 53, 1173-1184	4.5	19
49	Case management in primary care among frequent users of healthcare services with chronic conditions: protocol of a realist synthesis. <i>BMJ Open</i> , 2017 , 7, e017701	3	13
48	Measuring Patient Experiences: Is It Meaningful and Actionable?. <i>HealthcarePapers</i> , 2017 , 17, 22-29	0.7	4
47	Evaluating the Implementation and Feasibility of a Web-Based Tool to Support Timely Identification and Care for the Frail Population in Primary Healthcare Settings. <i>International Journal of Health Policy and Management</i> , 2017 , 6, 377-382	2.5	10
46	Computer use in primary care practices in Canada. <i>Canadian Family Physician</i> , 2017 , 63, e284-e290	0.9	2
45	Does Increasing Home Care Nursing Reduce Emergency Department Visits at the End of Life? A Population-Based Cohort Study of Cancer Decedents. <i>Journal of Pain and Symptom Management</i> , 2016 , 51, 204-12	4.8	35
44	Statistical research: lost in translation? If you want to get doctors onside, speak their language. <i>Canadian Family Physician</i> , 2016 , 62, 524	0.9	2

43	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016 , 12, 33-51	1.1	8
42	Primary Care Performance Measurement and Reporting at a Regional Level: Could a Matrix Approach Provide Actionable Information for Policy Makers and Clinicians?. <i>Healthcare Policy</i> , 2016 , 12, 33-51	1.1	2
41	End-of-Life Cancer Care: Temporal Association between Homecare Nursing and Hospitalizations. Journal of Palliative Medicine, 2016 , 19, 263-70	2.2	20
40	Quality Indicators of End-of-Life Care in Patients With Cancer: What Rate Is Right?. <i>Journal of Oncology Practice</i> , 2015 , 11, e279-87	3.1	40
39	An international cross-sectional survey on the Quality and Costs of Primary Care (QUALICO-PC): recruitment and data collection of places delivering primary care across Canada. <i>BMC Family Practice</i> , 2015 , 16, 20	2.6	22
38	Preferred and Actual Location of Death: What Factors Enable a Preferred Home Death?. <i>Journal of Palliative Medicine</i> , 2015 , 18, 1054-9	2.2	42
37	Bereaved family member perceptions of patient-focused family-centred care during the last 30Idays of life using a mortality follow-back survey: does location matter?. <i>BMC Palliative Care</i> , 2014 , 13, 25	3	28
36	Gaps in Primary Healthcare Electronic Medical Record Research and Knowledge:Findings of a Pan-Canadian Study. <i>Healthcare Policy</i> , 2014 , 10, 46-59	1.1	2
35	Transdisciplinary understandings and training on research: successfully building research capacity in primary health care. <i>Canadian Family Physician</i> , 2014 , 60, 581-2	0.9	4
34	Gaps in primary healthcare electronic medical record research and knowledge: findings of a pan-Canadian study. <i>Healthcare Policy</i> , 2014 , 10, 46-59	1.1	9
33	A case study of nurse practitioner role implementation in primary care: what happens when new roles are introduced?. <i>BMC Nursing</i> , 2013 , 12, 1	3.2	53
32	Adherence to antihypertensive medications among family practice patients with diabetes mellitus and hypertension. <i>Canadian Family Physician</i> , 2013 , 59, e93-e100	0.9	37
31	Impact of comorbidity and healthcare utilization on colorectal cancer stage at diagnosis: literature review. <i>Cancer Causes and Control</i> , 2012 , 23, 213-20	2.8	20
30	Inequalities in End-Of-Life Care for Colorectal Cancer Patients in Nova Scotia, Canada. <i>Journal of Palliative Care</i> , 2012 , 28, 90-96	1.8	17
29	The effect of an educational intervention on meperidine use in Nova Scotia, Canada: a time series analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 177-83	2.6	13
28	Using quality indicators to evaluate the effect of implementing an enhanced collaborative care model among a community, primary healthcare practice population. <i>Canadian Journal of Nursing Leadership</i> , 2012 , 25, 28-42	1	10
27	How does Canada stack up? A bibliometric analysis of the primary healthcare electronic medical record literature. <i>Informatics in Primary Care</i> , 2012 , 20, 233-40		5
26	Inequalities in end-of-life care for colorectal cancer patients in Nova Scotia, Canada. <i>Journal of Palliative Care</i> , 2012 , 28, 90-6	1.8	11

(2005-2012)

25	Spiritual and emotional support of primary informal end-of-life caregivers in Nova Scotia. <i>Journal of Palliative Care</i> , 2012 , 28, 169-74	1.8	2
24	Hypertension and type 2 diabetes: what family physicians can do to improve control of blood pressurean observational study. <i>BMC Family Practice</i> , 2011 , 12, 86	2.6	11
23	Assessing the acceptability of quality indicators and linkages to payment in primary care in nova scotia. <i>Healthcare Policy</i> , 2011 , 6, 72-83	1.1	1
22	Development and implementation of training for interdisciplinary research in primary health care. <i>Academic Medicine</i> , 2010 , 85, 974-9	3.9	16
21	Can the introduction of an integrated service model to an existing comprehensive palliative care service impact emergency department visits among enrolled patients?. <i>Journal of Palliative Medicine</i> , 2009 , 12, 245-52	2.2	28
20	Drug management for hypertension in type 2 diabetes in family practice. <i>Canadian Family Physician</i> , 2009 , 55, 728-34	0.9	7
19	A population-based study of age inequalities in access to palliative care among cancer patients. <i>Medical Care</i> , 2008 , 46, 1203-11	3.1	81
18	Palliative Care Patients in the Emergency Department. <i>Journal of Palliative Care</i> , 2008 , 24, 247-255	1.8	42
17	Toward population-based indicators of quality end-of-life care: testing stakeholder agreement. <i>Cancer</i> , 2008 , 112, 2301-8	6.4	73
16	Palliative care patients in the emergency department. <i>Journal of Palliative Care</i> , 2008 , 24, 247-55	1.8	14
15	Operational definitions of attributes of primary health care: consensus among Canadian experts. <i>Annals of Family Medicine</i> , 2007 , 5, 336-44	2.9	156
14	Quality indicators for cardiovascular primary care. Canadian Journal of Cardiology, 2007, 23, 383-8	3.8	24
13	Factors associated with multiple transitions in care during the end of life following enrollment in a comprehensive palliative care program. <i>BMC Palliative Care</i> , 2006 , 5, 4	3	27
12	Where a cancer patient dies: the effect of rural residency. <i>Journal of Rural Health</i> , 2005 , 21, 233-8	4.6	23
11	Health care restructuring and family physician care for those who died of cancer. <i>BMC Family Practice</i> , 2005 , 6, 1	2.6	40
10	Home visits by family physicians during the end-of-life: Does patient income or residence play a role?. <i>BMC Palliative Care</i> , 2005 , 4, 1	3	36
9	Transitions in care during the end of life: changes experienced following enrolment in a comprehensive palliative care program. <i>BMC Palliative Care</i> , 2005 , 4, 3	3	37
8	Family physician visits and early recognition of melanoma. <i>Canadian Journal of Public Health</i> , 2005 , 96, 136-9	3.2	14

7	Evidence-based cardiovascular care in the community: a population-based cross-sectional study. BMC Family Practice, 2004 , 5, 6	2.6	6
6	A qualitative study of evidence in primary care: what the practitioners are saying. <i>Cmaj</i> , 2002 , 166, 1525	5- 3. @	23
5	Asthma in primary care: making guidelines work. Canadian Respiratory Journal, 2001, 8 Suppl A, 29A-34	42.1	12
4	End-of-life population study methods. Canadian Journal of Public Health, 2001, 92, 385-6	3.2	7
3	Evaluating a Palliative Care Program: Methodology and limitations. <i>Journal of Palliative Care</i> , 1996 , 12, 23-33	1.8	20
2	I Would Never Do That!. <i>Journal of Palliative Care</i> , 1994 , 10, 73-75	1.8	
1	Dehydration symptoms of palliative care cancer patients. <i>Journal of Pain and Symptom Management</i> , 1993 , 8, 454-64	4.8	94