

# Kelly Sheehan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1500244/publications.pdf>

Version: 2024-02-01

7  
papers

353  
citations

1307594

7  
h-index

1720034

7  
g-index

7  
all docs

7  
docs citations

7  
times ranked

404  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oral Administration of Caffeine Exacerbates Cisplatin-Induced Hearing Loss. <i>Scientific Reports</i> , 2019, 9, 9571.	3.3	12
2	Capsaicin Protects Against Cisplatin Ototoxicity by Changing the STAT3/STAT1 Ratio and Activating Cannabinoid (CB2) Receptors in the Cochlea. <i>Scientific Reports</i> , 2019, 9, 4131.	3.3	36
3	Trans-Tympanic Drug Delivery for the Treatment of Ototoxicity. <i>Journal of Visualized Experiments</i> , 2018, , .	0.3	10
4	The Endocannabinoid/Cannabinoid Receptor 2 System Protects Against Cisplatin-Induced Hearing Loss. <i>Frontiers in Cellular Neuroscience</i> , 2018, 12, 271.	3.7	45
5	Epigallocatechin-3-gallate, a prototypic chemopreventative agent for protection against cisplatin-based ototoxicity. <i>Cell Death and Disease</i> , 2017, 8, e2921-e2921.	6.3	76
6	Adenosine A <sub>1</sub> Receptor Protects Against Cisplatin Ototoxicity by Suppressing the NOX3/STAT1 Inflammatory Pathway in the Cochlea. <i>Journal of Neuroscience</i> , 2016, 36, 3962-3977.	3.6	96
7	NOX3 NADPH Oxidase Couples Transient Receptor Potential Vanilloid 1 to Signal Transducer and Activator of Transcription 1-Mediated Inflammation and Hearing Loss. <i>Antioxidants and Redox Signaling</i> , 2011, 14, 999-1010.	5.4	78