
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1500573/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Patient perception of bodily functions in multiple sclerosis: gait and visual function are the most valuable. Multiple Sclerosis Journal, 2008, 14, 988-991. | 1.4 | 431 |
| 2 | Exercise in patients with multiple sclerosis. Lancet Neurology, The, 2017, 16, 848-856. | 4.9 | 316 |
| 3 | Fatigue in multiple sclerosis: an example of cytokine mediated sickness behaviour?. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 34-39. | 0.9 | 275 |
| 4 | Impact of aerobic training on immune-endocrine parameters, neurotrophic factors, quality of life and coordinative function in multiple sclerosis. Journal of the Neurological Sciences, 2004, 225, 11-18. | 0.3 | 244 |
| 5 | Frequent neurocognitive deficits after recovery from mild COVID-19. Brain Communications, 2020, 2, fcaa205. | 1.5 | 236 |
| 6 | Effects of exercise on fitness and cognition in progressive MS: a randomized, controlled pilot trial. Multiple Sclerosis Journal, 2014, 20, 382-390. | 1.4 | 174 |
| 7 | A randomized, doubleâ€blind, phase 2 study of erythropoietin in optic neuritis. Annals of Neurology, 2012, 72, 199-210. | 2.8 | 140 |
| 8 | Disease specific quality of life instruments in multiple sclerosis: Validation of the Hamburg Quality of Life Questionnaire in Multiple Sclerosis (HAQUAMS). Multiple Sclerosis Journal, 2001, 7, 119-130. | 1.4 | 138 |
| 9 | Decisional role preferences, risk knowledge and information interests in patients with multiple sclerosis Journal, 2004, 10, 643-650. | 1.4 | 137 |
| 10 | Low-Frequency and Rare-Coding Variation Contributes to Multiple Sclerosis Risk. Cell, 2018, 175, 1679-1687.e7. | 13.5 | 115 |
| 11 | Cognitive impairment in multiple sclerosis does not affect reliability and validity of self-report health measures. Multiple Sclerosis Journal, 2003, 9, 404-410. | 1.4 | 107 |
| 12 | An online programme to reduce depression in patients with multiple sclerosis: a randomised controlled trial. Lancet Psychiatry,the, 2015, 2, 217-223. | 3.7 | 104 |
| 13 | Impaired social cognition in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 523-528. | 0.9 | 102 |
| 14 | Correlates of cognitive dysfunction in multiple sclerosis. Brain, Behavior, and Immunity, 2010, 24, 1148-1155. | 2.0 | 91 |
| 15 | Informed shared decision making about immunotherapy for patients with multiple sclerosis (ISDIMS): a randomized controlled trial. European Journal of Neurology, 2008, 15, 1345-1352. | 1.7 | 90 |
| 16 | Effects of exercise on Irisin, BDNF and IL-6 serum levels in patients with progressive multiple sclerosis. Journal of Neuroimmunology, 2016, 299, 53-58. | 1.1 | 88 |
| 17 | Patient education program to enhance decision autonomy in multiple sclerosis relapse management: a randomized-controlled trial. Multiple Sclerosis Journal, 2009, 15, 96-104. | 1.4 | 85 |
| 18 | Can resistance training impact MRI outcomes in relapsing-remitting multiple sclerosis?. Multiple Sclerosis Journal, 2018, 24, 1356-1365. | 1.4 | 85 |

CHRISTOPH HEESEN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Stress and hypothalamic–pituitary–adrenal axis function in experimental autoimmune encephalomyelitis and multiple sclerosis—A review. Psychoneuroendocrinology, 2007, 32, 604-618. | 1.3 | 83 |
| 20 | Risk perception in natalizumab-treated multiple sclerosis patients and their neurologists. Multiple Sclerosis Journal, 2010, 16, 1507-1512. | 1.4 | 76 |
| 21 | MAPPIN'SDM – The Multifocal Approach to Sharing in Shared Decision Making. PLoS ONE, 2012, 7, e34849. | 1.1 | 76 |
| 22 | Cognitive impairment correlates with hypothalamo–pituitary–adrenal axis dysregulation in multiple sclerosis. Psychoneuroendocrinology, 2002, 27, 505-517. | 1.3 | 73 |
| 23 | Decisions on multiple sclerosis immunotherapy: New treatment complexities urge patient engagement. Journal of the Neurological Sciences, 2011, 306, 192-197. | 0.3 | 73 |
| 24 | Perceptions on the value of bodily functions in multiple sclerosis. Acta Neurologica Scandinavica, 2018, 137, 356-362. | 1.0 | 71 |
| 25 | Randomised controlled trial of a self-guided online fatigue intervention in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 970-976. | 0.9 | 69 |
| 26 | Complete Epstein-Barr virus seropositivity in a large cohort of patients with early multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 681-686. | 0.9 | 66 |
| 27 | Evidence-based patient information programme in early multiple sclerosis: a randomised controlled trial. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 411-418. | 0.9 | 63 |
| 28 | Heterogeneity of Multiple Sclerosis Lesions in Multislice Myelin Water Imaging. PLoS ONE, 2016, 11, e0151496. | 1.1 | 59 |
| 29 | Evidence-based patient information about treatment of multiple sclerosis—A phase one study on comprehension and emotional responses. Patient Education and Counseling, 2006, 62, 56-63. | 1.0 | 57 |
| 30 | Ecological Validity of Walking Capacity Tests in Multiple Sclerosis. PLoS ONE, 2015, 10, e0123822. | 1.1 | 55 |
| 31 | Treatment choices and neuropsychological symptoms of a large cohort of early MS. Neurology: Neuroimmunology and NeuroInflammation, 2018, 5, e446. | 3.1 | 54 |
| 32 | Information provision for people with multiple sclerosis. The Cochrane Library, 2014, , CD008757. | 1.5 | 53 |
| 33 | Hypothalamo–pituitary–adrenal axis activity predicts disease progression in multiple sclerosis. Journal of Neuroimmunology, 2005, 165, 186-191. | 1.1 | 52 |
| 34 | Role Preferences of People with Multiple Sclerosis: Image-Revised, Computerized Self-Administered Version of the Control Preference Scale. PLoS ONE, 2013, 8, e66127. | 1.1 | 52 |
| 35 | Childhood Trauma in Multiple Sclerosis. Psychosomatic Medicine, 2012, 74, 312-318. | 1.3 | 49 |
| 36 | Patient education for people with multiple sclerosis-associated fatigue: A systematic review. PLoS ONE, 2017, 12, e0173025. | 1.1 | 49 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Treatment of optic neuritis with erythropoietin (TONE): a randomised, double-blind, placebo-controlled trial—study protocol. BMJ Open, 2016, 6, e010956. | 0.8 | 46 |
| 38 | Moving exercise research in multiple sclerosis forward (the MoXFo initiative): Developing consensus statements for research. Multiple Sclerosis Journal, 2020, 26, 1303-1308. | 1.4 | 46 |
| 39 | Relapse in multiple sclerosis. BMJ, The, 2015, 350, h1765-h1765. | 3.0 | 44 |
| 40 | Comparison of patient-reported outcome measures in multiple sclerosis. Acta Neurologica Scandinavica, 2013, 128, 114-121. | 1.0 | 43 |
| 41 | Patient autonomy in multiple sclerosis — Possible goals and assessment strategies. Journal of the Neurological Sciences, 2013, 331, 2-9. | 0.3 | 41 |
| 42 | Altered cytokine responses to cognitive stress in multiple sclerosis patients with fatigue. Multiple Sclerosis Journal, 2005, 11, 51-57. | 1.4 | 40 |
| 43 | Accuracy of diagnostic tests in multiple sclerosis - a systematic review. Acta Neurologica Scandinavica, 2011, 124, 151-164. | 1.0 | 37 |
| 44 | Dynamic Development of Glucocorticoid Resistance during Autoimmune Neuroinflammation. Journal of Clinical Endocrinology and Metabolism, 2012, 97, E1402-E1410. | 1.8 | 37 |
| 45 | Dietary Interventions in Multiple Sclerosis: Development and Pilot-Testing of an Evidence Based Patient Education Program. PLoS ONE, 2016, 11, e0165246. | 1.1 | 37 |
| 46 | Validating Predictors of Disease Progression in a Large Cohort of Primary-Progressive Multiple Sclerosis Based on a Systematic Literature Review. PLoS ONE, 2014, 9, e92761. | 1.1 | 35 |
| 47 | Increased Perfusion in Normal Appearing White Matter in High Inflammatory Multiple Sclerosis Patients. PLoS ONE, 2015, 10, e0119356. | 1.1 | 35 |
| 48 | Stress regulation in multiple sclerosis – current issues and concepts. Multiple Sclerosis Journal, 2007, 13, 143-148. | 1.4 | 34 |
| 49 | T1- Thresholds in Black Holes Increase Clinical-Radiological Correlation in Multiple Sclerosis Patients. PLoS ONE, 2015, 10, e0144693. | 1.1 | 34 |
| 50 | Diagnostic accuracy for major depression in multiple sclerosis using selfâ€report questionnaires. Brain and Behavior, 2015, 5, e00365. | 1.0 | 32 |
| 51 | Severe meningo-/encephalitis after daclizumab therapy for multiple sclerosis. Multiple Sclerosis Journal, 2019, 25, 1618-1632. | 1.4 | 32 |
| 52 | Exercise training and cognitive performance in persons with multiple sclerosis: A systematic review and multilevel meta-analysis of clinical trials. Multiple Sclerosis Journal, 2021, 27, 1977-1993. | 1.4 | 32 |
| 53 | Patient Expression of Emotions and Neurologist Responses in First Multiple Sclerosis Consultations. PLoS ONE, 2015, 10, e0127734. | 1.1 | 31 |
| 54 | Nurse-led immunotreatment DEcision Coaching In people with Multiple Sclerosis (DECIMS) – Feasibility testing, pilot randomised controlled trial and mixed methods process evaluation. International Journal of Nursing Studies, 2018, 78, 26-36. | 2.5 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Short-term interval aerobic exercise training does not improve memory functioning in relapsing-remitting multiple sclerosis—a randomized controlled trial. PeerJ, 2018, 6, e6037. | 0.9 | 28 |
| 56 | Information provision for people with multiple sclerosis. The Cochrane Library, 2018, 2018, CD008757. | 1.5 | 27 |
| 57 | Managing Neuropsychological Impairment in Multiple Sclerosis. International Journal of MS Care, 2015, 17, 130-137. | 0.4 | 26 |
| 58 | Behavioral interventions in multiple sclerosis: a biopsychosocial perspective. Expert Review of Neurotherapeutics, 2012, 12, 1089-1100. | 1.4 | 25 |
| 59 | A <scp>W</scp> ebâ€based tool for personalized prediction of longâ€ŧerm disease course in patients with multiple sclerosis. European Journal of Neurology, 2013, 20, 1107-1109. | 1.7 | 24 |
| 60 | Functional and structural connectivity substrates of cognitive performance in relapsing remitting multiple sclerosis with mild disability. NeuroImage: Clinical, 2020, 25, 102177. | 1.4 | 24 |
| 61 | Evaluator-blinded trial evaluating nurse-led immunotherapy DEcision Coaching In persons with relapsing-remitting Multiple Sclerosis (DECIMS) and accompanying process evaluation: study protocol for a cluster randomised controlled trial. Trials, 2015, 16, 106. | 0.7 | 23 |
| 62 | Reduced rich-club connectivity is related to disability in primary progressive MS. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e375. | 3.1 | 23 |
| 63 | A standardised frankincense extract reduces disease activity in relapsing-remitting multiple sclerosis (the SABA phase IIa trial). Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 330-338. | 0.9 | 23 |
| 64 | Implementation of a patient education program on multiple sclerosis relapse management. Patient Education and Counseling, 2012, 86, 91-97. | 1.0 | 22 |
| 65 | Noise robust spatially regularized myelin water fraction mapping with the intrinsic B ₁ -error correction based on the linearized version of the extended phase graph model. Journal of Magnetic Resonance Imaging, 2016, 43, 800-817. | 1.9 | 22 |
| 66 | Training doctors briefly and in situ to involve their patients in making medical decisions—Preliminary testing of a newly developed module. Health Expectations, 2017, 20, 1254-1263. | 1.1 | 22 |
| 67 | T1 Recovery Is Predominantly Found in Black Holes and Is Associated with Clinical Improvement in Patients with Multiple Sclerosis. American Journal of Neuroradiology, 2017, 38, 264-269. | 1.2 | 22 |
| 68 | Placebo Cohorts in Phase-3 MS Treatment Trials – Predictors for On-Trial Disease Activity 1990-2010 Based on a Meta-Analysis and Individual Case Data. PLoS ONE, 2012, 7, e50347. | 1.1 | 22 |
| 69 | Suspected multiple sclerosis – what to do? Evaluation of a patient information leaflet. Multiple Sclerosis Journal, 2009, 15, 1103-1112. | 1.4 | 21 |
| 70 | Conversion to Secondary Progressive Multiple Sclerosis: Patient Awareness and Needs. Results From an Online Survey in Italy and Germany. Frontiers in Neurology, 2019, 10, 916. | 1.1 | 21 |
| 71 | Responsiveness of patient-based and external rating scales in multiple sclerosis: Head-to-head comparison in three clinical settings. Journal of the Neurological Sciences, 2010, 290, 102-106. | 0.3 | 20 |
| 72 | Biological outcome measurements for behavioral interventions in multiple sclerosis. Therapeutic Advances in Neurological Disorders, 2011, 4, 217-229. | 1.5 | 20 |

CHRISTOPH HEESEN

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Risk Knowledge in Relapsing Multiple Sclerosis (RIKNO 1.0) - Development of an Outcome Instrument for Educational Interventions. PLoS ONE, 2015, 10, e0138364. | 1.1 | 19 |
| 74 | Applying the theory of planned behaviour to multiple sclerosis patients' decisions on disease modifying therapy – questionnaire concept and validation. BMC Medical Informatics and Decision Making, 2012, 12, 60. | 1.5 | 18 |
| 75 | Magnetic Resonance Imaging in Multiple Sclerosis – Patients' Experiences, Information Interests and Responses to an Education Programme. PLoS ONE, 2014, 9, e113252. | 1.1 | 18 |
| 76 | Improved Lesion Detection by Using Axial T2-Weighted MRI with Full Spinal Cord Coverage in Multiple Sclerosis. American Journal of Neuroradiology, 2016, 37, 963-969. | 1.2 | 18 |
| 77 | Maraviroc as possible treatment for PML-IRIS in natalizumab-treated patients with MS. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e325. | 3.1 | 18 |
| 78 | Risk knowledge of people with relapsing-remitting multiple sclerosis – Results of an international survey. PLoS ONE, 2018, 13, e0208004. | 1.1 | 18 |
| 79 | Effect of informed consent on patient characteristics in a stroke thrombolysis trial. Neurology, 2017, 89, 1400-1407. | 1.5 | 17 |
| 80 | A new graphical format to communicate treatment effects to patients—A webâ€based randomized controlled trial. Health Expectations, 2017, 20, 797-804. | 1.1 | 16 |
| 81 | Managing the transition (ManTra): a resource for persons with secondary progressive multiple sclerosis and their health professionals: protocol for a mixed-methods study in Italy. BMJ Open, 2017, 7, e017254. | 0.8 | 16 |
| 82 | Reliability of cortical lesion detection on double inversion recovery MRI applying the MAGNIMS-Criteria in multiple sclerosis patients within a 16-months period. PLoS ONE, 2017, 12, e0172923. | 1.1 | 16 |
| 83 | Is the risk of progressive multifocal leukoencephalopathy the real reason for natalizumab discontinuation in patients with multiple sclerosis?. PLoS ONE, 2017, 12, e0174858. | 1.1 | 16 |
| 84 | Possible determinants of long-term adherence to physical activity in multiple sclerosis—theory-based development of a comprehensive questionnaire and results from a German survey study. Disability and Rehabilitation, 2021, 43, 3175-3188. | 0.9 | 16 |
| 85 | Heterogeneity of multiple sclerosis lesions in fast diffusional kurtosis imaging. PLoS ONE, 2021, 16, e0245844. | 1.1 | 16 |
| 86 | Epigallocatechin Gallate in Relapsing-Remitting Multiple Sclerosis. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, . | 3.1 | 16 |
| 87 | Long-term physical activity in people with multiple sclerosis: exploring expert views on facilitators and barriers. Disability and Rehabilitation, 2020, 42, 3059-3071. | 0.9 | 15 |
| 88 | Fatigue in Multiple Sclerosis Is Associated With Childhood Adversities. Frontiers in Psychiatry, 2020, 11, 811. | 1.3 | 15 |
| 89 | Patient autonomy in dentistry: demonstrating the role for shared decision making. BMC Medical Informatics and Decision Making, 2020, 20, 318. | 1.5 | 15 |
| 90 | Smartphone Accelerometry: A Smart and Reliable Measurement of Real-Life Physical Activity in Multiple Sclerosis and Healthy Individuals. Frontiers in Neurology, 2020, 11, 688. | 1.1 | 15 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Development and Feasibility of an Evidence-Based Patient Education Program for Managing Fatigue in Multiple Sclerosis. International Journal of MS Care, 2016, 18, 129-137. | 0.4 | 15 |
| 92 | The use of multiparametric quantitative magnetic resonance imaging for evaluating visually assigned lesion groups in patients with multiple sclerosis. Journal of Neurology, 2018, 265, 127-133. | 1.8 | 14 |
| 93 | Recall of health-related quality of life: how does memory affect the SF-6D in patients with psoriasis or multiple sclerosis? A prospective observational study in Germany. BMJ Open, 2019, 9, e032859. | 0.8 | 14 |
| 94 | Short-term MRI measurements as predictors of EDSS progression in relapsing-remitting multiple sclerosis: grey matter atrophy but not lesions are predictive in a real-life setting. PeerJ, 2016, 4, e2442. | 0.9 | 14 |
| 95 | Prognostic Risk Estimates of Patients with Multiple Sclerosis and Their Physicians: Comparison to an Online Analytical Risk Counseling Tool. PLoS ONE, 2013, 8, e59042. | 1.1 | 13 |
| 96 | Fampridine and real-life walking in multiple sclerosis: Low predictive value of clinical test for habitual short-term changes. Journal of the Neurological Sciences, 2016, 368, 318-325. | 0.3 | 13 |
| 97 | Patient education programme on immunotherapy in multiple sclerosis (PEPIMS): a controlled rater-blinded study. Clinical Rehabilitation, 2017, 31, 250-261. | 1.0 | 13 |
| 98 | Effects of natalizumab therapy on intrathecal antiviral antibody responses in MS. Neurology: Neuroimmunology and NeuroInflammation, 2019, 6, e621. | 3.1 | 13 |
| 99 | Feasibility of a smartphone app to enhance physical activity in progressive MS: a pilot randomized controlled pilot trial over three months. PeerJ, 2020, 8, e9303. | 0.9 | 13 |
| 100 | Long-term treatment risks in multiple sclerosis: risk knowledge and risk perception in a large cohort of mitoxantrone-treated patients. Multiple Sclerosis Journal, 2013, 19, 920-925. | 1.4 | 12 |
| 101 | A 3meter Timed Tandem Walk is an early marker of motor and cerebellar impairment in fully ambulatory MS patients. Journal of the Neurological Sciences, 2014, 346, 99-106. | 0.3 | 12 |
| 102 | Magnetic resonance imaging as a prognostic disability marker in clinically isolated syndrome: A systematic review. Acta Neurologica Scandinavica, 2019, 139, 18-32. | 1.0 | 12 |
| 103 | Impairment and restrictions in possibly benign multiple sclerosis. Brain and Behavior, 2019, 9, e01259. | 1.0 | 12 |
| 104 | Regression to the Mean and Predictors of MRI Disease Activity in RRMS Placebo Cohorts - Is There a Place for Baseline-to-Treatment Studies in MS?. PLoS ONE, 2015, 10, e0116559. | 1.1 | 11 |
| 105 | Is APOE ε4 associated with cognitive performance in early MS?. Neurology: Neuroimmunology and NeuroInflammation, 2020, 7, e728. | 3.1 | 11 |
| 106 | Current and Long-Term Physical Activity Among Adults with Multiple Sclerosis in the United States: COM-B Variables as Explanatory Factors. International Journal of Behavioral Medicine, 2021, 28, 561-574. | 0.8 | 11 |
| 107 | Subjective and objective knowledge and decisional role preferences in cerebrovascular patients compared to controls. Patient Preference and Adherence, 2016, Volume 10, 1453-1460. | 0.8 | 10 |
| 108 | Low clinical conversion rate in clinically isolated syndrome patients – diagnostic benefit of McDonald 2010 criteria?. European Journal of Neurology, 2018, 25, 247. | 1.7 | 10 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Blunted neural and psychological stress processing predicts future grey matter atrophy in multiple sclerosis. Neurobiology of Stress, 2020, 13, 100244. | 1.9 | 10 |
| 110 | Aerobic Exercise Induces Functional and Structural Reorganization of CNS Networks in Multiple Sclerosis: A Randomized Controlled Trial. Frontiers in Human Neuroscience, 2020, 14, 255. | 1.0 | 10 |
| 111 | Chronic T2 Lesions in Multiple Sclerosis are Heterogeneous Regarding Phase MR Imaging. Clinical Neuroradiology, 2016, 26, 457-464. | 1.0 | 9 |
| 112 | What should a person with relapsing-remitting multiple sclerosis know? – Focus group and survey data of a risk knowledge questionnaire (RIKNO 2.0). Multiple Sclerosis and Related Disorders, 2017, 18, 186-195. | 0.9 | 9 |
| 113 | Conversion to secondary progressive multiple sclerosis: Multistakeholder experiences and needs in Italy. PLoS ONE, 2020, 15, e0228587. | 1.1 | 9 |
| 114 | "l Will Respect the Autonomy of My Patientâ€: International Journal of MS Care, 2020, 22, 285-293. | 0.4 | 9 |
| 115 | Development and evaluation of an interactive web-based decision-making programme on relapse management for people with multiple sclerosis (POWER@MS2)—study protocol for a randomised controlled trial. Trials, 2021, 22, 139. | 0.7 | 8 |
| 116 | Disease Activity and Conversion into Multiple Sclerosis after Optic Neuritis Is Treated with Erythropoietin. International Journal of Molecular Sciences, 2016, 17, 1666. | 1.8 | 7 |
| 117 | Comprehension of confidence intervals - development and piloting of patient information materials for people with multiple sclerosis: qualitative study and pilot randomised controlled trial. BMC Medical Informatics and Decision Making, 2016, 16, 122. | 1.5 | 7 |
| 118 | Ruxolitinib treatment in a patient with neuromyelitis optica: A case report. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e328. | 3.1 | 7 |
| 119 | Numeracy of multiple sclerosis patients: A comparison of patients from the PERCEPT study to a German probabilistic sample. Patient Education and Counseling, 2018, 101, 74-78. | 1.0 | 7 |
| 120 | Patients experiences with multiple sclerosis disease-modifying therapies in daily life – a qualitative interview study. BMC Health Services Research, 2021, 21, 1141. | 0.9 | 7 |
| 121 | T1 Relaxation Times in the Cortex and Thalamus Are Associated With Working Memory and Information Processing Speed in Patients With Multiple Sclerosis. Frontiers in Neurology, 2021, 12, 789812. | 1.1 | 7 |
| 122 | Changes of Motivational Variables in Patients with Multiple Sclerosis in an Exercise Intervention: Associations between Physical Performance and Motivational Determinants. Behavioural Neurology, 2015, 2015, 1-7. | 1.1 | 6 |
| 123 | Medication beliefs in first-line and second-line treated multiple sclerosis patients. Multiple Sclerosis and Related Disorders, 2020, 42, 102144. | 0.9 | 6 |
| 124 | Is multiple sclerosis progression associated with the HLA-DR15 haplotype?. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2019, 5, 205521731989461. | 0.5 | 5 |
| 125 | Prognostic information for people with MS: Impossible or inevitable?. Multiple Sclerosis Journal, 2020, 26, 771-773. | 1.4 | 5 |
| 126 | Impact of a multimedia website with patient experiences of multiple sclerosis (PExMS) on immunotherapy decision-making: study protocol for a pilot randomised controlled trial in a mixed-methods design. Pilot and Feasibility Studies, 2021, 7, 16. | 0.5 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Study protocol for a randomised controlled trial of a web-based behavioural lifestyle programme for emPOWERment in early Multiple Sclerosis (POWER@MS1). BMJ Open, 2021, 11, e041720. | 0.8 | 5 |
| 128 | How to measure fluctuating impairments in people with MS: development of an ambulatory assessment version of the EQ-5D-5L in an exploratory study. Quality of Life Research, 2021, 30, 2081-2096. | 1.5 | 5 |
| 129 | Arm Ergometry to Improve Mobility in Progressive Multiple Sclerosis (AMBOS)—Results of a Pilot Randomized Controlled Trial. Frontiers in Neurology, 2021, 12, 644533. | 1.1 | 5 |
| 130 | Managing neuropsychological impairment in multiple sclerosis – Controlled study on a standardized metacognitive intervention (MaTiMS). Multiple Sclerosis and Related Disorders, 2022, 59, 103687. | 0.9 | 5 |
| 131 | Brain grey matter perfusion in primary progressive multiple sclerosis: Mild decrease over years and regional associations with cognition and hand function. European Journal of Neurology, 2022, 29, 1741-1752. | 1.7 | 5 |
| 132 | Does cladribine have an impact on brain atrophy in people with relapsing remitting multiple sclerosis?. Multiple Sclerosis Journal, 2018, 24, 1387-1388. | 1.4 | 4 |
| 133 | <p>Reasons for delayed admission after stroke: results of a qualitative and quantitative survey</p> . Patient Preference and Adherence, 2019, Volume 13, 739-747. | 0.8 | 4 |
| 134 | Spectrally fat-suppressed coronal 2D TSE sequences may be more sensitive than 2D STIR for the detection of hyperintense optic nerve lesions. European Radiology, 2019, 29, 6266-6274. | 2.3 | 4 |
| 135 | Lipid Mediator Profiles Predict Response to Therapy with an Oral Frankincense Extract in Relapsing-Remitting Multiple Sclerosis. Scientific Reports, 2020, 10, 8776. | 1.6 | 4 |
| 136 | Benefit evaluation in multiple sclerosis relapse treatment from the patients' perspective – Development and validation of a new questionnaire. Multiple Sclerosis and Related Disorders, 2019, 28, 256-261. | 0.9 | 3 |
| 137 | Long-term prognostic counselling in people with multiple sclerosis using an online analytical processing tool. Multiple Sclerosis Journal, 2021, 27, 1442-1450. | 1.4 | 3 |
| 138 | Developing a fall prevention program: what are the views and opinions of people with multiple sclerosis?. Disability and Rehabilitation, 2021, 43, 1065-1073. | 0.9 | 3 |
| 139 | Perceived and Objective Attentional Deficits in Multiple Sclerosis. Zeitschrift Für Neuropsychologie = Journal of Neuropsychology, 2015, 26, 171-178. | 0.2 | 3 |
| 140 | Understanding Magnetic Resonance Imaging in Multiple Sclerosis (UMIMS): Development and Piloting of an Online Education Program About Magnetic Resonance Imaging for People With Multiple Sclerosis. Frontiers in Neurology, 2022, 13, 856240. | 1.1 | 3 |
| 141 | Development of Cortical Lesion Volumes on Double Inversion Recovery MRI in Patients With Relapse-Onset Multiple Sclerosis. Frontiers in Neurology, 2019, 10, 133. | 1.1 | 2 |
| 142 | Quality of Stroke Patient Information Applied in Randomized Controlled Trials—Literature Review. Frontiers in Neurology, 2020, 11, 526515. | 1.1 | 2 |
| 143 | Assessing the effect of an evidence-based patient online educational tool for people with multiple sclerosis called UMIMS—understanding magnetic resonance imaging in multiple sclerosis: study protocol for a double-blind, randomized controlled trial. Trials, 2020, 21, 1008. | 0.7 | 2 |
| 144 | Decision-making about corticosteroids in relapses of multiple sclerosis – development of a questionnaire based on the theory of planned behaviour. Multiple Sclerosis and Related Disorders, 2021, 55, 103182. | 0.9 | 2 |

CHRISTOPH HEESEN

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Implementation study of the 2021 German guideline for diagnosis and treatment of multiple sclerosis. Multiple Sclerosis and Related Disorders, 2021, 57, 103434. | 0.9 | 2 |
| 146 | Proposal for Post Hoc Quality Control in Instrumented Motion Analysis Using Markerless Motion Capture: Development and Usability Study. JMIR Human Factors, 2022, 9, e26825. | 1.0 | 2 |
| 147 | Physical exercise in multiple sclerosis is not just a symptomatic therapy, it has a disease-modifying effect: No. Multiple Sclerosis Journal, 2022, 28, 861-862. | 1.4 | 2 |
| 148 | Personality and its association with self-management in multiple sclerosis. Multiple Sclerosis and Related Disorders, 2022, 61, 103752. | 0.9 | 2 |
| 149 | Development and evaluation of a website with patients experiences of multiple sclerosis: a mixed methods study. BMC Neurology, 2022, 22, 146. | 0.8 | 2 |
| 150 | Percept: A prospective multicenter observational study on benefit/risk perception of natalizumab in neurologists and their patients in Germany. Journal of the Neurological Sciences, 2013, 333, e379. | 0.3 | 1 |
| 151 | Delayed access to conscious processing in multiple sclerosis: Reduced cortical activation and impaired structural connectivity. Human Brain Mapping, 2021, 42, 3379-3395. | 1.9 | 1 |
| 152 | Evaluation of an interactive web-based programme on relapse management for people with multiple sclerosis (POWER@MS2): study protocol for a process evaluation accompanying a randomised controlled trial. BMJ Open, 2021, 11, e046874. | 0.8 | 1 |
| 153 | Development and evaluation of evidence-based patient information handbooks about multiple sclerosis immunotherapies. Multiple Sclerosis and Related Disorders, 2022, 60, 103728. | 0.9 | 1 |
| 154 | The 27-Item Multiple Sclerosis Quality of Life Questionnaire: A New Brief Measure Including Treatment Burden and Work Life. International Journal of MS Care, 2022, 24, 147-153. | 0.4 | 1 |
| 155 | German guideline for diagnosis and treatment of multiple sclerosis – a survey focusing neurologists in daily practise. Multiple Sclerosis and Related Disorders, 2022, 63, 103828. | 0.9 | 1 |
| 156 | The Sylvia Lawry Centre for Multiple Sclerosis Research (SLCMSR) – critical review facing the 20 anniversary. Multiple Sclerosis and Related Disorders, 2022, , 103885. | 0.9 | 1 |
| 157 | Comprehension of confidence intervals in audio-visual patient information materials for people with multiple sclerosis (COCO-MS): A web-based randomised controlled, parallel group trial. Patient Education and Counseling, 2021, 104, 1132-1139. | 1.0 | 0 |
| 158 | Guest Editorial. International Journal of MS Care, 2020, 22, xii-xiii. | 0.4 | 0 |
| 159 | Title is missing!. , 2020, 15, e0228587. | | 0 |
| 160 | Title is missing!. , 2020, 15, e0228587. | | 0 |
| 161 | Title is missing!. , 2020, 15, e0228587. | | 0 |
| | | | |