Viktor Soukup

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/150078/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|---|---|-----|-----------|
| 1 | EAU Guidelines on Non–Muscle-invasive Urothelial Carcinoma of the Bladder: Update 2016. European Urology, 2017, 71, 447-461. | 0.9 | 1,594 |

2 European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (TaT1 and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 70

| 3 | European Association of Urology Guidelines on Non–muscle-invasive Bladder Cancer (Ta, T1, and) Tj ETQq1 1 | 0.784314 i 0.9 | rgBT /Overl |
|----|---|-------------------|-------------|
| 4 | European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. European Urology, 2021, 79, 62-79. | 0.9 | 532 |
| 5 | Prognostic Performance and Reproducibility of the 1973 and 2004/2016 World Health Organization Grading Classification Systems in Non–muscle-invasive Bladder Cancer: A European Association of Urology Non-muscle Invasive Bladder Cancer Guidelines Panel Systematic Review. European Urology, 2017. 72. 801-813. | 0.9 | 205 |
| 6 | European Association of Urology (EAU) Prognostic Factor Risk Groups for Non–muscle-invasive Bladder Cancer (NMIBC) Incorporating the WHO 2004/2016 and WHO 1973 Classification Systems for Grade: An Update from the EAU NMIBC Guidelines Panel. European Urology, 2021, 79, 480-488. | 0.9 | 198 |
| 7 | Prognostic Factors and Risk Groups in T1G3 Non–Muscle-invasive Bladder Cancer Patients Initially Treated with Bacillus Calmette-Guérin: Results of a Retrospective Multicenter Study of 2451 Patients. European Urology, 2015, 67, 74-82. | 0.9 | 190 |
| 8 | Narrow Band Imaging Cystoscopy Improves the Detection of Non–muscle-invasive Bladder Cancer. Urology, 2010, 76, 658-663. | 0.5 | 139 |
| 9 | 5-aminolaevulinic acid-induced fluorescence cystoscopy during transurethral resection reduces the risk of recurrence in stage Ta/T1 bladder cancer. BJU International, 2005, 96, 798-802. | 1.3 | 132 |
| 10 | Follow-up After Surgical Treatment of Bladder Cancer: A Critical Analysis of the Literature. European Urology, 2012, 62, 290-302. | 0.9 | 121 |
| 11 | The impact of reâ€transurethral resection on clinical outcomes in a large multicentre cohort of patients with T1 highâ€grade/Grade 3 bladder cancer treated with bacille Calmette–Guérin. BJU International, 2016, 118, 44-52. | 1.3 | 110 |
| 12 | Predictors of cancerâ€specific mortality after disease recurrence following radical cystectomy. BJU International, 2013, 111, E30-6. | 1.3 | 77 |
| 13 | Risk Stratification Tools and Prognostic Models in Non–muscle-invasive Bladder Cancer: A Critical Assessment from the European Association of Urology Non-muscle-invasive Bladder Cancer Guidelines Panel. European Urology Focus, 2020, 6, 479-489. | 1.6 | 72 |
| 14 | Urinary Cytology and Quantitative BTA and UBC Tests in Surveillance of Patients with pTapT1 Bladder Urothelial Carcinoma. Urology, 2008, 71, 718-722. | 0.5 | 55 |
| 15 | Prognostic Value of the WHO1973 and WHO2004/2016 Classification Systems for Grade in Primary Ta/T1 Non–muscle-invasive Bladder Cancer: A Multicenter European Association of Urology Non–muscle-invasive Bladder Cancer Guidelines Panel Study. European Urology Oncology, 2021, 4, 182-191. | 2.6 | 54 |
| 16 | MicroRNAs in urine supernatant as potential non-invasive markers for bladder cancer detection. Neoplasma, 2016, 63, 799-808. | 0.7 | 52 |
| 17 | Urinary Cell-Free DNA Quantification as Non-Invasive Biomarker in Patients with Bladder Cancer. Urologia Internationalis, 2016, 96, 25-31. | 0.6 | 37 |
| 18 | Panel of Urinary Diagnostic Markers for Non-Invasive Detection of Primary and Recurrent Urothelial Urinary Bladder Carcinoma. Urologia Internationalis, 2015, 95, 56-64. | 0.6 | 35 |

VIKTOR SOUKUP

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Does the Expression of Fascin-1 and Tumor Subclassification Help to Assess the Risk of Recurrence and Progression in T1 Urothelial Urinary Bladder Carcinoma?. Urologia Internationalis, 2008, 80, 413-418. | 0.6 | 29 |
| 20 | Prediction of recurrence in low and intermediate risk non-muscle invasive bladder cancer by real-time quantitative PCR analysis: cDNA microarray results. Neoplasma, 2013, 60, 295-301. | 0.7 | 29 |
| 21 | Papillary urothelial neoplasm of low malignant potential (PUN-LMP): Still a meaningful histo-pathological grade category for Ta, noninvasive bladder tumors in 2019?. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 440-448. | 0.8 | 27 |
| 22 | The Prognostic Value of T1 Bladder Cancer Substaging: A Single Institution Retrospective Study. Urologia Internationalis, 2014, 92, 150-156. | 0.6 | 25 |
| 23 | Systematic Review of the Incidence of and Risk Factors for Urothelial Cancers and Renal Cell Carcinoma Among Patients with Haematuria. European Urology, 2022, 82, 182-192. | 0.9 | 25 |
| 24 | Anaplastic variant of spermatocytic seminoma. Pathology Research and Practice, 2007, 203, 621-624. | 1.0 | 22 |
| 25 | Prevention of bladder cancer incidence and recurrence. Current Opinion in Urology, 2018, 28, 80-87. | 0.9 | 18 |
| 26 | Pigmented microcystic chromophobe renal cell carcinoma. Pathology Research and Practice, 2007, 203, 593-597. | 1.0 | 14 |
| 27 | Association of PAX5 expression with clinical outcome in patients with TaT1 transitional cell carcinoma of the bladder. Urology, 2006, 67, 756-761. | 0.5 | 13 |
| 28 | Diagnostic Importance of Selected Protein Serum Markers in the Primary Diagnostics of Prostate Cancer. Urologia Internationalis, 2015, 95, 429-435. | 0.6 | 13 |
| 29 | Analysis of genetic events in 17p13 and 9p21 regions supports predominant monoclonal origin of multifocal and recurrent bladder cancer. Cancer Letters, 2006, 242, 68-76. | 3.2 | 12 |
| 30 | Prognostic Importance of Vitamins A, E and Retinol-binding Protein 4 in Renal Cell Carcinoma Patients. Anticancer Research, 2017, 37, 3801-3806. | 0.5 | 10 |
| 31 | Prognosis of Castration-resistant Prostate Cancer Patients - Use of the AdnaTest® System for Detection of Circulating Tumor Cells. Anticancer Research, 2016, 36, 2019-26. | 0.5 | 10 |
| 32 | Primary Large Cell Neuroendocrine Carcinoma of the Kidney. Pathology and Oncology Research, 2010, 16, 139-142. | 0.9 | 9 |
| 33 | Indication for a Single Postoperative Instillation of Chemotherapy in Non–muscle-invasive Bladder Cancer: What Factors Should Be Considered?. European Urology Focus, 2018, 4, 525-528. | 1.6 | 8 |
| 34 | Placental Growth Factor in Bladder Cancer Compared to the Diagnostic Accuracy and Prognostic Performance of Vascular Endothelial Growth Factor A. Anticancer Research, 2018, 38, 239-246. | 0.5 | 8 |
| 35 | Comparison of MicroRNA Content in Plasma and Urine Indicates the Existence of a Transrenal Passage of Selected MicroRNAs. Advances in Experimental Medicine and Biology, 2016, 924, 97-100. | 0.8 | 6 |
| 36 | Gene Expression Analysis of Immunomagnetically Enriched Circulating Tumor Cell Fraction in Castration-Resistant Prostate Cancer. Molecular Diagnosis and Therapy, 2018, 22, 381-390. | 1.6 | 5 |

VIKTOR SOUKUP

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | T1G1 Bladder Cancer: Prognosis for this Rare Pathological Diagnosis Within the Non–muscle-invasive Bladder Cancer Spectrum. European Urology Focus, 2022, , . | 1.6 | 4 |
| 38 | PD48-03 RISK FACTORS FOR RESIDUAL DISEASE AT RE-TUR IN T1G3 BLADDER CANCER. Journal of Urology, 2017, 197, . | 0.2 | 2 |
| 39 | 1697 PROGNOSTIC FACTORS AND RISK GROUPS IN T1G3 PATIENTS INITIALLY TREATED WITH BCG: RESULTS OF A MULTICENTER RETROSPECTIVE SERIES IN 2530 PATIENTS. Journal of Urology, 2013, 189, . | 0.2 | 1 |
| 40 | The safety of neoadjuvant hormonal treatment in infants with cryptorchidism. Journal of Pediatric Urology, 2022, , . | 0.6 | 1 |
| 41 | MP56-16 THE IMPACT OF RE-TUR ON CLINICAL OUTCOMES IN A LARGE COHORT OF T1G3 PATIENTS TREATED WITH BCG Journal of Urology, 2014, 191, . | 0.2 | 0 |
| 42 | PD48-07 RECURRENCE AND PROGRESSION ACCORDING TO STAGE AT RE-TUR IN T1G3 BLADDER CANCER PATIENTS TREATED WITH BCG: NOT AS BAD AS PREVIOUSLY THOUGHT. Journal of Urology, 2017, 197, . | 0.2 | 0 |