
## **Donald Hedeker**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1501826/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Temporal stability of behavior, temporal cue-behavior associations, and physical activity habit strength among mothers with school-aged children. Psychology and Health, 2024, 39, 556-571.	1.2	1
2	Centering categorical predictors in multilevel models: Best practices and interpretation Psychological Methods, 2023, 28, 613-630.	2.7	39
3	Contributions of Social Factors to Disparities in Prostate Cancer Risk Profiles among Black Men and Non-Hispanic White Men with Prostate Cancer in California. Cancer Epidemiology Biomarkers and Prevention, 2022, 31, 404-412.	1.1	5
4	The Mood Boost from Tobacco Cigarettes is More Erratic with the Additions of Cannabis and Alcohol. Nicotine and Tobacco Research, 2022, 24, 1169-1176.	1.4	8
5	Sibling Resemblances in Physical Fitness in Three Distinct Regions in Peru: The Peruvian Sibling Study on Growth and Health. Behavior Genetics, 2022, , 1.	1.4	2
6	A sharedâ€parameter locationâ€scale mixed model to link the responsivity in selfâ€initiated event reports and the eventâ€contingent Ecological Momentary Assessments. Statistics in Medicine, 2022, , .	0.8	1
7	How acute affect dynamics impact longitudinal changes in physical activity among children. Journal of Behavioral Medicine, 2022, , .	1.1	0
8	Variability in Hourly Activity Levels: Statistical Noise or Insight Into Older Adult Frailty?. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 1608-1618.	1.7	4
9	ChicagO Multiethnic Prevention and Surveillance Study (COMPASS): Increased Response Rates Among African American Residents in Low Socioeconomic Status Neighborhoods. Journal of Racial and Ethnic Health Disparities, 2021, 8, 186-198.	1.8	5
10	Nicotine Dependence in Dual Users of Cigarettes and E-Cigarettes: Common and Distinct Elements. Nicotine and Tobacco Research, 2021, 23, 662-668.	1.4	10
11	A Mixed Effect Location-Scale Model with Mixture Distributed Scale Random Effects to Analyze (Near) Identical Entries in Ecological Momentary Assessments. Multivariate Behavioral Research, 2021, 56, 160-160.	1.8	1
12	Impact of post-diagnosis weight change on survival outcomes in Black and White breast cancer patients. Breast Cancer Research, 2021, 23, 18.	2.2	27
13	Digitally characterizing the dynamics of multiple health behavior change Health Psychology, 2021, 40, 897-908.	1.3	2
14	Biological and environmental influences on motor coordination in Peruvian children and adolescents. Scientific Reports, 2021, 11, 15444.	1.6	6
15	Racial discrimination and the moderating effects of racial and ethnic socialization on the mental health of Asian American youth. Child Development, 2021, 92, 2284-2298.	1.7	15
16	An empirical example of analysis using a two-stage modeling approach: within-subject association of outdoor context and physical activity predicts future daily physical activity levels. Translational Behavioral Medicine, 2021, 11, 912-920.	1.2	6
17	Response To: Can We Measure Nicotine Dependence in Dual Users of Cigarettes and ENDS?. Nicotine and Tobacco Research, 2021, 23, 874-875.	1.4	2
18	Analysis of multivariate longitudinal substance use outcomes using multivariate mixed cumulative logit model. BMC Medical Research Methodology, 2021, 21, 239.	1.4	1

#	Article	IF	CITATIONS
19	Using Nicotine Gum to Assist Nondaily Smokers in Quitting: A Randomized Clinical Trial. Nicotine and Tobacco Research, 2020, 22, 390-397.	1.4	22
20	A life-span approach to examining older vulnerable population's subjective well-being: the role of adversity and trauma. Aging and Mental Health, 2020, 24, 2043-2052.	1.5	11
21	Measuring the temporal association between cannabis and tobacco use among Co-using young adults using ecological momentary assessment. Addictive Behaviors, 2020, 104, 106250.	1.7	11
22	Extending the mixedâ€effects model to consider withinâ€subject variance for Ecological Momentary Assessment data. Statistics in Medicine, 2020, 39, 577-590.	0.8	19
23	A multilevel analysis of gross motor coordination of children and adolescents living at different altitudes: the Peruvian Health and Optimist Growth Study. Annals of Human Biology, 2020, 47, 355-364.	0.4	3
24	A Factorial Experiment to Optimize Remotely Delivered Behavioral Treatment for Obesity: Results of the Optâ€IN Study. Obesity, 2020, 28, 1652-1662.	1.5	40
25	Implementing a multilevel intervention to accelerate colorectal cancer screening and follow-up in federally qualified health centers using a stepped wedge design: a study protocol. Implementation Science, 2020, 15, 96.	2.5	9
26	Direct and Indirect Associations of Widespread Individual Differences in Brain White Matter Microstructure With Executive Functioning and General and Specific Dimensions of Psychopathology in Children. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, , .	1.1	4
27	Change and Stability in Sibling Physical Fitness: The Portuguese Sibling Study. Medicine and Science in Sports and Exercise, 2020, 52, 1511-1517.	0.2	0
28	A mHealth intervention to preserve and promote ideal cardiovascular health in college students: Design and protocol of a cluster randomized controlled trial. Contemporary Clinical Trials, 2020, 98, 106162.	0.8	2
29	A multivariate multilevel analysis of youth motor competence. The Peruvian Health and Optimist Growth Study. Scandinavian Journal of Medicine and Science in Sports, 2020, 30, 2408-2419.	1.3	2
30	Mixed location scale hidden Markov model for the analysis of intensive longitudinal data. Health Services and Outcomes Research Methodology, 2020, 20, 222-236.	0.8	2
31	A three-level mixed model to account for the correlation at both the between-day and the within-day level for ecological momentary assessments. Health Services and Outcomes Research Methodology, 2020, 20, 247-264.	0.8	1
32	Tobacco and marijuana use and their association with serum prostate-specific antigen levels among African American men in Chicago. Preventive Medicine Reports, 2020, 20, 101174.	0.8	7
33	A tractable method to account for highâ€dimensional nonignorable missing data in intensive longitudinal data. Statistics in Medicine, 2020, 39, 2589-2605.	0.8	7
34	Stunting and Physical Fitness. The Peruvian Health and Optimist Growth Study. International Journal of Environmental Research and Public Health, 2020, 17, 3440.	1.2	5
35	Ecological momentary assessment of temptations and lapses in non-daily smokers. Psychopharmacology, 2020, 237, 2353-2365.	1.5	18
36	Intraindividual variability in sleep schedule: effects of an internet-based cognitive-behavioral therapy for insomnia program and its relation with symptom remission. Sleep, 2020, 43, .	0.6	7

#	Article	IF	CITATIONS
37	Substance use behaviors in adolescent and young adult cancer patients: Associations with mental and physical health. Psycho-Oncology, 2020, 29, 1068-1076.	1.0	12
38	MixWILD: A program for examining the effects of variance and slope of time-varying variables in intensive longitudinal data. Behavior Research Methods, 2020, 52, 1403-1427.	2.3	22
39	Effectiveness of nicotine gum in preventing lapses in the face of temptation to smoke among nonâ€daily smokers: a secondary analysis. Addiction, 2020, 115, 2123-2129.	1.7	2
40	Criterion validity and relationships between alternative hierarchical dimensional models of general and specific psychopathology Journal of Abnormal Psychology, 2020, 129, 677-688.	2.0	45
41	Correction to Moore et al. (2020) Journal of Abnormal Psychology, 2020, 129, 759-759.	2.0	Ο
42	Using multivariate mixed-effects selection models for analyzing batch-processed proteomics data with non-ignorable missingness. Biostatistics, 2019, 20, 648-665.	0.9	3
43	Smoking Trajectory Classes and Impact of Social Smoking Identity in Two Cohorts of U.S. Young Adults. Emerging Adulthood, 2019, 7, 258-269.	1.4	6
44	Correlates of Overweight in Children and Adolescents Living at Different Altitudes: The Peruvian Health and Optimist Growth Study. Journal of Obesity, 2019, 2019, 1-11.	1.1	7
45	Hematologic toxicity in <i>BRCA1</i> and <i>BRCA2</i> mutation carriers during chemotherapy: A retrospective matched cohort study. Cancer Medicine, 2019, 8, 5609-5618.	1.3	10
46	Online, cross-disciplinary team science training for health and medical professionals: Evaluation of COALESCE (teamscience.net). Journal of Clinical and Translational Science, 2019, 3, 82-89.	0.3	4
47	Consequences of ignoring nested data structure on item parameters in Rasch/1P-IRT model. Behaviormetrika, 2019, 46, 401-434.	0.9	2
48	Subjective responses to amphetamine in young adults with previous mood elevation experiences. Psychopharmacology, 2019, 236, 3363-3370.	1.5	5
49	Modelling the dynamics of children's gross motor coordination. Journal of Sports Sciences, 2019, 37, 2243-2252.	1.0	19
50	SMART: Study protocol for a sequential multiple assignment randomized controlled trial to optimize weight loss management. Contemporary Clinical Trials, 2019, 82, 36-45.	0.8	22
51	Sibling Similarity in Metabolic Syndrome: The Portuguese Sibling Study on Growth, Fitness, Lifestyle and Health. Behavior Genetics, 2019, 49, 299-309.	1.4	3
52	Change and Stability in Sibling Resemblance in Obesity Markers: The Portuguese Sibling Study on Growth, Fitness, Lifestyle, and Health. Journal of Obesity, 2019, 2019, 1-10.	1.1	1
53	Latent trait sharedâ€parameter mixed models for missing ecological momentary assessment data. Statistics in Medicine, 2019, 38, 660-673.	0.8	13
54	Do fluctuations in positive affective and physical feeling states predict physical activity and sedentary time?. Psychology of Sport and Exercise, 2019, 41, 153-161.	1.1	24

#	Article	IF	CITATIONS
55	Mindfulness-Based Smoking Cessation Enhanced With Mobile Technology (iQuit Mindfully): Pilot Randomized Controlled Trial. JMIR MHealth and UHealth, 2019, 7, e13059.	1.8	20
56	Motor performance, body fatness and environmental factors in preschool children. Journal of Sports Sciences, 2018, 36, 2289-2295.	1.0	14
57	Greater variability in daily physical activity is associated with poorer mental health profiles among obese adults. Mental Health and Physical Activity, 2018, 14, 74-81.	0.9	6
58	A 3â€level Bayesian mixed effects location scale model with an application to ecological momentary assessment data. Statistics in Medicine, 2018, 37, 2108-2119.	0.8	30
59	Geographic Variation in the Treatment of U.S. Adult Heart Transplant Candidates. Journal of the American College of Cardiology, 2018, 71, 1715-1725.	1.2	21
60	Sigmoidal mixed models for longitudinal data. Statistical Methods in Medical Research, 2018, 27, 863-875.	0.7	16
61	A Note on Marginalization of Regression Parameters from Mixed Models of Binary Outcomes. Biometrics, 2018, 74, 354-361.	0.8	50
62	The Role of Nicotine Dependence in E-Cigarettes' Potential for Smoking Reduction. Nicotine and Tobacco Research, 2018, 20, 1272-1277.	1.4	40
63	Evaluating the mutual pathways among electronic cigarette use, conventional smoking and nicotine dependence. Addiction, 2018, 113, 325-333.	1.7	27
64	Resemblance in physical activity levels: The Portuguese sibling study on growth, fitness, lifestyle, and health. American Journal of Human Biology, 2018, 30, e23061.	0.8	8
65	Profile Resemblance in Health-Related Markers: The Portuguese Sibling Study on Growth, Fitness, Lifestyle, and Health. International Journal of Environmental Research and Public Health, 2018, 15, 2799.	1.2	3
66	A shared parameter location scale mixed effect model for EMA data subject to informative missing. Health Services and Outcomes Research Methodology, 2018, 18, 227-243.	0.8	12
67	Familial resemblance in gross motor coordination. The Peruvian Sibling Study on Growth and Health. Annals of Human Biology, 2018, 45, 463-469.	0.4	4
68	The role of nicotinic receptor genes (CHRN) in the pathways of prenatal tobacco exposure on smoking behavior among young adult light smokers. Addictive Behaviors, 2018, 84, 231-237.	1.7	5
69	Measuring the Impact of Nonignorable Missingness Using the R Package isni. Computer Methods and Programs in Biomedicine, 2018, 164, 207-220.	2.6	14
70	Mean level of positive affect moderates associations between volatility in positive affect, mental health, and alcohol consumption among mothers Journal of Abnormal Psychology, 2018, 127, 639-649.	2.0	6
71	Multicomponent mHealth Intervention for Large, Sustained Change in Multiple Diet and Activity Risk Behaviors: The Make Better Choices 2 Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e10528.	2.1	75
72	Correlates of children's compliance with moderateâ€toâ€vigorous physical activity recommendations: a multilevel analysis. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 842-851.	1.3	14

#	Article	IF	CITATIONS
73	Identifying "social smoking―U.S. young adults using an empirically-driven approach. Addictive Behaviors, 2017, 70, 83-89.	1.7	21
74	Impact of alcohol use motives and internalizing symptoms on mood changes in response to drinking: An ecological momentary assessment investigation. Drug and Alcohol Dependence, 2017, 173, 31-38.	1.6	33
75	Effects of an abbreviated obesity intervention supported by mobile technology: The ENGAGED randomized clinical trial. Obesity, 2017, 25, 1191-1198.	1.5	78
76	Lifestyle intervention effects on the frequency and duration of daily moderate–vigorous physical activity and leisure screen time Health Psychology, 2017, 36, 299-308.	1.3	14
77	A Clinical Prediction Score to Guide Referral of Elderly Dialysis Patients for Kidney Transplant Evaluation. Kidney International Reports, 2017, 2, 645-653.	0.4	12
78	Associations Between Behavioral and Neural Correlates of Inhibitory Control and Amphetamine Reward Sensitivity. Neuropsychopharmacology, 2017, 42, 1905-1913.	2.8	23
79	Biological and environmental determinants of 12-minute run performance in youth. Annals of Human Biology, 2017, 44, 607-613.	0.4	5
80	Outcomes of immunosuppressive therapy in chronic hypersensitivity pneumonitis. ERJ Open Research, 2017, 3, 00016-2017.	1.1	84
81	Sweet taste liking is associated with subjective response to amphetamine in women but not men. Psychopharmacology, 2017, 234, 3185-3194.	1.5	14
82	Correlates of compliance with recommended levels of physical activity in children. Scientific Reports, 2017, 7, 16507.	1.6	35
83	Using clinical data to predict high-cost performance coding issues associated with pressure ulcers: a multilevel cohort model. Journal of the American Medical Informatics Association: JAMIA, 2017, 24, e95-e102.	2.2	18
84	Multilevel modelling of somatotype components: the Portuguese sibling study on growth, fitness, lifestyle and health. Annals of Human Biology, 2017, 44, 316-324.	0.4	10
85	Relationship between Sedentariness and Moderate-to-Vigorous Physical Activity in Youth: A Multivariate Multilevel Study. International Journal of Environmental Research and Public Health, 2017, 14, 148.	1.2	14
86	Mechanisms underlying mindfulness-based addiction treatment versus cognitive behavioral therapy and usual care for smoking cessation Journal of Consulting and Clinical Psychology, 2017, 85, 1029-1040.	1.6	64
87	A multilevel analysis of health-related physical fitness. The Portuguese sibling study on growth, fitness, lifestyle and health. PLoS ONE, 2017, 12, e0172013.	1.1	9
88	Examining the Variability of Sleep Patterns during Treatment for Chronic Insomnia: Application of a Location-Scale Mixed Model. Journal of Clinical Sleep Medicine, 2016, 12, 797-804.	1.4	8
89	Nicotine Dependence and Alcohol Problems from Adolescence to Young Adulthood. Dual Diagnosis (Foster City), 2016, 01, .	0.0	3
90	Ecological momentary assessment of working memory under conditions of simultaneous marijuana and tobacco use. Addiction, 2016, 111, 1466-1476.	1.7	52

#	Article	IF	CITATIONS
91	A scalable approach to measuring the impact of nonignorable nonresponse with an EMA application. Statistics in Medicine, 2016, 35, 5579-5602.	0.8	7
92	Evaluation of the Be the Exception Sixth-Grade Program in Rural Communities to Delay the Onset of Sexual Behavior. American Journal of Public Health, 2016, 106, S132-S139.	1.5	8
93	Early-Emerging Nicotine Dependence Has Lasting and Time-Varying Effects on Adolescent Smoking Behavior. Prevention Science, 2016, 17, 743-750.	1.5	17
94	Classification Tree Analysis as a Method for Uncovering Relations BetweenCHRNA5A3B4andCHRNB3A6in Predicting Smoking Progression in Adolescent Smokers. Nicotine and Tobacco Research, 2016, 19, ntw197.	1.4	8
95	A mixed-effects location-scale model for ordinal questionnaire data. Health Services and Outcomes Research Methodology, 2016, 16, 117-131.	0.8	6
96	Computing the Point-biserial Correlation under Any Underlying Continuous Distribution. Communications in Statistics Part B: Simulation and Computation, 2016, 45, 2744-2751.	0.6	19
97	<i>CYP2A6</i> Longitudinal Effects in Young Smokers. Nicotine and Tobacco Research, 2016, 18, 196-203.	1.4	7
98	CYP2A6Effects on Subjective Reactions to Initial Smoking Attempt. Nicotine and Tobacco Research, 2016, 18, 637-641.	1.4	2
99	Progression of nicotine dependence, mood level, and mood variability in adolescent smokers Psychology of Addictive Behaviors, 2016, 30, 484-493.	1.4	19
100	Mechanisms of change in diet and activity in the Make Better Choices 1 trial Health Psychology, 2016, 35, 723-732.	1.3	15
101	mHealth Intervention to Improve Diabetes Risk Behaviors in India: A Prospective, Parallel Group Cohort Study. Journal of Medical Internet Research, 2016, 18, e207.	2.1	68
102	An introduction and integration of cross-classified, multiple membership, and dynamic group random-effects models Psychological Methods, 2015, 20, 407-421.	2.7	42
103	Acceptability and feasibility of a visual working memory task in an ecological momentary assessment paradigm Psychological Assessment, 2015, 27, 1463-1470.	1.2	17
104	A novel modeling framework for ordinal data defined by collapsed counts. Statistics in Medicine, 2015, 34, 2312-2324.	0.8	12
105	Are BMI and Sedentariness Correlated? A Multilevel Study in Children. Nutrients, 2015, 7, 5889-5904.	1.7	9
106	Why Are Children Different in Their Daily Sedentariness? An Approach Based on the Mixed-Effects Location Scale Model. PLoS ONE, 2015, 10, e0132192.	1.1	2
107	Design and protocol of a randomized multiple behavior change trial: Make Better Choices 2 (MBC2). Contemporary Clinical Trials, 2015, 41, 85-92.	0.8	14
108	Kinematic foot types in youth with equinovarus secondary to hemiplegia. Gait and Posture, 2015, 41, 402-408.	0.6	29

7

#	Article	IF	CITATIONS
109	Longitudinal trajectories of marijuana use from adolescence to young adulthood. Addictive Behaviors, 2015, 45, 301-308.	1.7	37
110	Impact of Cognitive Training on Balance and Gait in Older Adults. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2015, 70, 357-366.	2.4	139
111	Work and Non-Work Physical Activity Predict Real-Time Smoking Level and Urges in Young Adults. Nicotine and Tobacco Research, 2015, 17, 803-809.	1.4	9
112	Bayesian mixedâ€effects location and scale models for multivariate longitudinal outcomes: an application to ecological momentary assessment data. Statistics in Medicine, 2015, 34, 630-651.	0.8	18
113	Methods for Multilevel Ordinal Data in Prevention Research. Prevention Science, 2015, 16, 997-1006.	1.5	43
114	Introduction to the special issue: The Tenth International Conference on Health Policy. Health Services and Outcomes Research Methodology, 2014, 14, 157-158.	0.8	0
115	A bivariate mixed-effects location-scale model with application to ecological momentary assessment (EMA) data. Health Services and Outcomes Research Methodology, 2014, 14, 194-212.	0.8	10
116	Factors Predicting Compliance to Ecological Momentary Assessment Among Adolescent Smokers. Nicotine and Tobacco Research, 2014, 16, 351-358.	1.4	55
117	Momentary assessment of affect, physical feeling states, and physical activity in children Health Psychology, 2014, 33, 255-263.	1.3	145
118	Integrating Technology Into Standard Weight Loss Treatment. JAMA Internal Medicine, 2013, 173, 105.	2.6	191
119	Modeling Mood Variation and Covariation Among Adolescent Smokers: Application of a Bivariate Location-Scale Mixed-Effects Model. Nicotine and Tobacco Research, 2013, 16, S151-S158.	1.4	13
120	Smoking Antecedents: Separating Between- and Within-Person Effects of Tobacco Dependence in a Multiwave Ecological Momentary Assessment Investigation of Adolescent Smoking. Nicotine and Tobacco Research, 2013, 16, S119-S126.	1.4	24
121	<b>MIXREGLS</b> : A Program for Mixed-Effects Location Scale Analysis. Journal of Statistical Software, 2013, 52, 1-38.	1.8	275
122	Multiple Behavior Changes in Diet and Activity. Archives of Internal Medicine, 2012, 172, 789-96.	4.3	179
123	Modeling betweenâ€subject and withinâ€subject variances in ecological momentary assessment data using mixedâ€effects location scale models. Statistics in Medicine, 2012, 31, 3328-3336.	0.8	130
124	A threeâ€level mixedâ€effects location scale model with an application to ecological momentary assessment data. Statistics in Medicine, 2012, 31, 3192-3210.	0.8	30
125	Andrew C. Leon, Ph.D. (1951-2012). Statistics in Medicine, 2012, 31, 3253-3254.	0.8	2
126	A Practical Way for Computing Approximate Lower and Upper Correlation Bounds. American Statistician, 2011, 65, 104-109.	0.9	41

#	Article	IF	CITATIONS
127	The Association Between Physical Functioning and Self-rated General Health in Later Life: The Implications of Social Comparison. Applied Research in Quality of Life, 2011, 6, 1-19.	1.4	1
128	Generating multivariate continuous data via the notion of nearest neighbors. Journal of Applied Statistics, 2011, 38, 47-55.	0.6	1
129	Modeling mood variation associated with smoking: an application of a heterogeneous mixedâ€effects model for analysis of ecological momentary assessment (EMA) data. Addiction, 2009, 104, 297-307.	1.7	112
130	A mixed ordinal location scale model for analysis of ecological momentary assessment (EMA) data. Statistics and Its Interface, 2009, 2, 391-401.	0.2	52
131	An Application of a Mixedâ€Effects Location Scale Model for Analysis of Ecological Momentary Assessment (EMA) Data. Biometrics, 2008, 64, 627-634.	0.8	210
132	Imputing continuous data under some nonâ€Gaussian distributions. Statistica Neerlandica, 2008, 62, 193-205.	0.9	17
133	Multiple Imputation Under Power Polynomials. Communications in Statistics Part B: Simulation and Computation, 2008, 37, 1682-1695.	0.6	28
134	Analysis of binary outcomes with missing data: missing = smoking, last observation carried forward, and a little multiple imputation. Addiction, 2007, 102, 1564-1573.	1.7	132
135	A Mixed-Effects Regression Model for Longitudinal Multivariate Ordinal Data. Biometrics, 2006, 62, 261-268.	0.8	63
136	Application of Item Response Theory Models for Intensive Longitudinal Data. , 2006, , 84-108.		13
137	A mixed-effects multinomial logistic regression model. Statistics in Medicine, 2003, 22, 1433-1446.	0.8	257
138	Modeling Clustered Count Data with Excess Zeros in Health Care Outcomes Research. Health Services and Outcomes Research Methodology, 2002, 3, 5-20.	0.8	52
139	An application of the thresholds of change model to the analysis of mental health data. Administration and Policy in Mental Health and Mental Health Services Research, 2001, 3, 107-114.	2.2	5
140	Analysis of longitudinal substance use outcomes using ordinal random-effects regression models. Addiction, 2000, 95, 381-394.	1.7	37
141	The thresholds of change model: An approach to analyzing stages of change data. Annals of Behavioral Medicine, 1999, 21, 61-70.	1.7	34
142	Modelling ordinal responses from co-twin control studies. , 1998, 17, 957-970.		22
143	A Multilevel Thresholds of Change Model for Analysis of Stages of Change Data. Multivariate Behavioral Research, 1998, 33, 427-455.	1.8	76
144	Modelling ordinal responses from coâ€ŧwin control studies. Statistics in Medicine, 1998, 17, 957-970.	0.8	2

#	Article	IF	CITATIONS
145	A Random-Effects Ordinal Regression Model for Multilevel Analysis. Biometrics, 1994, 50, 933.	0.8	559
146	Random-effects regression models for clustered data with an example from smoking prevention research. Journal of Consulting and Clinical Psychology, 1994, 62, 757-65.	1.6	106
147	A random-effects ordinal regression model for multilevel analysis. Biometrics, 1994, 50, 933-44.	0.8	134
148	Effects of social support and relapse prevention training as adjuncts to a televised smoking-cessation intervention Journal of Consulting and Clinical Psychology, 1993, 61, 113-120.	1.6	70
149	Effects of social support and relapse prevention training as adjuncts to a televised smoking-cessation intervention. Journal of Consulting and Clinical Psychology, 1993, 61, 113-20.	1.6	31
150	Assessment of drug involvement: applications to a sample of physicians in training. Addiction, 1992, 87, 1649-1662.	1.7	7
151	Defining Râ€squared measures for mixedâ€effects location scale models. Statistics in Medicine, 0, , .	0.8	2