

Tomoko Kawai

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1502953/tomoko-kawai-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

2,437
citations

24
h-index

48
g-index

72
ext. papers

2,725
ext. citations

5.6
avg, IF

4.18
L-index

#	Paper	IF	Citations
65	Frequent FGFR3 and Ras Gene Mutations in Skin Tags or Acrochordons. <i>Journal of Investigative Dermatology</i> , 2021 , 141, 2756-2760.e8	4.3	1
64	Epigenetic Changes in Neonates Born to Mothers With Gestational Diabetes Mellitus May Be Associated With Neonatal Hypoglycaemia. <i>Frontiers in Endocrinology</i> , 2021 , 12, 690648	5.7	0
63	Association of allele-specific methylation of the ASNS gene with asparaginase sensitivity and prognosis in T-ALL. <i>Blood Advances</i> , 2021 ,	7.8	2
62	DNA methylation-based classification reveals difference between pediatric T-cell acute lymphoblastic leukemia and normal thymocytes. <i>Leukemia</i> , 2020 , 34, 1163-1168	10.7	8
61	Gene expression and DNA methylation changes in BeWo cells dependent on tumor necrosis factor- α and insulin-like growth factor-I. <i>Human Cell</i> , 2020 , 33, 37-46	4.5	1
60	Epitranscriptomic profiling in human placenta: N6-methyladenosine modification at the 5' untranslated region is related to fetal growth and preeclampsia. <i>FASEB Journal</i> , 2020 , 34, 494-512	0.9	8
59	Comprehensive genetic analysis of pediatric germ cell tumors identifies potential drug targets. <i>Communications Biology</i> , 2020 , 3, 544	6.7	3
58	Integrated multiomics analysis of hepatoblastoma unravels its heterogeneity and provides novel druggable targets. <i>Npj Precision Oncology</i> , 2020 , 4, 20	9.8	11
57	A novel splice site variant in a young male exhibiting less pronounced features. <i>Human Genome Variation</i> , 2019 , 6, 43	1.8	1
56	Clonal Expansion of Second-Hit Cells with Somatic Recombinations or C>T Transitions Form Porokeratosis in MVD or MVK Mutant Heterozygotes. <i>Journal of Investigative Dermatology</i> , 2019 , 139, 2458-2466.e9	4.3	23
55	DNA methylation changes involved in the tumor increase in F2 males born to gestationally arsenite-exposed F1 male mice. <i>Cancer Science</i> , 2019 , 110, 2629-2642	6.9	5
54	Integrated genetic and epigenetic analysis revealed heterogeneity of acute lymphoblastic leukemia in Down syndrome. <i>Cancer Science</i> , 2019 , 110, 3358-3367	6.9	8
53	Novel SIN3A mutation identified in a Japanese patient with Witteveen-Kolk syndrome. <i>European Journal of Medical Genetics</i> , 2019 , 62, 103547	2.6	6
52	Identification of G-quadruplex clusters by high-throughput sequencing of whole-genome amplified products with a G-quadruplex ligand. <i>Scientific Reports</i> , 2018 , 8, 3116	4.9	22
51	Placental Development and Nutritional Environment. <i>Advances in Experimental Medicine and Biology</i> , 2018 , 1012, 63-73	3.6	5
50	The DNA methylation profile of liver tumors in C3H mice and identification of differentially methylated regions involved in the regulation of tumorigenic genes. <i>BMC Cancer</i> , 2018 , 18, 317	4.8	9
49	Integrated Molecular Characterization of the Lethal Pediatric Cancer Pancreatoblastoma. <i>Cancer Research</i> , 2018 , 78, 865-876	10.1	15

48	Daily intake of <i>Lactobacillus gasseri</i> CP2305 improves mental, physical, and sleep quality among Japanese medical students enrolled in a cadaver dissection course. <i>Journal of Functional Foods</i> , 2017 , 31, 188-197	5.1	26
47	Adverse parenting is associated with blunted salivary cortisol awakening response and altered expression of glucocorticoid receptor α and β -adrenergic receptor mRNAs in leukocytes in Japanese medical students. <i>Stress</i> , 2017 , 20, 159-166	3	5
46	Human cytomegalovirus downregulates SLITRK6 expression through IE2. <i>Journal of NeuroVirology</i> , 2017 , 23, 79-86	3.9	2
45	Molecular mechanisms of transcriptional regulation by the nuclear zinc-finger protein Zfat in T cells. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2016 , 1859, 1398-1410	6	7
44	Gene expression profiling of white adipose tissue reveals paternal transmission of proneness to obesity. <i>Scientific Reports</i> , 2016 , 6, 21693	4.9	6
43	Lists of HumanMethylation450 BeadChip probes with nucleotide-variant information obtained from the Phase 3 data of the 1000 Genomes Project. <i>Genomics Data</i> , 2016 , 7, 67-9		7
42	DNA methylation analysis of human myoblasts during in vitro myogenic differentiation: de novo methylation of promoters of muscle-related genes and its involvement in transcriptional down-regulation. <i>Human Molecular Genetics</i> , 2015 , 24, 410-23	5.6	37
41	Increased epigenetic alterations at the promoters of transcriptional regulators following inadequate maternal gestational weight gain. <i>Scientific Reports</i> , 2015 , 5, 14224	4.9	16
40	Combined treatment with low-dose pioglitazone and beraprost sodium improves glucose intolerance without causing body weight gain. <i>Diabetology International</i> , 2013 , 4, 226-232	2.3	2
39	Associations between chronotype and salivary endocrinological stress markers. <i>Endocrine Research</i> , 2013 , 38, 1-7	1.9	4
38	Impaired insulin signaling in endothelial cells reduces insulin-induced glucose uptake by skeletal muscle. <i>Cell Metabolism</i> , 2011 , 13, 294-307	24.6	298
37	Circulating vascular endothelial growth factor is independently and negatively associated with trait anxiety and depressive mood in healthy Japanese university students. <i>International Journal of Psychophysiology</i> , 2011 , 81, 38-43	2.9	26
36	Effects of chronic academic stress on mental state and expression of glucocorticoid receptor α and β isoforms in healthy Japanese medical students. <i>Stress</i> , 2011 , 14, 431-8	3	18
35	Autism-associated gene expression in peripheral leukocytes commonly observed between subjects with autism and healthy women having autistic children. <i>PLoS ONE</i> , 2011 , 6, e24723	3.7	48
34	Brief naturalistic stress induces an alternative splice variant of SMG-1 lacking exon 63 in peripheral leukocytes. <i>Neuroscience Letters</i> , 2010 , 484, 128-32	3.3	22
33	High-throughput screening of brief naturalistic stress-responsive cytokines in university students taking examinations. <i>International Journal of Psychophysiology</i> , 2010 , 77, 135-40	2.9	12
32	Interleukin-18 deficiency reduces neuropeptide gene expressions in the mouse amygdala related with behavioral change. <i>Journal of Neuroimmunology</i> , 2010 , 229, 129-39	3.5	12
31	Changes in behavior and gene expression induced by caloric restriction in C57BL/6 mice. <i>Physiological Genomics</i> , 2009 , 39, 227-35	3.6	49

30	Oxidative stress-induced alternative splicing of transformer 2beta (SFRS10) and CD44 pre-mRNAs in gastric epithelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 297, C330-8	5.4	29
29	Interleukin-18 is a crucial determinant of vulnerability of the mouse rectum to psychosocial stress. <i>FASEB Journal</i> , 2009 , 23, 1797-805	0.9	13
28	Receptor activator of nuclear factor-kappaB ligand-induced mouse osteoclast differentiation is associated with switching between NADPH oxidase homologues. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 189-99	7.8	41
27	Interleukin 10 inhibits interferon gamma- and tumor necrosis factor alpha-stimulated activation of NADPH oxidase 1 in human colonic epithelial cells and the mouse colon. <i>Journal of Gastroenterology</i> , 2009 , 44, 1172-84	6.9	48
26	Gene expression signatures in peripheral blood cells from Japanese women exposed to environmental cadmium. <i>Toxicology</i> , 2009 , 257, 25-32	4.4	23
25	Tumor necrosis factor alpha activates transcription of the NADPH oxidase organizer 1 (NOXO1) gene and upregulates superoxide production in colon epithelial cells. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 1642-52	7.8	54
24	Mitogen-activated protein kinase kinase 4/c-Jun NH2-terminal kinase kinase 1 protein expression is subject to translational regulation in prostate cancer cell lines. <i>Molecular Cancer Research</i> , 2008 , 6, 501-8	6.6	15
23	PARENTAL REARING ATTITUDES AND HEALTH-RELATED LIFESTYLE OF UNIVERSITY STUDENTS. <i>Social Behavior and Personality</i> , 2008 , 36, 551-558	1.2	7
22	Bezafibrate, a peroxisome proliferator-activated receptors agonist, decreases body temperature and enhances electroencephalogram delta-oscillation during sleep in mice. <i>Endocrinology</i> , 2008 , 149, 5262-71	4.8	46
21	A novel tumor-promoting function residing in the 5'non-coding region of vascular endothelial growth factor mRNA. <i>PLoS Medicine</i> , 2008 , 5, e94	11.6	14
20	Identification of ultraviolet B-sensitive genes in human peripheral blood cells. <i>Journal of Medical Investigation</i> , 2008 , 55, 204-10	1.2	3
19	Identification of marker genes for differential diagnosis of chronic fatigue syndrome. <i>Molecular Medicine</i> , 2008 , 14, 599-607	6.2	47
18	Evidence for cancer-associated expression of NADPH oxidase 1 (Nox1)-based oxidase system in the human stomach. <i>Free Radical Biology and Medicine</i> , 2007 , 43, 1627-38	7.8	60
17	Physical exercise-associated gene expression signatures in peripheral blood. <i>Clinical Journal of Sport Medicine</i> , 2007 , 17, 375-83	3.2	18
16	Gene expression signature in peripheral blood cells from medical students exposed to chronic psychological stress. <i>Biological Psychology</i> , 2007 , 76, 147-55	3.2	32
15	En masse nascent transcription analysis to elucidate regulatory transcription factors. <i>Nucleic Acids Research</i> , 2006 , 34, 1492-500	20.1	13
14	Translational control of cytochrome c by RNA-binding proteins TIA-1 and HuR. <i>Molecular and Cellular Biology</i> , 2006 , 26, 3295-307	4.8	162
13	Translational repression by RNA-binding protein TIAR. <i>Molecular and Cellular Biology</i> , 2006 , 26, 2716-27	4.8	119

12	Posttranscriptional derepression of GADD45alpha by genotoxic stress. <i>Molecular Cell</i> , 2006 , 22, 117-28	17.6	82
11	Antiapoptotic function of RNA-binding protein HuR effected through prothymosin alpha. <i>EMBO Journal</i> , 2005 , 24, 1852-62	13	141
10	En masse analysis of nascent translation using microarrays. <i>BioTechniques</i> , 2005 , 39, 61-2, 64, 66-7	2.5	10
9	Enhanced proliferation of cultured human vascular smooth muscle cells linked to increased function of RNA-binding protein HuR. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22819-26	5.4	57
8	Global mRNA stabilization preferentially linked to translational repression during the endoplasmic reticulum stress response. <i>Molecular and Cellular Biology</i> , 2004 , 24, 6773-87	4.8	72
7	AMP-activated protein kinase-regulated phosphorylation and acetylation of importin alpha1: involvement in the nuclear import of RNA-binding protein HuR. <i>Journal of Biological Chemistry</i> , 2004 , 279, 48376-88	5.4	102
6	Concurrent versus individual binding of HuR and AUF1 to common labile target mRNAs. <i>EMBO Journal</i> , 2004 , 23, 3092-102	13	403
5	A non-toxic heat shock protein 70 inducer, geranyl-geranyl-acetone, restores the heat shock response in gastric mucosa of protein-malnourished rats. <i>Translational Research</i> , 2000 , 136, 138-48		15
4	Geranylgeranylacetone stimulates mucin synthesis in cultured guinea pig gastric pit cells by inducing a neuronal nitric oxide synthase. <i>Journal of Gastroenterology</i> , 2000 , 35, 673-81	6.9	38
3	Phenylarsine oxide inhibits heat shock protein 70 induction in cultured guinea pig gastric mucosal cells. <i>American Journal of Physiology - Cell Physiology</i> , 2000 , 279, C1506-15	5.4	13
2	Glutathione depletion inhibits oxidant-induced activation of nuclear factor-kappa B, AP-1, and c-Jun/ATF-2 in cultured guinea-pig gastric epithelial cells. <i>Journal of Gastroenterology</i> , 1998 , 33, 646-55	6.9	26
1	Whole body hyperthermia selectively induces heat shock protein 72 in neurons of the rat spinal cord. <i>Neuroscience Letters</i> , 1998 , 258, 151-4	3.3	9