

Rafael Fernandez-Botran

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1503845/rafael-fernandez-botran-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

3,139

citations

26

h-index

55

g-index

75

ext. papers

3,352

ext. citations

6.1

avg, IF

4.77

L-index

#	Paper	IF	Citations
69	Association and predictive value of biomarkers with severe outcomes in hospitalized patients with SARS-CoV-2 infection. <i>Cytokine</i> , 2022 , 149, 155755	4	1
68	Changes in liver steatosis in HIV-positive women are associated with the BMI, but not with biomarkers. <i>Cytokine</i> , 2021 , 144, 155573	4	1
67	The levels of soluble urokinase plasminogen activator receptor (suPAR) in saliva are influenced by acute stress. <i>Biological Psychology</i> , 2021 , 165, 108147	3.2	1
66	Seroprevalence of /CagA Antibodies in Guatemalan Gastric Cancer Patients: Association of Seropositivity with Increased Plasma Levels of Pepsinogens but not Soluble Urokinase Plasminogen Activator Receptor. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 260-265	3.2	6
65	Insights into the Use of C-Reactive Protein as a Diagnostic Index of Disease Severity in COVID-19 Infections. <i>American Journal of Tropical Medicine and Hygiene</i> , 2020 , 103, 561-563	3.2	36
64	The elevated systemic cytokine levels in HIV patients are not associated with an elevated pulmonary cytokine environment. <i>Cytokine</i> , 2020 , 126, 154874	4	3
63	Cell-free DNA diagnostics: current and emerging applications in oncology. <i>Pharmacogenomics</i> , 2019 , 20, 357-380	2.6	8
62	Cumulative trauma, emotion reactivity and salivary cytokine levels following acute stress in healthy women. <i>Anxiety, Stress and Coping</i> , 2019 , 32, 82-94	3.1	10
61	The order of administration of macrolides and beta-lactams may impact the outcomes of hospitalized patients with community-acquired pneumonia: results from the community-acquired pneumonia organization. <i>Infectious Diseases</i> , 2018 , 50, 13-20	3.1	7
60	Salivary cytokine response in the aftermath of stress: An emotion regulation perspective. <i>Emotion</i> , 2017 , 17, 1007-1020	4.1	24
59	Sheltering for Safety in Community Women With Divorce Histories. <i>Violence Against Women</i> , 2017 , 23, 1638-1655	2.6	3
58	Using cluster analysis of cytokines to identify patterns of inflammation in hospitalized patients with community-acquired pneumonia: a pilot study 2017 , 1, 3-11		4
57	Macrolide Use and Neutrophil Function/Cytokine Levels in Hospitalized Patients with Community-Acquired Pneumonia: A Pilot Study. <i>Lung</i> , 2016 , 194, 155-62	2.9	7
56	Effects of curcumin on infection. <i>Annals of Translational Medicine</i> , 2016 , 4, 479	3.2	18
55	Promoting Health by Improving Subjective Sleep Quality? Reduction in Depressive Symptoms and Inflammation as Potential Mechanisms and Implications for Trauma-Exposed Persons. <i>Frontiers in Psychiatry</i> , 2016 , 7, 76	5	2
54	Acute stress induces increases in salivary IL-10 levels. <i>Stress</i> , 2016 , 19, 499-505	3	13
53	Serum and exhaled breath condensate inflammatory cytokines in community-acquired pneumonia: a prospective cohort study. <i>Pneumonia (Nathan Qld)</i> , 2016 , 8, 8	2.8	6

52	Association Between MC-2 Peptide and Hepatic Perfusion and Liver Injury Following Resuscitated Hemorrhagic Shock. <i>JAMA Surgery</i> , 2016 , 151, 265-72	5.4	6
51	Bacteremic pneumococcal pneumonia: clinical outcomes and preliminary results of inflammatory response. <i>Infection</i> , 2015 , 43, 729-38	5.8	22
50	Contrasting inflammatory responses in severe and non-severe community-acquired pneumonia. <i>Inflammation</i> , 2014 , 37, 1158-66	5.1	35
49	Interleukin-6 and soluble interleukin-6 receptor levels in posttraumatic stress disorder: associations with lifetime diagnostic status and psychological context. <i>Biological Psychology</i> , 2014 , 99, 150-9	3.2	48
48	Systemic cytokine and interferon responsiveness Patterns in HIV and HCV mono and co-infections. <i>Journal of Interferon and Cytokine Research</i> , 2014 , 34, 885-93	3.5	5
47	1361Innate Pulmonary Response to Community-Acquired Pneumonia (CAP) in Patients with Chronic Obstructive Pulmonary Disease (COPD): Results from the Community-Acquired Pneumonia Inflammatory Study Group (CAPISG). <i>Open Forum Infectious Diseases</i> , 2014 , 1, S356-S357	1	
46	Cytokines and neutrophils responses in influenza pneumonia. <i>Infection</i> , 2013 , 41, 1021-4	5.8	6
45	Understanding the roles of cytokines and neutrophil activity and neutrophil apoptosis in the protective versus deleterious inflammatory response in pneumonia. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e76-83	10.5	114
44	Posttraumatic stress symptom severity and inflammatory processes in midlife women.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2013 , 5, 439-447	7.8	2
43	Intimate partner stalking victimization and posttraumatic stress symptoms in post-abuse women. <i>Violence Against Women</i> , 2012 , 18, 1368-89	2.6	30
42	Lower levels of interleukin-12 precede the development of tuberculosis among HIV-infected women. <i>Cytokine</i> , 2011 , 56, 325-31	4	6
41	Correlations among inflammatory markers in plasma, saliva and oral mucosal transudate in post-menopausal women with past intimate partner violence. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 314-21	16.6	66
40	Cytokine expression and microglial activation in progressive supranuclear palsy. <i>Parkinsonism and Related Disorders</i> , 2011 , 17, 683-8	3.6	51
39	Markers of inflammation in midlife women with intimate partner violence histories. <i>Journal of Womens Health</i> , 2011 , 20, 1871-80	3	42
38	Cyclooxygenase-2 is upregulated in copper-deficient rats. <i>Inflammation</i> , 2009 , 32, 333-9	5.1	11
37	Digoxin-like immunoreactive factors induce apoptosis in human acute T-cell lymphoblastic leukemia. <i>Clinical Chemistry</i> , 2007 , 53, 1315-22	5.5	21
36	The immunoregulatory effects of gangliosides involve immune deviation favoring type-2 T cell responses. <i>Journal of Leukocyte Biology</i> , 2006 , 79, 586-95	6.5	22
35	Modulation of acute inflammation by targeting glycosaminoglycan-cytokine interactions. <i>International Immunopharmacology</i> , 2005 , 5, 1622-32	5.8	22

34	Linear basic peptides for targeting interferon-gamma-glycosaminoglycan interactions: synthesis and inhibitory properties. <i>Chemical Biology and Drug Design</i> , 2004 , 63, 56-62		4
33	In vivo administration of L-dopa or dopamine decreases the number of splenic IFN gamma-producing cells. <i>Journal of Neuroimmunology</i> , 2003 , 137, 87-93	3.5	42
32	The enhancement of T cell proliferation by L-dopa is mediated peripherally and does not involve interleukin-2. <i>Journal of Neuroimmunology</i> , 2003 , 142, 166-9	3.5	11
31	Soluble cytokine receptors in biological therapy. <i>Expert Opinion on Biological Therapy</i> , 2002 , 2, 585-605	5.4	32
30	Targeting of glycosaminoglycan-cytokine interactions as a novel therapeutic approach in allotransplantation. <i>Transplantation</i> , 2002 , 74, 623-9	1.8	35
29	A small-molecule antagonist of human and murine CCR1 receptors. <i>Expert Opinion on Investigational Drugs</i> , 2001 , 10, 1387-9	5.9	4
28	Soluble cytokine receptors: novel immunotherapeutic agents. <i>Expert Opinion on Investigational Drugs</i> , 2000 , 9, 497-514	5.9	41
27	Soluble cytokine receptors: basic immunology and clinical applications. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 1999 , 36, 165-224	9.4	38
26	Binding of interferon gamma by glycosaminoglycans: a strategy for localization and/or inhibition of its activity. <i>Cytokine</i> , 1999 , 11, 313-25	4	37
25	Regulation of the production of soluble IL-4 receptors in murine cutaneous leishmaniasis. The roles of IL-12 and IL-4. <i>Journal of Leukocyte Biology</i> , 1999 , 66, 481-8	6.5	4
24	The production of soluble interleukin 4 receptors is preferentially regulated by the murine Th2 cell subset. <i>Cytokine</i> , 1997 , 9, 166-77	4	12
23	Regulation of the expression of the soluble and membrane forms of the murine IL-4 receptor. <i>Cellular Immunology</i> , 1997 , 180, 104-15	4.4	19
22	Schistosoma mansoni in IL-4-deficient mice. <i>International Immunology</i> , 1996 , 8, 435-44	4.9	106
21	Control of the production of soluble interleukin-4 receptors: implications in immunoregulation. <i>Journal of Leukocyte Biology</i> , 1996 , 59, 499-504	6.5	11
20	Soluble cytokine receptors: their roles in immunoregulation, disease, and therapy. <i>Advances in Immunology</i> , 1996 , 63, 269-336	5.6	61
19	Linked in vivo expression of soluble interleukin-4 receptor and interleukin-4 in murine schistosomiasis. <i>European Journal of Immunology</i> , 1995 , 25, 649-56	6.1	14
18	Evidence that natural murine soluble interleukin 4 receptors may act as transport proteins. <i>Journal of Experimental Medicine</i> , 1991 , 174, 673-81	16.6	90
17	Autoreactive T cells from MRL-lpr/lpr mice secrete multiple lymphokines and induce the production of IgG anti-DNA antibodies. <i>Journal of Autoimmunity</i> , 1991 , 4, 563-76	15.5	11

16	Soluble cytokine receptors: their role in immunoregulation. <i>FASEB Journal</i> , 1991 , 5, 2567-74	0.9	247
15	A soluble, high-affinity, interleukin-4-binding protein is present in the biological fluids of mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990 , 87, 4202-6	11.5	62
14	Cellular interactions in the humoral immune response. <i>Advances in Immunology</i> , 1989 , 45, 1-105	5.6	100
13	Cross-linking of interleukin 4 to surface molecules on murine T and B lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1989 , 86, 4235-9	11.5	13
12	Interactions between receptors for interleukin 2 and interleukin 4 on lines of helper T cells (HT-2) and B lymphoma cells (BCL1). <i>Journal of Experimental Medicine</i> , 1989 , 169, 379-91	16.6	51
11	Regulation of the biological effects of IL-4 on murine T and B cells. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1989 , 54 Pt 2, 705-11	3.9	1
10	Regulation of antibody isotype secretion by subsets of antigen-specific helper T cells. <i>Nature</i> , 1988 , 334, 255-8	50.4	784
9	PGE2-induced desensitization of adenylate cyclase of a murine macrophage-like cell line (P388D1). <i>Prostaglandins</i> , 1988 , 36, 329-41		10
8	Lymphokine-mediated regulation of the proliferative response of clones of T helper 1 and T helper 2 cells. <i>Journal of Experimental Medicine</i> , 1988 , 168, 543-58	16.6	328
7	A single antigen-specific B cell can conjugate to either a type 1 or a type 2 helper T cell. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1988 , 85, 7724-8	11.5	10
6	Relationship between Fc gamma 2b receptor and adenylate cyclase of a murine macrophagelike cell line, P388D1. <i>Biochemistry</i> , 1987 , 26, 4183-92	3.2	5
5	Interaction and activation of antigen-specific T and B cells. <i>Immunological Reviews</i> , 1987 , 99, 193-239	11.3	49
4	Interleukin 4 mediates autocrine growth of helper T cells after antigenic stimulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1986 , 83, 9689-93	11.5	88
3	B cell-stimulatory factor 1 (BSF-1) promotes growth of helper T cell lines. <i>Journal of Experimental Medicine</i> , 1986 , 164, 580-93	16.6	145
2	Biochemical signal transmitted by Fc receptor for immunoglobulin G2a of a murine macrophage-like cell line, P388D1: mode of activation of adenylate cyclase mediated by immunoglobulin G2a binding proteins. <i>Biochemistry</i> , 1986 , 25, 4388-97	3.2	9
1	Biochemical properties of phosphatidylcholine-binding proteins that share common antigenic determinants with Fc gamma 2b receptor. <i>Biochemistry</i> , 1985 , 24, 1896-903	3.2	4