Mahée Gilbert-Ouimet

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1505304/publications.pdf

Version: 2024-02-01

44 papers

846 citations

15 h-index 28 g-index

44 all docs

44 docs citations

times ranked

44

1033 citing authors

#	Article	IF	CITATIONS
1	Adverse effects of psychosocial work factors on blood pressure: systematic review of studies on demand–control–support and effort–reward imbalance models. Scandinavian Journal of Work, Environment and Health, 2014, 40, 109-132.	1.7	161
2	Psychosocial Stressors at Work and the Risk of Sickness Absence Due to a Diagnosed Mental Disorder. JAMA Psychiatry, 2020, 77, 842.	6.0	104
3	The Relationship Between Occupational Standing and Sitting and Incident Heart Disease Over a 12-Year Period in Ontario, Canada. American Journal of Epidemiology, 2018, 187, 27-33.	1.6	72
4	Repeated exposure to effort–reward imbalance, increased blood pressure, and hypertension incidence among white-collar workers. Journal of Psychosomatic Research, 2012, 72, 26-32.	1.2	46
5	Long Working Hours and the Prevalence of Masked and Sustained Hypertension. Hypertension, 2020, 75, 532-538.	1.3	37
6	Implementation of an Organizational-Level Intervention on the Psychosocial Environment of Work. Journal of Occupational and Environmental Medicine, 2012, 54, 85-91.	0.9	34
7	Intervention Study on Psychosocial Work Factors and Mental Health and Musculoskeletal Outcomes. HealthcarePapers, 2011, 11, 47-66.	0.2	33
8	Gender/Sex Differences in the Relationship between Psychosocial Work Exposures and Work and Life Stress. Annals of Work Exposures and Health, 2018, 62, 416-425.	0.6	32
9	Masked hypertension incidence and risk factors in a prospective cohort study. European Journal of Preventive Cardiology, 2019, 26, 231-237.	0.8	29
10	Psychosocial work factors and social inequalities in psychological distress: a population-based study. BMC Public Health, 2017, 17, 91.	1.2	26
11	Workplace Interventions Aiming to Improve Psychosocial Work Factors and Related Health. Aligning Perspectives on Health, Safety and Well-being, 2016, , 333-363.	0.2	22
12	Adverse effect of long work hours on incident diabetes in 7065 Ontario workers followed forÂ12 years. BMJ Open Diabetes Research and Care, 2018, 6, e000496.	1.2	20
13	Cohort Profile: The PROspective Québec (PROQ) Study on Work and Health. International Journal of Epidemiology, 2018, 47, 693-693i.	0.9	18
14	Effort-Reward Imbalance at Work and the Prevalence of Unsuccessfully Treated Hypertension Among White-Collar Workers. American Journal of Epidemiology, 2017, 186, 456-462.	1.6	17
15	Psychosocial work stressors, high family responsibilities, and psychological distress among women: A 5â€year prospective study. American Journal of Industrial Medicine, 2020, 63, 170-179.	1.0	17
16	Double Exposure to Adverse Psychosocial Work Factors and High Family Responsibilities as Related to Ambulatory Blood Pressure at Work: A 5-Year Prospective Study in Women With White-Collar Jobs. Psychosomatic Medicine, 2017, 79, 593-602.	1.3	16
17	Psychosocial Stressors at Work and Ambulatory Blood Pressure. Current Cardiology Reports, 2018, 20, 127.	1.3	15
18	Long Working Hours and Risk of Recurrent Coronary Events. Journal of the American College of Cardiology, 2021, 77, 1616-1625.	1.2	15

#	Article	IF	Citations
19	Effectiveness of a workplace intervention reducing psychosocial stressors at work on blood pressure and hypertension. Occupational and Environmental Medicine, 2021, 78, 738-744.	1.3	13
20	Job strain and effort-reward imbalance as risk factors for type 2 diabetes mellitus: A systematic review and meta-analysis of prospective studies. Scandinavian Journal of Work, Environment and Health, 2022, 48, 5-20.	1.7	13
21	An organizational-level occupational health intervention: Employee perceptions of exposure to changes, and psychosocial outcomes. Work and Stress, 2014, , 1-19.	2.8	12
22	Changes Implemented During a Workplace Psychosocial Intervention and Their Consistency With Intervention Priorities. Journal of Occupational and Environmental Medicine, 2015, 57, 251-261.	0.9	11
23	Association between dimensions of the psychosocial and physical work environment and latent smoking trajectories: a 16-year cohort study of the Canadian workforce. Occupational and Environmental Medicine, 2018, 75, 814-821.	1.3	11
24	Job strain and the prevalence of uncontrolled hypertension among white-collar workers. Hypertension Research, 2019, 42, 1616-1623.	1.5	8
25	Combined Associations of Work and Leisure Time Physical Activity on Incident Diabetes Risk. American Journal of Preventive Medicine, 2021, 60, e149-e158.	1.6	7
26	Association between psychosocial work conditions and latent alcohol consumption trajectories among men and women over a 16-year period in a national Canadian sample. Journal of Epidemiology and Community Health, 2018, 72, 113-120.	2.0	6
27	Effect of psychosocial work factors on the risk of depression: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2019, 9, e033093.	0.8	6
28	Differences between women and men in the relationship between psychosocial stressors at work and work absence due to mental health problem. Occupational and Environmental Medicine, 2020, 77, 603-610.	1.3	6
29	Long working hours associated with elevated ambulatory blood pressure among female and male white-collar workers over a 2.5-year follow-up. Journal of Human Hypertension, 2022, 36, 207-217.	1.0	6
30	Psychosocial stressors at work and inflammatory biomarkers: PROspective Quebec Study on Work and Health. Psychoneuroendocrinology, 2021, 133, 105400.	1.3	6
31	Effect of psychosocial work factors on the risk of certified absences from work for a diagnosed mental health problem: a protocol of a systematic review and meta-analysis of prospective studies. BMJ Open, 2018, 8, e025948.	0.8	5
32	Job strain and incident cardiovascular disease: the confounding and mediating effects of lifestyle habits. An overview of systematic reviews. Archives of Environmental and Occupational Health, 2020, 76, 1-8.	0.7	4
33	Cumulative exposure to psychosocial stressors at work and global cognitive function: the PROspective Quebec Study on Work and Health. Occupational and Environmental Medicine, 2021, 78, 884-892.	1.3	4
34	Organizational-Level Interventions and Occupational Health. Handbook Series in Occupational Health Sciences, 2020, , 505-536.	0.1	4
35	Body mass index trajectories among the Canadian workforce and their association with work environment trajectories over 17 years. Occupational and Environmental Medicine, 2020, 77, 374-380.	1.3	3
36	Job Strain, Overweight, and Diabetes: A 13-Year Prospective Study Among 12,896 Men and Women in Ontario. Psychosomatic Medicine, 2021, 83, 187-195.	1.3	3

#	Article	IF	CITATIONS
37	Examining the relationship between the demand-control model and incident myocardial infarction and congestive heart failure in a representative sample of the employed women and men in Ontario, Canada, over a 15-year period. Canadian Journal of Public Health, 2021, 112, 280-288.	1.1	2
38	Low Social Support at Work and Ambulatory Blood Pressure in a Repeated Cross-sectional Study of White-Collar Workers. Annals of Work Exposures and Health, 2021, , .	0.6	1
39	The relationship between overqualification and incident diabetes: A 14-year follow-up study. Psychosomatic Medicine, 2022, Publish Ahead of Print, .	1.3	1
40	P344â€Effect of the double exposure to psychosocial work factors and family responsibilities on psychological distress: a 5-year prospective study among white-collar working women. , 2016, , .		O
41	THE AUTHORS REPLY. American Journal of Epidemiology, 2018, 187, 400-401.	1.6	O
42	Validity of participants' self-reported diagnosis for a work absence due to a mental health problem compared with physician-certified diagnosis for the same work absence among 709 Canadian workers. Occupational and Environmental Medicine, 2021, 78, 221-224.	1.3	O
43	Organizational-Level Interventions and Occupational Health. , 2020, , 1-32.		O
44	Issue with Evaluating Costs Over Time in a Context of Medical Guideline Changes: An Example in Myocardial Infarction Care Based on a Longitudinal Study from 1997 to 2018. ClinicoEconomics and Outcomes Research, 2022, Volume 14, 11-20.	0.7	0