
Nina Wawro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1506320/publications.pdf Version: 2024-02-01



Νίνα Μάνμρο

#	Article	IF	CITATIONS
1	Associations between habitual diet, metabolic disease, and the gut microbiota using latent Dirichlet allocation. Microbiome, 2021, 9, 61.	11.1	47
2	Plasma concentrations of anserine, carnosine and pi-methylhistidine as biomarkers of habitual meat consumption. European Journal of Clinical Nutrition, 2019, 73, 692-702.	2.9	26
3	Usual Dietary Intake Estimation Based on a Combination of Repeated 24-H Food Lists and a Food Frequency Questionnaire in the KORA FF4 Cross-Sectional Study. Frontiers in Nutrition, 2019, 6, 145.	3.7	26
4	Neural networks for modeling gene-gene interactions in association studies. BMC Genetics, 2009, 10, 87.	2.7	23
5	Serum 25(OH)D concentrations and atopic diseases at age 10: results from the GINIplus and LISAplus birth cohort studies. BMC Pediatrics, 2014, 14, 286.	1.7	22
6	Association between dietary patterns and prediabetes, undetected diabetes or clinically diagnosed diabetes: results from the KORA FF4 study. European Journal of Nutrition, 2021, 60, 2331-2341.	3.9	21
7	Identification of Comprehensive Metabotypes Associated with Cardiometabolic Diseases in the Populationâ€Based KORA Study. Molecular Nutrition and Food Research, 2018, 62, e1800117.	3.3	17
8	Helicobacter pylori Seropositivity: Prevalence, Associations, and the Impact on Incident Metabolic Diseases/Risk Factors in the Population-Based KORA Study. Frontiers in Public Health, 2019, 7, 96.	2.7	13
9	Modifying effect of metabotype on diet–diabetes associations. European Journal of Nutrition, 2020, 59, 1357-1369.	3.9	13
10	Association of Dietary Patterns and Type-2 Diabetes Mellitus in Metabolically Homogeneous Subgroups in the KORA FF4 Study. Nutrients, 2020, 12, 1684.	4.1	13
11	Differential associations between diet and prediabetes or diabetes in the KORA FF4 study. Journal of Nutritional Science, 2018, 7, e34.	1.9	10
12	Associations between usual food intake and faecal sterols and bile acids: results from the Cooperative Health Research in the Augsburg Region (KORA FF4) study. British Journal of Nutrition, 2019, 122, 309-321.	2.3	9
13	Evaluation of the Metabotype Concept Identified in an Irish Population in the German KORA Cohort Study. Molecular Nutrition and Food Research, 2020, 64, 1900918.	3.3	9
14	Associations between fecal bile acids, neutral sterols, and serum lipids in the KORA FF4 study. Atherosclerosis, 2019, 288, 1-8.	0.8	8
15	Evaluation of the metabotype concept after intervention with oral glucose tolerance test and dietary fiber-enriched food: An enable study. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 2399-2409.	2.6	8
16	Estimating Usual Intake in the 2nd Bavarian Food Consumption Survey: Comparison of the Results Derived by the National Cancer Institute Method and a Basic Individual Means Approach. Annals of Nutrition and Metabolism, 2017, 71, 164-174.	1.9	5
17	Testing for Association in the Presence of Population Stratification: A Simulation Study Comparing the S-TDT, STRAT and the GC. Biometrical Journal, 2006, 48, 420-434.	1.0	4
18	Association of Habitual Dietary Intake with Liver Iron—A Population-Based Imaging Study. Nutrients, 2022, 14, 132.	4.1	3

Nina Wawro

#	Article	IF	CITATIONS
19	Dietary habits and the presence and degree of asymptomatic diverticular disease by magnetic resonance imaging in a Western population: a population-based cohort study. Nutrition and Metabolism, 2021, 18, 73.	3.0	2
20	Association between Usual Dietary Intake of Food Groups and DNA Methylation and Effect Modification by Metabotype in the KORA FF4 Cohort. Life, 2022, 12, 1064.	2.4	2
21	Association of eating motives with anthropometry, body composition, and dietary intake in healthy German adults. Appetite, 2022, 170, 105865.	3.7	1
22	60 Fatty acid profiles in DBS are not consistently mirrored by usual intake: an enable study. Adipositas - Ursachen Folgeerkrankungen Therapie, 2021, 15, .	0.2	0
23	Validation of metabotypes identified in an Irish population in the German KORA FF4 study. Proceedings of the Nutrition Society, 2020, 79, .	1.0	0