

Nina Wawro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1506320/publications.pdf>

Version: 2024-02-01

23
papers

282
citations

933447

10
h-index

940533

16
g-index

23
all docs

23
docs citations

23
times ranked

510
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Association of eating motives with anthropometry, body composition, and dietary intake in healthy German adults. <i>Appetite</i> , 2022, 170, 105865. | 3.7 | 1 |
| 2 | Association of Habitual Dietary Intake with Liver Iron – A Population-Based Imaging Study. <i>Nutrients</i> , 2022, 14, 132. | 4.1 | 3 |
| 3 | Evaluation of the metabotype concept after intervention with oral glucose tolerance test and dietary fiber-enriched food: An enable study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 2399-2409. | 2.6 | 8 |
| 4 | Association between Usual Dietary Intake of Food Groups and DNA Methylation and Effect Modification by Metabotype in the KORA FF4 Cohort. <i>Life</i> , 2022, 12, 1064. | 2.4 | 2 |
| 5 | Association between dietary patterns and prediabetes, undetected diabetes or clinically diagnosed diabetes: results from the KORA FF4 study. <i>European Journal of Nutrition</i> , 2021, 60, 2331-2341. | 3.9 | 21 |
| 6 | Associations between habitual diet, metabolic disease, and the gut microbiota using latent Dirichlet allocation. <i>Microbiome</i> , 2021, 9, 61. | 11.1 | 47 |
| 7 | Dietary habits and the presence and degree of asymptomatic diverticular disease by magnetic resonance imaging in a Western population: a population-based cohort study. <i>Nutrition and Metabolism</i> , 2021, 18, 73. | 3.0 | 2 |
| 8 | 60 – Fatty acid profiles in DBS are not consistently mirrored by usual intake: an enable study. <i>Adipositas - Ursachen Folgeerkrankungen Therapie</i> , 2021, 15, . | 0.2 | 0 |
| 9 | Modifying effect of metabotype on diet – diabetes associations. <i>European Journal of Nutrition</i> , 2020, 59, 1357-1369. | 3.9 | 13 |
| 10 | Evaluation of the Metabotype Concept Identified in an Irish Population in the German KORA Cohort Study. <i>Molecular Nutrition and Food Research</i> , 2020, 64, 1900918. | 3.3 | 9 |
| 11 | Association of Dietary Patterns and Type-2 Diabetes Mellitus in Metabolically Homogeneous Subgroups in the KORA FF4 Study. <i>Nutrients</i> , 2020, 12, 1684. | 4.1 | 13 |
| 12 | Validation of metabotypes identified in an Irish population in the German KORA FF4 study. <i>Proceedings of the Nutrition Society</i> , 2020, 79, . | 1.0 | 0 |
| 13 | Plasma concentrations of anserine, carnosine and pi-methylhistidine as biomarkers of habitual meat consumption. <i>European Journal of Clinical Nutrition</i> , 2019, 73, 692-702. | 2.9 | 26 |
| 14 | Associations between fecal bile acids, neutral sterols, and serum lipids in the KORA FF4 study. <i>Atherosclerosis</i> , 2019, 288, 1-8. | 0.8 | 8 |
| 15 | Usual Dietary Intake Estimation Based on a Combination of Repeated 24-H Food Lists and a Food Frequency Questionnaire in the KORA FF4 Cross-Sectional Study. <i>Frontiers in Nutrition</i> , 2019, 6, 145. | 3.7 | 26 |
| 16 | Associations between usual food intake and faecal sterols and bile acids: results from the Cooperative Health Research in the Augsburg Region (KORA FF4) study. <i>British Journal of Nutrition</i> , 2019, 122, 309-321. | 2.3 | 9 |
| 17 | <i>Helicobacter pylori</i> Seropositivity: Prevalence, Associations, and the Impact on Incident Metabolic Diseases/Risk Factors in the Population-Based KORA Study. <i>Frontiers in Public Health</i> , 2019, 7, 96. | 2.7 | 13 |
| 18 | Differential associations between diet and prediabetes or diabetes in the KORA FF4 study. <i>Journal of Nutritional Science</i> , 2018, 7, e34. | 1.9 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Identification of Comprehensive Metabotypes Associated with Cardiometabolic Diseases in the Population-Based KORA Study. <i>Molecular Nutrition and Food Research</i> , 2018, 62, e1800117. | 3.3 | 17 |
| 20 | Estimating Usual Intake in the 2nd Bavarian Food Consumption Survey: Comparison of the Results Derived by the National Cancer Institute Method and a Basic Individual Means Approach. <i>Annals of Nutrition and Metabolism</i> , 2017, 71, 164-174. | 1.9 | 5 |
| 21 | Serum 25(OH)D concentrations and atopic diseases at age 10: results from the GINIplus and LISAPLUS birth cohort studies. <i>BMC Pediatrics</i> , 2014, 14, 286. | 1.7 | 22 |
| 22 | Neural networks for modeling gene-gene interactions in association studies. <i>BMC Genetics</i> , 2009, 10, 87. | 2.7 | 23 |
| 23 | Testing for Association in the Presence of Population Stratification: A Simulation Study Comparing the S-TDT, STRAT and the GC. <i>Biometrical Journal</i> , 2006, 48, 420-434. | 1.0 | 4 |