## Smita A Acharya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1509348/publications.pdf

Version: 2024-02-01

| 54       | 935            | 18           | 30             |
|----------|----------------|--------------|----------------|
| papers   | citations      | h-index      | g-index        |
| 55       | 55             | 55           | 1348           |
| all docs | docs citations | times ranked | citing authors |

| #  | Article  | IF           | Citations |
|----|--|--------------|-----------|
| 1  | Gd/Sm dopant-modified oxidation state and defect generation in nano-ceria. Solid State Ionics, 2014, 260, 21-29.   | 2.7          | 107       |
| 2  | Ethylenediamine-Mediated Wurtzite Phase Formation in ZnS. Crystal Growth and Design, 2013, 13, 1369-1376.  | 3.0          | 92        |
| 3  | Template-free ZnS nanorod synthesis by microwave irradiation. Nanotechnology, 2008, 19, 415602.  | 2.6          | 78        |
| 4  | Influence of gadolinium doping on the structure and defects of ceria under fuel cell operating temperature. Applied Physics Letters, 2014, 104, .  | 3.3          | 76        |
| 5  | Structural and dielectric anomalies near the MPB region of Na <sub>0.5</sub> Bi <sub>0.5</sub> TiO <sub>3</sub> â€"SrTiO <sub>3</sub> 32015, 5, 50644-50654.   | 3.6          | 48        |
| 6  | Processing and conductivity behavior of La, Sm, Fe singly and doubly doped ceria: As electrolytes for IT-SOFCs. Solid State Ionics, 2018, 320, 199-209.  | 2.7          | 45        |
| 7  | Novel perovskite–spinel composite approach to enhance the magnetization of LaFeO <sub>3</sub> . RSC Advances, 2015, 5, 14366-14373.  | 3.6          | 40        |
| 8  | Microwave assisted hydrothermally synthesized nanostructure zinc oxide reinforced polyaniline nanocomposites. Advanced Materials Letters, 2011, 2, 362-367.  | 0.6          | 35        |
| 9  | Low temperature processing of dense samarium-doped CeO2 ceramics: sintering and intermediate temperature ionic conductivity. Ionics, 2007, 13, 429-434.  | 2.4          | 28        |
| 10 | Perovskite-spinel composite approach to modify room temperature structural, magnetic and dielectric behavior of BiFeO3. Journal of Alloys and Compounds, 2017, 695, 3689-3703.                               | 5 <b>.</b> 5 | 28        |
| 11 | Nanosized ceria-based ceramics: a comparative study. Ionics, 2006, 12, 295-301.  | 2.4          | 27        |
| 12 | Investigation of spin phonon coupling in BiFeO3 based system by Fourier transform infrared spectroscopy. Journal of Applied Physics, 2013, 114, 193901.  | 2.5          | 27        |
| 13 | The effect of processing route on sinterability and electrical properties of nano-sized dysprosium-doped ceria. Journal of Power Sources, 2012, 198, 105-111.  | 7.8          | 25        |
| 14 | Exploration of Atomic Scale Changes during Oxygen Vacancy Dissociation Mechanism in Nanostructure Co-Doped Ceria: As Electrolytes for IT-SOFC. Journal of the Electrochemical Society, 2019, 166, F544-F554. | 2.9          | 24        |
| 15 | Investigation of photocatalytic and dielectric behavior of LaFeO3 nanoparticles prepared by microwave-assisted sol–gel combustion route. Journal of Sol-Gel Science and Technology, 2015, 76, 27-35.         | 2.4          | 23        |
| 16 | Qualitative Analysis of Tolerance Factor, Electronegativity and Chemical Bonding of Some Ferroelectric Perovskites Through MOT. Ferroelectrics, 2005, 315, 91-110.   | 0.6          | 22        |
| 17 | Review on local structural properties of ceria-based electrolytes for IT-SOFC. Ionics, 2017, 23, 1049-1057.  | 2.4          | 19        |
| 18 | Investigation On Magnetic Behaviour Of BiFeO3: SPIN Glass View PointÂ. Advanced Materials Letters, 2014, 5, 157-160.   | 0.6          | 19        |

| #  | Article   | IF           | CITATIONS |
|----|---|--------------|-----------|
| 19 | Effect of isovalent dopants on photodegradation ability of ZnS nanoparticles. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016, 163, 49-57.  | 3.9          | 16        |
| 20 | Investigation of in-situ oxygen vacancies dissociation mechanism and associated atomic scale reshuffling during oxy-ion migration in nanostructured co-doped ceria. Solid State Ionics, 2020, 345, 115157.                              | 2.7          | 15        |
| 21 | Synthesis and magnetic properties of TbMnO <sub>3</sub> nanorods. Journal of Experimental Nanoscience, 2013, 8, 288-294.  | 2.4          | 14        |
| 22 | Microwave-assisted chemical reduction routes for direct synthesis of Fe–Pt nanoparticles in ordered face centered tetragonal L10 phase. Applied Nanoscience (Switzerland), 2011, 1, 97-101.   | 3.1          | 12        |
| 23 | Ce-doping effect on modulation of spin-exchange interaction and dielectric behaviour of nanostructured LaFeO3 orthoferrites. Materials Chemistry and Physics, 2020, 242, 122457.  | 4.0          | 12        |
| 24 | Role of mode of heating on the synthesis of nanocrystalline zinc ferrite. Applied Nanoscience (Switzerland), 2015, 5, 711-717.  | 3.1          | 11        |
| 25 | Exploration of magnetically stable BiFeO3CoFe2O4 composites with significant dielectric ordering at room temperature. Journal of Alloys and Compounds, 2018, 755, 168-176.  | 5 <b>.</b> 5 | 11        |
| 26 | Influences of Liquidâ€Phase Sintering on Structure, Grain Growth, and Dielectric Behavior of PbZr <sub>0.52</sub> Ti <sub>0.48</sub> O <sub>3</sub> Ceramics. International Journal of Applied Ceramic Technology, 2016, 13, 753-762.   | 2.1          | 10        |
| 27 | Correlation of dynamical disorder and oxy-ion diffusion mechanism in a Dy, W co-doped<br>La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> system: an electrolyte for IT-SOFCs. Dalton<br>Transactions, 2020, 49, 13406-13419.             | 3 <b>.</b> 3 | 10        |
| 28 | Microwave-Assisted Chemical Reduction Routes for Direct Synthesis of (fct) L1 <sub>O</sub> Phase of Fe-Pt. Journal of Microwave Power and Electromagnetic Energy, 2011, 45, 63-69.  | 0.8          | 6         |
| 29 | A multiferroic behavior of TbMnO3 nanorods prepared by microwave-assisted chemical route. Applied Nanoscience (Switzerland), 2012, 2, 31-34.  | 3.1          | 6         |
| 30 | Low temperature synthesis of complex solid solution (1-x)Bi <sub>0.5</sub> Na <sub>0.5</sub> TiO <sub>3</sub> –xBaTiO <sub>3</sub> 3 system: BT induced structural and dielectric anomalies in NBT. Ferroelectrics, 2018, 537, 112-132. | 0.6          | 6         |
| 31 | Fabrication of 1D Microtubes of ZnS by Microwave Irradiation Method. Integrated Ferroelectrics, 2010, 116, 16-22.   | 0.7          | 5         |
| 32 | Synthesis and Characterization of Nanosized Dy-Doped of Ceria Developed by Microwave Assisted Combustion Route. Integrated Ferroelectrics, 2010, 121, 13-23.  | 0.7          | 4         |
| 33 | Lead free single – double perovskite composite towards room temperature multiferroicity. Materials<br>Chemistry and Physics, 2022, 275, 125326.   | 4.0          | 4         |
| 34 | Oxygen vacancies disordering and oxy-ion diffusion mechanism in doped ceria electrolytes under IT-SOFC operating conditions. Journal of Solid State Electrochemistry, 2022, 26, 133.  | 2.5          | 4         |
| 35 | Influence of liquid phase lead borate glass on dielectric response of lead iron niobate. Journal of Alloys and Compounds, 2014, 587, 26-31.   | 5 <b>.</b> 5 | 3         |
| 36 | Percolation Effect of PZT-BNT Composite System on Sinterability and Dielectrics Behaviour in View of Development of LTCC. Ferroelectrics, 2015, 481, 155-165.   | 0.6          | 3         |

3

| #  | Article   | IF                               | CITATIONS        |
|----|---|----------------------------------|------------------|
| 37 | Complex Perovskite system Dy <sub>0.5â€</sub> <scp><sub>x</sub>B</scp> a <sub>x</sub> Sr <sub>0.5</sub> Co <sub>0.80</sub> Fe <sub>0 As cathode for <scp>IT</scp>â€6OFCs. International Journal of Applied Ceramic Technology, 2019, 16, 273-286.</sub> | 0.20 <td>&gt;g<sub>3â</sub></td> | >g <sub>3â</sub> |
| 38 | Spectroscopic tools to probe multiple dopant induced elastic strain effect in doped ceria matrix: As electrolyte for ITSOFCs. Journal of Molecular Structure, 2021, 1235, 130258.   | 3.6                              | 3                |
| 39 | Novel ceramic-polyamide nanocomposites approach to make flexible film of PZT ceramics: Structural and dielectric study. Ferroelectrics, 2016, 502, 187-196.   | 0.6                              | 2                |
| 40 | Study on structural refinement and electrochemical behaviour of Ba0.5Sr0.5Co0.8Fe0.2O3â $^{\circ}$ Î $^{\circ}$ as cathode materials for intermediate temperature solid oxide fuel cells (IT-SOFC). , 2018, , .   |                                  | 2                |
| 41 | Efficient acetone sensor based on Ni-doped ZnO nanostructures prepared by spray pyrolysis technique. AIP Conference Proceedings, 2018, , .  | 0.4                              | 2                |
| 42 | Efficient photocatalytic degradation of malachite green dye under visible irradiation by water soluble ZnS:Mn/ZnS core/shell nanoparticles. AIP Conference Proceedings, 2018, , .   | 0.4                              | 2                |
| 43 | Effect of sintering temperature on structural and electrical properties of co-doped ceria based electrolyte material for IT-SOFCs. AIP Conference Proceedings, 2020, , .  | 0.4                              | 2                |
| 44 | Dopant Induced-Modulation in Reducing Ability of Cerium in Doped Ceria System and Its Effect on Oxy-Ion Conductivity: Core Study by XPS and XANES Probes. ECS Journal of Solid State Science and Technology, 2021, 10, 101010.                          | 1.8                              | 1                |
| 45 | Modulation of electric and magnetic ordering in GdFeO <sub>3</sub> orthoferrites system by Ce-doping. Ferroelectrics, 2022, 587, 158-173.   | 0.6                              | 1                |
| 46 | Effect of Pr doping on structural, electrical and dielectric properties of ceria based system as electrolyte for electrochemical device. Ferroelectrics, 2022, 588, 145-156.  | 0.6                              | 1                |
| 47 | Nd-Nb co-dopant effect on suppression of phase transition, ionic conductivity and dielectrics relaxation phenomenon of La <sub>2</sub> Mo <sub>2</sub> O <sub>9</sub> system. Ferroelectrics, 2022, 589, 243-251.                                       | 0.6                              | 1                |
| 48 | Preparation of ZnS/ZnO core - Shell nanocomposite and its photocatalytic behaviour for dye degradation. AIP Conference Proceedings, 2018, , .   | 0.4                              | 0                |
| 49 | Study on Dy0.45Ba0.05Sr0.5Co0.8Fe0.2O3-δ–Ce0.85Gd0.15O1.95 composite cathode material for intermediate temperature solid oxide fuel cell. AIP Conference Proceedings, 2018, , .   | 0.4                              | 0                |
| 50 | Crystal engineering of ZnS by cationic and anionic surfactant-cum-solvent. Materials Research Express, 2019, 6, 1250i6.   | 1.6                              | 0                |
| 51 | Polyvinyl alcohol/polybenzimidazole/BaZrO <sub>3</sub> â€"based hybrid nanocomposite: as a new proton conducting membrane for proton exchange membrane fuel cells. Ferroelectrics, 2022, 587, 118-126.  | 0.6                              | O                |
| 52 | Preparation and characterization of Sr-doped LaFeO <sub>3</sub> . Ferroelectrics, 2022, 587, 139-149.   | 0.6                              | 0                |
| 53 | Modulation of dielectric and magnetic ordering of DyFeO <sub>3</sub> system with Fe-site doping. Ferroelectrics, 2022, 588, 31-44.  | 0.6                              | 0                |
| 54 | Synthesis of pure phase SmFeO <sub>3</sub> orthoferrites via self-propagating sol-gel combustion synthesis and study of Ce doping effect on their ferroelectric properties. Ferroelectrics, 2022, 588, 157-163.   | 0.6                              | 0                |