Ellen Ritchie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1509449/publications.pdf

Version: 2024-02-01

840776 642732 26 902 11 23 citations h-index g-index papers 28 28 28 1371 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	Selective inhibition of FLT3 by gilteritinib in relapsed or refractory acute myeloid leukaemia: a multicentre, first-in-human, open-label, phase 1–2 study. Lancet Oncology, The, 2017, 18, 1061-1075.	10.7	402
2	Pegylated interferon alfa-2a for polycythemia vera or essential thrombocythemia resistant or intolerant to hydroxyurea. Blood, 2019, 134, 1498-1509.	1.4	123
3	Venetoclax Plus Gilteritinib for <i>FLT3</i> -Mutated Relapsed/Refractory Acute Myeloid Leukemia. Journal of Clinical Oncology, 2022, 40, 4048-4059.	1.6	73
4	The prognostic importance of polypharmacy in older adults treated for acute myelogenous leukemia (AML). Leukemia Research, 2014, 38, 1184-1190.	0.8	68
5	Geriatric assessment among older adults receiving intensive therapy for acute myeloid leukemia: Report of CALGB 361006 (Alliance). Journal of Geriatric Oncology, 2020, 11, 107-113.	1.0	38
6	Long-term follow-up of blinatumomab in patients with relapsed/refractory Philadelphia chromosome–positive B-cell precursor acute lymphoblastic leukaemia: Final analysis of ALCANTARA study. European Journal of Cancer, 2021, 146, 107-114.	2.8	36
7	Phase 1/2 trial of glasdegib in patients with primary or secondary myelofibrosis previously treated with ruxolitinib. Leukemia Research, 2019, 79, 38-44.	0.8	25
8	Allogeneic Transplantation for Patients With Advanced Myelofibrosis: Splenomegaly and High Serum LDH are Adverse Risk Factors for Successful Engraftment. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 297-303.	0.4	19
9	Ruxolitinib can cause weight gain by blocking leptin signaling in the brain via JAK2/STAT3. Blood, 2020, 135, 1062-1066.	1.4	19
10	Hematology and oncology clinical care during the coronavirus disease 2019 pandemic. Ca-A Cancer Journal for Clinicians, 2020, 70, 349-354.	329.8	18
11	Acute myeloid leukemia in a patient with thrombocytopenia with absent radii: A case report and review of the literature. Hematology/ Oncology and Stem Cell Therapy, 2018, 11, 245-247.	0.9	13
12	CD25 expression and outcomes in older patients with acute myelogenous leukemia treated with plerixafor and decitabine. Leukemia and Lymphoma, 2018, 59, 821-828.	1.3	11
13	Results From the Dose Escalation Phase of a Randomized Phase 1–2 First-in-Human (FIH) Study of SGI-110, a Novel Low Volume Stable Subcutaneous (SQ) Second Generation Hypomethylating Agent (HMA) in Patients with Relapsed/Refractory MDS and AML. Blood, 2012, 120, 414-414.	1.4	11
14	Phase 2B Randomized Study of CPX-351 Vs. Cytarabine (CYT) + Daunorubicin (DNR) (7+3 Regimen) In Newly Diagnosed AML Patients Aged 60–75. Blood, 2010, 116, 655-655.	1.4	10
15	Geriatric assessment for older adults receiving less-intensive therapy for acute myeloid leukemia: report of CALGB 361101. Blood Advances, 2022, 6, 3812-3820.	5.2	9
16	Acute Myeloid Leukemia Presenting as Myeloid Sarcoma with a Predisposition to the Gynecologic Tract. Case Reports in Oncological Medicine, 2019, 2019, 1-5.	0.3	6
17	Phase II Study of Forodesine, a PNP Inhibitor, in Patients with Relapsed or Refractory B-Lineage Acute Lymphoblastic Leukemia Blood, 2006, 108, 1881-1881.	1.4	6
18	Interferon in Polycythemia Vera (PV) Yields Improved Myelofibrosis-Free and Overall Survival. Blood, 2020, 136, 31-32.	1.4	4

#	Article	IF	Citations
19	Phase I Study of a Liposomal Carrier (CPX-351) Containing a Synergistic, Fixed Molar Ratio of Cytarabine (Ara-C) and Daunorubicin (DNR) in Advanced Leukemias. Blood, 2008, 112, 2984-2984.	1.4	4
20	Hematopoietic fitness of <i>JAK2V617F</i> myeloproliferative neoplasms is linked to clinical outcome. Blood Advances, 2022, 6, 5477-5481.	5.2	4
21	A Novel Sequential Treatment Utilizing CPX-351 as Salvage Chemotherapy Followed by a Reduced Intensity Conditioning Allogeneic Stem-Cell Transplantation for Patients with Refractory leukemia Blood, 2010, 116, 1334-1334.	1.4	1
22	DNA Demethylation Activity Over Time and Safety Of 3 Different Dose-Escalation Regimens Of SGI-110, a Novel Subcutaneous (SQ) Hypomethylating Agent (HMA), In The Treatment Of Relapsed/Refractory Patients With MDS and AML. Blood, 2013, 122, 1548-1548.	1.4	1
23	Hematopoietic Stem and Progenitor Cell Fitness As a Novel Prognostic and Monitoring Biomarker for <i>JAK2 V617F</i> Myeloproliferative Neoplasms (MPNs). Blood, 2021, 138, 627-627.	1.4	1
24	A Novel Sequential Treatment Utilizing CPX-351 As Salvage Chemotherapy Followed by a Reduced Intensity Conditioning Allogeneic Stem-Cell Transplantation for Patients with Refractory Leukemia. Blood, 2011, 118, 3030-3030.	1.4	0
25	A Polish Acute Leukemia Group Prospective Multicenter Clinical Trial to Compare the Efficacy of Two Standard Induction Therapies (DA-90 vs DAC) and Two Standard Salvage Regimens (FLAG-IDA vs CLAG-M) in Acute Myeloid Leukemia (AML) Patients â‰\$0 Years Old (PALG-AML1/2016). Blood, 2020, 136, 3-4.	1.4	0
26	Pain and Opioid Use in Patients with <i>FLT3</i> Mutation-Positive Relapsed/Refractory AML: A Subanalysis of Patient-Reported Outcomes from the Admiral Trial. Blood, 2020, 136, 25-26.	1.4	0