
Fan Zhou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/151026/publications.pdf Version: 2024-02-01



ΕλΝ ΖΗΟΠ

#	Article	IF	CITATIONS
1	Overexpressed targeting protein for Xklp2 (TPX2) serves as a promising prognostic marker and therapeutic target for gastric cancer. Cancer Biology and Therapy, 2016, 17, 824-832.	3.4	47
2	Overexpression of non-SMC condensin I complex subunit G serves as a promising prognostic marker and therapeutic target for hepatocellular carcinoma. International Journal of Molecular Medicine, 2017, 40, 731-738.	4.0	42
3	Long noncoding RNA LINC00324 exerts protumorigenic effects on liver cancer stem cells by upregulating fas ligand via PU box binding protein. FASEB Journal, 2020, 34, 5800-5817.	0.5	29
4	Long noncoding LINC01551 promotes hepatocellular carcinoma cell proliferation, migration, and invasion by acting as a competing endogenous RNA of microRNAâ€122â€5p to regulate ADAM10 expression. Journal of Cellular Biochemistry, 2019, 120, 16393-16407.	2.6	25
5	microRNA-485-5p inhibits the progression of hepatocellular carcinoma through blocking the WBP2/Wnt signaling pathway. Cellular Signalling, 2020, 66, 109466.	3.6	25
6	Expression of KLF9 in pancreatic cancer and its effects on the invasion, migration, apoptosis, cell cycle distribution, and proliferation of pancreatic cancer cell lines. Oncology Reports, 2018, 40, 3852-3860.	2.6	23
7	Long noncoding RNA LINC00488 functions as a ceRNA to regulate hepatocellular carcinoma cell growth and angiogenesis through miR-330-5. Digestive and Liver Disease, 2019, 51, 1050-1059.	0.9	23
8	Long noncoding RNA LEF1â€AS1 acts as a microRNAâ€10aâ€5p regulator to enhance MSI1 expression and promote chemoresistance in hepatocellular carcinoma cells through activating AKT signaling pathway. Journal of Cellular Biochemistry, 2021, 122, 86-99.	2.6	20
9	Metronomic chemotherapy in combination with antiangiogenic treatment induces mosaic vascular reduction and tumor growth inhibition in hepatocellular carcinoma xenografts. Journal of Cancer Research and Clinical Oncology, 2012, 138, 1879-1890.	2.5	16
10	LncRNA LEF1-AS1 silencing diminishes EZH2 expression to delay hepatocellular carcinoma development by impairing CEBPB-interaction with CDCA7. Cell Cycle, 2020, 19, 870-883.	2.6	16
11	Decreased Expression of Programmed Death Ligand-L1 by Seven in Absentia Homolog 2 in Cholangiocarcinoma Enhances T-Cell–Mediated Antitumor Activity. Frontiers in Immunology, 2022, 13, 845193.	4.8	16
12	Upregulated microRNAâ€194 impairs stemness of cholangiocarcinoma cells through the Rho pathway via inhibition of ECT2. Journal of Cellular Biochemistry, 2020, 121, 4239-4250.	2.6	15
13	Laparoscopic hepatectomy is associated with a higher incident frequency in hepatolithiasis patients. Surgery Today, 2013, 43, 1371-1381.	1.5	14
14	<p>Circular RNA MYLK Promotes Hepatocellular Carcinoma Progression Through the miR29a/KMT5C Signaling Pathway</p> . OncoTargets and Therapy, 2020, Volume 13, 8615-8627.	2.0	12
15	Silencing of long non-coding RNA FOXD2-AS1 inhibits the progression of gallbladder cancer by mediating methylation of MLH1. Gene Therapy, 2021, 28, 306-318.	4.5	11
16	Inhibitory effect of humanized anti-VEGFR-2 ScFv-As2O3-stealth nanoparticles conjugate on growth of human hepatocellular carcinoma: in vitro and in vivo studies. Asian Pacific Journal of Tropical Medicine, 2014, 7, 337-343.	0.8	10
17	Bleeding risk in cancer patients treated with sorafenib: A meta-analysis of randomized controlled trials. Journal of Cancer Research and Therapeutics, 2018, 14, 948.	0.9	7
18	Risk of Serious Neutropenic Events in Cancer Patients Treated with Bevacizumab: A Meta-analysis. Asian Pacific Journal of Cancer Prevention, 2013, 14, 2453-2459.	1.2	6

	FAN 2	ZHOU	
#	Article	IF	CITATIONS
19	The imbalance of biliary microflora in hepatolithiasis. Microbial Pathogenesis, 2021, 157, 104966.	2.9	5