Matti Korppi

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1510730/matti-korppi-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36 4,547 230 59 h-index g-index citations papers 5,166 256 3.2 5.55 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
230	Interleukin 1 receptor-like 1 rs13408661/13431828 polymorphism is associated with persistent post-bronchiolitis asthma at school age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 ,	3.1	1
229	Toll-like receptor 10 rs10004195 variation may be protective against Bacillus Calmette-Gulin´osteitis after newborn vaccination. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1585-1590	3.1	
228	Toll-interacting protein polymorphisms in viral bronchiolitis outcomes. <i>Pediatrics International</i> , 2021 , 63, 1103-1107	1.2	O
227	Antibiotic therapy in children with community-acquired pneumonia. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 3246-3250	3.1	O
226	IL17F rs763780 single nucleotide polymorphism is associated with asthma after bronchiolitis in infancy. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 222-227	3.1	2
225	Genetic variations in Toll-like receptors 4 or 7 were not linked to post-bronchiolitis lung function in adolescence. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 959-960	3.1	
224	Interleukin 17F polymorphisms showed no association with lung function at school age after infant bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 219-221	3.1	
223	IL17RA variations showed no associations with post-bronchiolitis asthma or lung function. <i>Pediatrics International</i> , 2021 , 63, 196-201	1.2	
222	Interleukin-1 receptor-associated kinase-4 gene variation may increase post-bronchiolitis asthma risk. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 952-958	3.1	1
221	Interleukin 17F gene variations showed no association with BCG osteitis risk after newborn vaccination. <i>Acta Paediatrica, International Journal of Paediatrics,</i> 2021 , 110, 618-623	3.1	
220	National Current Care Guidelines for paediatric lower respiratory tract infections reduced the use of chest radiographs but local variations were observed. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1594-1600	3.1	1
219	Variations of interleukin-1 receptor-associated kinase-4 encoding gene were not associated with post-bronchiolitis lung function. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1591-	1593	
218	The sixty-year story of Finnish Bacillus Calmette-Gufin (BCG) osteitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 1119-1124	3.1	
217	Bacille Calmette-Guffin Osteitis After Newborn Vaccination. <i>Pediatric Infectious Disease Journal</i> , 2021 , 40, e170	3.4	
216	IL33 rs1342326 polymorphism, though associated with severe post-bronchiolitis asthma, showed no association with lung function. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 2218	3-2220	
215	Current Care Guidelines had no immediate effects on antitussive prescriptions to Finnish children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 2445-2447	3.1	1
214	Risk factors for irreversible airway obstruction after infant bronchiolitis. <i>Respiratory Medicine</i> , 2021 , 187, 106545	4.6	О

213	Cough and cold medicine prescription rates can be significantly reduced by active intervention <i>European Journal of Pediatrics</i> , 2021 , 181, 1531	4.1	0
212	Interleukin-17 Receptor A gene polymorphism does not increase the risk of Bacillus Calmette-Gufin osteitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1889-1890	3.1	1
211	Reply: Genetic findings depend on the context of the study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 2118	3.1	
210	IL33 rs1342326 gene variation is associated with allergic rhinitis at school age after infant bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 2112-2116	3.1	5
209	Prospective real-life studies are needed on bronchiolitis treatment protocols. <i>Pediatric Pulmonology</i> , 2020 , 55, 853-854	3.5	
208	Toll-like receptor 4 polymorphisms were associated with low serum pro-inflammatory cytokines in BCG osteitis survivors. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1417-1422	3.1	6
207	Toll-like receptor 10 rs4129009 gene polymorphism is associated with post-bronchiolitis lung function in adolescence. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 1634-1641	3.1	3
206	Comments to Stensen et al.: The link from bronchiolitis to chronic obstructive lung disease - Evidence is gathering. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 718-719	4.2	
205	Rhinovirus Type in Severe Bronchiolitis and the Development of Asthma. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 588-595.e4	5.4	23
204	Nursing intensity scores did not correlate well with reimbursement claims for infant bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 140-146	3.1	
203	Interleukin-10 polymorphisms were not associated with lung function at age 11-13 years after infant bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020 , 109, 198-199	3.1	
202	Preliminary communication suggests overweight was associated with reduced lung function in adolescence after infant bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1729-1730	3.1	2
201	Weaning off high-flow oxygenation in bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 2063	3.1	1
200	Interleukin-10 gene polymorphism rs1800896 is associated with post-bronchiolitis asthma at 11-13 years of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 2064-2069	3.1	5
199	Oxygen administration in bronchiolitis: As humidified, or as heated and humidified?. <i>Pediatric Pulmonology</i> , 2019 , 54, 1343-1344	3.5	
198	Toll-like receptor 1 and 10 variations increase asthma risk and review highlights further research directions. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1406-1410	3.1	5
197	Prospective study confirms that bronchiolitis in early infancy increases the risk of reduced lung function at 10-13 years of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 124-130	3.1	15
196	High-flow oxygen therapy: Conclusion after adventures in the jungle of abbreviations. <i>Journal of Paediatrics and Child Health</i> , 2019 , 55, 1399-1400	1.3	

195	Interferon-land interleukin-12 production in relation to gene polymorphisms in bacillus Calmette-Gufin osteitis. <i>Pediatrics International</i> , 2019 , 61, 982-987	1.2	1
194	Review shows paediatric protracted bacterial bronchitis needs an accurate diagnosis and strictly targeted extended antibiotics. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 823-827	3.1	3
193	Review shows substantial variations in the use of medication for infant bronchiolitis between and within countries. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019 , 108, 1016-1022	3.1	7
192	Therapeutic strategies for pediatric bronchiolitis. Expert Review of Respiratory Medicine, 2019, 13, 95-10)3 3.8	2
191	The cost-effectiveness of hypertonic saline inhalations for infant bronchiolitis: a decision analysis. <i>World Journal of Pediatrics</i> , 2018 , 14, 26-34	4.6	3
190	Impulse oscillometry at preschool age is a strong predictor of lung function by flow-volume spirometry in adolescence. <i>Pediatric Pulmonology</i> , 2018 , 53, 552-558	3.5	8
189	Monitoring of respiratory rate poorly predicts outcome of high-flow oxygen therapy. <i>Pediatric Pulmonology</i> , 2018 , 53, 855-856	3.5	
188	IL17A gene polymorphisms rs4711998 and rs8193036 are not associated with postbronchiolitis asthma in Finnish children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1290-1291	3.1	2
187	Auscultation of respiratory sounds: how to practise, how to teach?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1120-1121	3.1	1
186	Hypertonic saline inhalations in bronchiolitis-A cumulative meta-analysis. <i>Pediatric Pulmonology</i> , 2018 , 53, 233-242	3.5	11
185	Cryopyrin-associated periodic syndrome in early childhood can be successfully treated with interleukin-1 blockades. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 577-580	3.1	5
184	Asthma and atopic dermatitis after early-, late-, and post-term birth. <i>Pediatric Pulmonology</i> , 2018 , 53, 269-277	3.5	8
183	Hypertonic saline in viral wheezing. <i>Pediatric Pulmonology</i> , 2018 , 53, 533-534	3.5	
182	Hypertonic saline: Not useful in infant bronchiolitis?. <i>Pediatric Pulmonology</i> , 2018 , 53, 692-693	3.5	
181	Trends in paediatric asthma hospitalisations - differences between neighbouring countries. <i>Thorax</i> , 2018 , 73, 185-187	7.3	7
180	IL-17A gene polymorphism rs2275913 is associated with the development of asthma after bronchiolitis in infancy. <i>Allergology International</i> , 2018 , 67, 109-113	4.4	17
179	Toll-like receptor 1 and 10 gene polymorphisms are linked to postbronchiolitis asthma in adolescence. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 134-139	3.1	9
178	Elevated serum adipsin may predict unsuccessful treatment for cowsRmilk allergy but other biomarkers do not. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 328-332	3.1	2

177	Toll-like receptor 1, 2 and 6 polymorphisms: no association with 11 serum cytokine concentrations. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 2217-2218	3.1	1
176	NKG2D gene variation and susceptibility to viral bronchiolitis in childhood. <i>Pediatric Research</i> , 2018 , 84, 451-457	3.2	3
175	National allergy programme had little impact on parent-reported food allergies in children aged 6-7 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 121-125	3.1	2
174	Hospital admissions for lower respiratory tract infections in children born moderately/late preterm. <i>Pediatric Pulmonology</i> , 2018 , 53, 209-217	3.5	21
173	Discharge Criteria for Bronchiolitis: Does Age Matter?. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, e35	59.4	
172	rs5744174 gene polymorphism is associated with the virus etiology of infant bronchiolitis but not with post-bronchiolitis asthma. <i>Health Science Reports</i> , 2018 , 1, e38	2.2	3
171	Using high-flow nasal cannulas for infants with bronchiolitis admitted to paediatric wards is safe and feasible. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1971-1976	3.1	12
170	Polymorphisms in the promoter region of IL10 gene are associated with virus etiology of infant bronchiolitis. <i>World Journal of Pediatrics</i> , 2018 , 14, 594-600	4.6	2
169	National treatment guidelines decreased the use of racemic adrenaline for bronchiolitis in four Finnish university hospitals. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018 , 107, 1966-1970	3.1	6
168	The change in management of bronchiolitis in the intensive care unit between 2000 and 2015. <i>European Journal of Pediatrics</i> , 2018 , 177, 1131-1137	4.1	15
167	IL-10 gene polymorphism is associated with preschool atopy and early-life recurrent wheezing after bronchiolitis in infancy. <i>Pediatric Pulmonology</i> , 2017 , 52, 14-20	3.5	14
166	Genome-Wide Association Study of Polymorphisms Predisposing to Bronchiolitis. <i>Scientific Reports</i> , 2017 , 7, 41653	4.9	19
165	Rapid detection of functional gene polymorphisms of TLRs and IL-17 using high resolution melting analysis. <i>Scientific Reports</i> , 2017 , 7, 41522	4.9	10
164	Healthcare costs doubled when children had urinary tract infections caused by extended-spectrum Elactamase-producing bacteria. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 327-333	3.1	11
163	Marked variability observed in inpatient management of bronchiolitis in three Finnish hospitals. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 1512-1518	3.1	13
162	The role of rhinoviruses is overestimated in the aetiology of community-acquired pneumonia in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 363-365	3.1	2
161	Interleukin 17A gene polymorphism rs2275913 is associated with osteitis after the Bacillus Calmette-Gufin vaccination. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 1837-1841	3.1	9
160	Haplotype of the Interleukin 17A gene is associated with osteitis after Bacillus Calmette-Guerin vaccination. <i>Scientific Reports</i> , 2017 , 7, 11691	4.9	10

159	Polymorphism in the gene encoding toll-like receptor 10 may be associated with asthma after bronchiolitis. <i>Scientific Reports</i> , 2017 , 7, 2956	4.9	15
158	Low age, low birthweight and congenital heart disease are risk factors for intensive care in infants with bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 2004-2010	3.1	11
157	CDHR3 gene variation and childhood bronchiolitis. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 1469-1471.e7	11.5	7
156	Association of MBL2, TLR1, TLR2 and TLR6 Polymorphisms With Production of IFN-land IL-12 in BCG Osteitis Survivors R1. <i>Pediatric Infectious Disease Journal</i> , 2017 , 36, 135-139	3.4	10
155	National high-flow nasal cannula and bronchiolitis survey highlights need for further research and evidence-based guidelines. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 1998-2003	3.1	14
154	Asthma after bronchiolitis: The outcome and risk factors depend on the age definition of bronchiolitis. <i>Pediatric Pulmonology</i> , 2016 , 51, 1274-1275	3.5	2
153	Post-bronchiolitis wheezing is associated with toll-like receptor 9 rs187084 gene polymorphism. <i>Scientific Reports</i> , 2016 , 6, 31165	4.9	12
152	High-flow oxygen therapy: Don R forget warming, humidification and changed airway pressure. <i>Pediatrics International</i> , 2016 , 58, 1094-1095	1.2	1
151	High-flow oxygen therapy is more cost-effective for bronchiolitis than standard treatment-A decision-tree analysis. <i>Pediatric Pulmonology</i> , 2016 , 51, 1393-1402	3.5	15
150	Long-term effects of pneumococcal colonization during early childhood wheezing. <i>Pediatrics International</i> , 2016 , 58, 831-5	1.2	
149	Interferon-gamma-dependent Immunity in Bacillus Calmette-Gufin Vaccine Osteitis Survivors. <i>Pediatric Infectious Disease Journal</i> , 2016 , 35, 690-4	3.4	9
148	Tonsillitis in children: unnecessary laboratory studies and antibiotic use. <i>World Journal of Pediatrics</i> , 2016 , 12, 114-7	4.6	4
147	Gene Polymorphism of Toll-Like Receptors and Lung Function at Five to Seven Years of Age after Infant Bronchiolitis. <i>PLoS ONE</i> , 2016 , 11, e0146526	3.7	17
146	Children who were treated with oral immunotherapy for cowsRmilk allergy showed long-term desensitisation seven years later. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 215-9	3.1	26
145	Audits show that specialist paediatric training programmes are sensitive to medical, staffing and economic changes. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 701-4	3.1	
144	Nebulised hypertonic saline inhalations do not shorten hospital stays in infants with bronchiolitis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 1036-8	3.1	5
143	Orthopedic Complications in Former Bacillus Calmette-Guffin Osteitis Patients. <i>Pediatric Infectious Disease Journal</i> , 2016 , 35, 579-80	3.4	7
142	Absence of Bordetella pertussis Among Infants Hospitalized for Bronchiolitis in Finland, 2008-2010. Pediatric Infectious Disease Journal, 2016 , 35, 219-21	3.4	2

(2014-2016)

141	Following up infant bronchiolitis patients provided new evidence for and against the united airway disease hypothesis. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 1355-1360	3.1	5	
140	Pneumococcal vaccinations effectively prevent blood culture-negative infections that resemble occult pneumococcal bacteraemia or bacteraemic pneumococcal pneumonia at one to 36 months of age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 1487-1492	3.1	6	
139	Finnish guidelines for the treatment of laryngitis, wheezing bronchitis and bronchiolitis in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 44-9	3.1	27	
138	Finnish guidelines for the treatment of community-acquired pneumonia and pertussis in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2016 , 105, 39-43	3.1	9	
137	Hospitalisation costs for infant bronchiolitis are up to 20 times higher if intensive care is needed. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 269-73	3.1	19	
136	Moisture damage and asthma: a birth cohort study. <i>Pediatrics</i> , 2015 , 135, e598-606	7.4	61	
135	Treatment of hyperimmunoglobulinemia D syndrome with biologics in children: review of the literature and Finnish experience. <i>European Journal of Pediatrics</i> , 2015 , 174, 707-14	4.1	25	
134	Toll-like receptor 2 subfamily gene polymorphisms are associated with Bacillus Calmette-Gufin osteitis following newborn vaccination. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 485-90	3.1	17	
133	Lung function by impulse oscillometry at age 5-7 years after bronchiolitis at age 0-6 months. <i>Pediatric Pulmonology</i> , 2015 , 50, 389-95	3.5	24	
132	Low eosinophils during bronchiolitis in infancy are associated with lower risk of adulthood asthma. <i>Pediatric Allergy and Immunology</i> , 2015 , 26, 668-73	4.2	7	
131	Inflammatory activity at school age in very low birth weight bronchopulmonary dysplasia survivors. <i>Pediatric Pulmonology</i> , 2015 , 50, 683-90	3.5	18	
130	Obesity and bronchial obstruction in impulse oscillometry at age 5-7 years in a prospective post-bronchiolitis cohort. <i>Pediatric Pulmonology</i> , 2015 , 50, 908-14	3.5	11	
129	Half of the children who received oral immunotherapy for a cowsRmilk allergy consumed milk freely after 2.5 years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, 1164-8	3.1	5	
128	Virus-induced wheezing in infants aged 12-24′months and bronchiolitis in infants under 6′months are different clinical entities. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, e539	3.1	4	
127	Bronchiolitis: the disease of . <i>Pediatric Infectious Disease Journal</i> , 2015 , 34, 799-800	3.4	3	
126	IL-10 Gene Polymorphisms Are Associated with Post-Bronchiolitis Lung Function Abnormalities at Six Years of Age. <i>PLoS ONE</i> , 2015 , 10, e0140799	3.7	8	
125	Irreversible airway obstruction in adulthood after bronchiolitis in infancy: evidence from a 30-year follow-up study. <i>Respiratory Medicine</i> , 2014 , 108, 218-23	4.6	13	
124	Diagnosis and treatment of bronchiolitis in Finnish and Swedish childrenß hospitals. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, 946-50	3.1	20	

123	Inhaled corticosteroids: not able to prevent post-bronchiolitis asthma. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 546-7	3.4	
122	Stability of parent-reported food allergy in six and 7-year-old children: the first 5 years of the Finnish allergy programme. <i>Acta Paediatrica, International Journal of Paediatrics,</i> 2014 , 103, 1297-300	3.1	7
121	Increased asthma risk and impaired quality of life after bronchiolitis or pneumonia in infancy. <i>Pediatric Pulmonology</i> , 2014 , 49, 318-25	3.5	32
120	Polymerase chain reaction in respiratory samples alone is not a reliable marker of bocavirus infection. <i>Pediatric Pulmonology</i> , 2014 , 49, 515-6	3.5	2
119	Inhaled corticosteroid use during childhood may reduce volumetric bone mineral density in the radius at school age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, 637-642	3.1	
118	Polymorphism of the rs1800896 IL10 promoter gene protects children from post-bronchiolitis asthma. <i>Pediatric Pulmonology</i> , 2014 , 49, 800-6	3.5	14
117	Rhinovirus bronchiolitis: to be or not to be?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, 997-9	3.1	4
116	Hospital length-of-stay is associated with rhinovirus etiology of bronchiolitis. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 829-34	3.4	45
115	The association of genetic variants in toll-like receptor 2 subfamily with allergy and asthma after hospitalization for bronchiolitis in infancy. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 463-6	3.4	23
114	Rapid C-reactive protein and white cell tests decrease cost and shorten emergency visits. <i>Pediatrics International</i> , 2014 , 56, 698-701	1.2	4
113	Intravenous penicillinstill the first-line therapy for pediatric community-acquired pneumonia. <i>Pediatric Pulmonology</i> , 2013 , 48, 408-9	3.5	
112	Responses to Bronchodilators at . <i>Pediatric Pulmonology</i> , 2013 , 48, 411-2	3.5	
111	Milk oral immunotherapy-effective but still experimental. European Journal of Pediatrics, 2013, 172, 281	1 4.1	1
110	Whooping cough Btill a challenge. <i>Jornal De Pediatria (Versi</i> o Em Portuguß), 2013 , 89, 520-522	0.2	
109	Toll-like receptor 2 subfamily genotypes are not associated with severity of bronchiolitis or postbronchiolitis wheezing in infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 1160-4	3.1	9
108	Milk oral immunotherapy is effective in school-aged children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 172-6	3.1	59
107	Post-bronchiolitis asthma risk-hospitalized infants need more precise risk definition. <i>Pediatric Pulmonology</i> , 2013 , 48, 934-5	3.5	1
106	IL10 polymorphisms, rhinovirus-induced bronchiolitis, and childhood asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 249-50	11.5	6

(2010-2013)

Adolescent asthma after rhinovirus and respiratory syncytial virus bronchiolitis. <i>Pediatric Pulmonology</i> , 2013 , 48, 633-9	3.5	33	
Pneumococcemia in childrena retrospective study before universal pneumococcal vaccinations. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 514-9	3.1	6	
Variant MBL2 genotypes producing low mannose-binding lectin may increase risk of Bacillus Calmette-Guerin osteitis in vaccinated newborns. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 1095-9	3.1	3	
Universal pneumococcal vaccination of . <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, e239-40	3.1	2	
Limited impact of EU paediatric regulation on Finnish clinical trials highlights need for Nordic collaboration. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 1035-40	3.1	5	
Diagnosis and treatment of community-acquired pneumonia in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, 702-4	3.1	12	
Outcome after early respiratory infection: prospective, population-based designs needed. <i>Pediatrics International</i> , 2012 , 54, 172-3	1.2	1	
Impact of childhood obesity treatment on body composition and metabolic profile. <i>World Journal of Pediatrics</i> , 2012 , 8, 31-7	4.6	15	
Bilateral absence of the superior vena cava. Case Reports in Cardiology, 2012, 2012, 461040	0.6	8	
Toll-like receptor 3 L412F polymorphisms in infants with bronchiolitis and postbronchiolitis wheezing. <i>Pediatric Infectious Disease Journal</i> , 2012 , 31, 920-3	3.4	24	
Community-acquired pneumonia in children 2011 , 44-55		1	
Rhinovirus-induced bronchiolitis and asthma development. <i>Pediatric Allergy and Immunology</i> , 2011 , 22, 350-5	4.2	83	
Non-specific diagnosis of bacterial pneumonia in children. <i>European Journal of Pediatrics</i> , 2011 , 170, 131; author reply 133	4.1		
How to diagnose Mycoplasma pneumoniae etiology in a child with pneumonia?. <i>European Journal of Pediatrics</i> , 2011 , 170, 1619	4.1	3	
Early wheeze reduces lung function: or is it viral infection?. <i>Pediatric Pulmonology</i> , 2011 , 46, 199-200	3.5		
Pattern recognition receptors and genetic risk for rsv infection: value for clinical decision-making?. <i>Pediatric Pulmonology</i> , 2011 , 46, 101-10	3.5	21	
Bacterial infections and pediatric asthma. <i>Immunology and Allergy Clinics of North America</i> , 2010 , 30, 565-74, vii	3.3	13	
Bordetella pertussis Infection Is Common in Nonvaccinated Infants Admitted for Bronchiolitis. Pediatric Infectious Disease Journal, 2010 , 29, 1013-1015	3.4	51	
	Pulmonology, 2013, 48, 633-9 Pneumococcemia in children—a retrospective study before universal pneumococcal vaccinations. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 514-9 Variant MBL2 genotypes producing low mannose-binding lectin may increase risk of Bacillus Calmette-Guerin ostelits in vaccinated newborns. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1095-9 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e239-40 Limited impact of EU paediatric regulation on Finnish clinical trials highlights need for Nordic collaboration. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1035-40 Diagnosis and treatment of community-acquired pneumonia in children. Acta Paediatrica, International Journal of Paediatrics, 2012, 20	Pheumococcemia in children-a retrospective study before universal pneumococcal vaccinations. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 514-9 Variant MBL2 genotypes producing low mannose-binding lectin may increase risk of Bacillus Calmette-Guerin ostetits in vaccinated newborns. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1095-9 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e239-40 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e239-40 Limited impact of EU paediatric regulation on Finnish clinical trials highlights need for Nordic collaboration. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 702-4 Diagnosis and treatment of community-acquired pneumonia in children. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 702-4 Outcome after early respiratory infection: prospective, population-based designs needed. Pediatrics International, 2012, 54, 172-3 Impact of childhood obesity treatment on body composition and metabolic profile. World Journal of Pediatrics, 2012, 8, 31-7 Bilateral absence of the superior vena cava. Case Reports in Cardiology, 2012, 2012, 461040 o.6 Toll-like receptor 3 L412F polymorphisms in infants with bronchiolitis and postbronchiolitis wheezing. Pediatric Infectious Disease Journal, 2012, 31, 920-3 Community-acquired pneumonia in children 2011, 44-55 Rhinovirus-induced bronchiolitis and asthma development. Pediatric Allergy and Immunology, 2011, 42, 23, 350-5 Non-specific diagnosis of bacterial pneumonia in children. European Journal of Pediatrics, 2011, 170, 1619 Early wheeze reduces lung function: or is it viral infection: value for clinical decision-making?. Pediatric Pulmonology, 2011, 46, 101-10 Bacterial infections and pediatric asthma. Immunology and Allergy Clinics of North America, 2010, 30, 35 Bordetella pertussis Infection Is Common in Nonvaccinated Infants Admi	Preumococcemia in children—a retrospective study before universal pneumococcal vaccinations. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 514-9 Variant MBL2 genotypes producing low mannose-binding lectin may increase risk of Bacillus Calmette-Guerin ostelits in vaccinated newborns. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1095-9 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1095-9 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1095-9 Universal pneumococcal vaccination of . Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 1035-40 Jiagnosis and treatment of community-acquired pneumonia in children. Acta Paediatrica, International Journal of Paediatrics, 2012, 101, 702-4 Outcome after early respiratory infection: prospective, population-based designs needed. Pediatrics International, 2012, 54, 172-3 Impact of childhood obesity treatment on body composition and metabolic profile. World Journal of Pediatrics, 2012, 8, 31-7 Bilateral absence of the superior vena cava. Case Reports in Cardiology, 2012, 2012, 461040 of Pediatrics, 2012, 8, 31-7 Bilateral absence of the superior vena cava. Case Reports in Cardiology, 2012, 2012, 461040 of Pediatrics, 2012, 8, 31-7 Community-acquired pneumonia in children 2011, 44-55 1 Rhinovirus-induced bronchiolitis and asthma development. Pediatric Allergy and Immunology, 2011, 42 83 Non-specific diagnosis of bacterial pneumonia in children. European Journal of Pediatrics, 2011, 170, 1619 Early wheeze reduces lung function: or is it viral infection? Pediatric Pulmonology, 2011, 46, 199-200 3-5 Pattern recognition receptors and genetic risk for rsv infection: value for clinical decision-making. 35 12 Bordetella pretussis Infection is Common in Nonvaccinated Infants Admitted for Bronchiolitis.

87	Pneumococcal pneumoniais it underdiagnosed?. European Journal of Pediatrics, 2010, 169, 259	4.1	
86	Pneumonia in children: how to lessen complications?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 808-9	3.1	1
85	Overweight and early childhood wheezing [Is there any association?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1290-1291	3.1	1
84	Overweight and early childhood wheezing [Is there any association?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1290-1	3.1	
83	Community-acquired pneumonia in children: whatß old? Whatß new?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010 , 99, 1602-8	3.1	31
82	Prediction of delayed recovery from pediatric community-acquired pneumonia. <i>Italian Journal of Pediatrics</i> , 2010 , 36, 51	3.2	3
81	Serologically verified human bocavirus pneumonia in children. <i>Pediatric Pulmonology</i> , 2010 , 45, 120-6	3.5	82
80	Bordetella pertussis infection is common in nonvaccinated infants admitted for bronchiolitis. <i>Pediatric Infectious Disease Journal</i> , 2010 , 29, 1013-5	3.4	42
79	Hyponatremia as a marker of invasiveness of pediatric respiratory tract infections. <i>Pediatric Nephrology</i> , 2009 , 24, 1597-1598	3.2	1
78	Use of inhaled corticosteroids decreases hospital admissions for asthma in young children. <i>World Journal of Pediatrics</i> , 2009 , 5, 177-81	4.6	7
77	The disease burden caused by pediatric pneumonia. <i>Pediatric Pulmonology</i> , 2009 , 44, 833; author reply 834	3.5	
76	Macrolide resistance in Streptococcus pyogenes: a marker of an overuse of macrolides. <i>Pediatric Pulmonology</i> , 2009 , 44, 1246-7; author reply 1248-9	3.5	1
75	Differentiation of bacterial and viral community-acquired pneumonia in children. <i>Pediatrics International</i> , 2009 , 51, 91-6	1.2	70
74	Asthma and lung function at school age after bronchiolitis in infancy. <i>Pediatrics International</i> , 2009 , 51, 313	1.2	
73	Cost-effectiveness of routine and group programs for treatment of obese children. <i>Pediatrics International</i> , 2009 , 51, 606-11	1.2	14
72	Long-term outcome after bronchiolitis: no association with the invasiveness of the infection. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 124, 1121; author reply 1121-2	11.5	3
71	Management of bacterial infections in children with asthma. <i>Expert Review of Anti-Infective Therapy</i> , 2009 , 7, 869-77	5.5	10
70	Long-term outcomes of early childhood wheezing. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2009 , 9, 190-6	3.3	16

(2007-2009)

69	Gene polymorphism of IFNG +874 T/A and TLR4 +896 A/G and recurrent infections and wheezing in toddlers with history of bronchiolitis. <i>Pediatric Infectious Disease Journal</i> , 2009 , 28, 1121-3	3.4	30	
68	Wheezing due to rhinovirus infection in infancy: Bronchial hyperresponsiveness at school age. <i>Pediatrics International</i> , 2008 , 50, 506-10	1.2	33	
67	Early exposure and sensitization to cat and dog: different effects on asthma risk after wheezing in infancy. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 696-701	4.2	17	
66	The value of clinical features in differentiating between viral, pneumococcal and atypical bacterial pneumonia in children. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 943-7	3.1	74	
65	Simkania negevensis may be a true cause of community acquired pneumonia in children. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 127-30		28	
64	Simkania negevensis in community-acquired pneumonia in Italian children. <i>Scandinavian Journal of Infectious Diseases</i> , 2008 , 40, 269-72		26	
63	Disodium cromoglycate in asthmaworth to be re-appraised. <i>Allergology International</i> , 2008 , 57, 183	4.4	2	
62	Wheezy babieswheezy adults? Review on long-term outcome until adulthood after early childhood wheezing. <i>Acta Paediatrica, International Journal of Paediatrics,</i> 2008 , 97, 5-11	3.1	80	
61	Birth weight and adult lung function: a within-pair analysis of twins followed up from birth. <i>World Journal of Pediatrics</i> , 2008 , 4, 222-6	4.6	8	
60	IL-10 gene polymorphism at -1082 A/G is associated with severe rhinovirus bronchiolitis in infants. <i>Pediatric Pulmonology</i> , 2008 , 43, 391-5	3.5	75	
59	Asthma after early RSV infectionhow to control?. <i>Pediatric Infectious Disease Journal</i> , 2008 , 27, 191-2; author reply 192	3.4	1	
58	Efficacy of serum procalcitonin in evaluating severity of community-acquired pneumonia in childhood. <i>Scandinavian Journal of Infectious Diseases</i> , 2007 , 39, 129-37		52	
57	How should we study responses to treatment in children with bronchiolitis?. <i>Pediatric Pulmonology</i> , 2007 , 42, 984-5; author reply 986	3.5	5	
56	Adult asthma after non-respiratory syncytial virus bronchiolitis in infancy: subgroup analysis of the 20-year prospective follow-up study. <i>Pediatrics International</i> , 2007 , 49, 190-5	1.2	36	
55	Does early exposure or sensitization to inhalant allergens predict asthma in wheezing infants? A 20-year follow-up. <i>Allergy and Asthma Proceedings</i> , 2007 , 28, 454-61	2.6	14	
54	Pertussis is common in nonvaccinated infants hospitalized for respiratory syncytial virus infection. <i>Pediatric Infectious Disease Journal</i> , 2007 , 26, 316-8	3.4	40	
53	Antibiotic therapy for pneumonia in the pediatric population. <i>Pediatric Health</i> , 2007 , 1, 77-85		1	
52	Does blood eosinophilia in wheezing infants predict later asthma? A prospective 18-20-year follow-up. <i>Allergy and Asthma Proceedings</i> , 2007 , 28, 163-9	2.6	30	

51	Early predictors for adult asthma and lung function abnormalities in infants hospitalized for bronchiolitis: a prospective 18- to 20-year follow-up. <i>Allergy and Asthma Proceedings</i> , 2006 , 27, 341-9	2.6	37
50	Simkania negevensis and pneumonia in children. <i>Pediatric Infectious Disease Journal</i> , 2006 , 25, 470-1; author reply 471-2	3.4	11
49	Responses to inhaled bronchodilators in infancy are not linked with asthma in later childhood. <i>Pediatric Pulmonology</i> , 2006 , 41, 420-7	3.5	7
48	Simkania negevensis and newly diagnosed asthma: a case-control study in 1- to 6-year-old children. <i>Respirology</i> , 2006 , 11, 80-3	3.6	21
47	On roots of childhood asthma: the role of respiratory infections. <i>Annals of Medicine</i> , 2005 , 37, 26-32	1.5	3
46	Aetiology of community-acquired pneumonia: serological results of a paediatric survey. Scandinavian Journal of Infectious Diseases, 2005 , 37, 806-12		66
45	Respiratory syncytial virus infection in children hospitalized for wheezing: Virus-specific studies from infancy to preschool years. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 159-165	3.1	33
44	Asthma and lung function 20 years after wheezing in infancy: results from a prospective follow-up study. <i>JAMA Pediatrics</i> , 2004 , 158, 1070-6		89
43	Incidence of community-acquired pneumonia in children caused by Mycoplasma pneumoniae: serological results of a prospective, population-based study in primary health care. <i>Respirology</i> , 2004 , 9, 109-14	3.6	103
42	Chlamydia pneumoniae and newly diagnosed asthma: a case-control study in 1 to 6-year-old children. <i>Respirology</i> , 2004 , 9, 255-9	3.6	22
41	Non-specific host response markers in the differentiation between pneumococcal and viral pneumonia: what is the most accurate combination?. <i>Pediatrics International</i> , 2004 , 46, 545-50	1.2	60
40	Rhinovirus-associated wheezing in infancy: comparison with respiratory syncytial virus bronchiolitis. <i>Pediatric Infectious Disease Journal</i> , 2004 , 23, 995-9	3.4	143
39	Mycoplasma pneumoniae causes over 50% of community-acquired pneumonia in school-aged children. <i>Scandinavian Journal of Infectious Diseases</i> , 2003 , 35, 294		6
38	Serologically indicated pneumococcal pneumonia in children: a population-based study in primary care settings. <i>Apmis</i> , 2003 , 111, 945-50	3.4	17
37	Serum procalcitonin concentrations in bacterial pneumonia in children: a negative result in primary healthcare settings. <i>Pediatric Pulmonology</i> , 2003 , 35, 56-61	3.5	63
36	Rhinovirus-induced wheezing in infancythe first sign of childhood asthma?. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 66-71	11.5	335
35	Allergen-specific immunoglobulin E antibodies in wheezing infants: the risk for asthma in later childhood. <i>Pediatrics</i> , 2003 , 111, e255-61	7.4	66
34	Wheezing requiring hospitalization in early childhood: predictive factors for asthma in a six-year follow-up. <i>Pediatric Allergy and Immunology</i> , 2002 , 13, 418-25	4.2	66

33	Mixed microbial aetiology of community-acquired pneumonia in children. <i>Apmis</i> , 2002 , 110, 515-22	3.4	47
32	Determinants of bronchial responsiveness to methacholine at school age in twin pairs. <i>Pediatric Pulmonology</i> , 2002 , 33, 167-73	3.5	9
31	A major role of viruses in convulsive status epilepticus in children: a prospective study of 22 children. <i>European Journal of Pediatrics</i> , 2001 , 160, 37-42	4.1	14
30	Skin-prick test findings in students from moisture- and mould-damaged schools: a 3-year follow-up study. <i>Pediatric Allergy and Immunology</i> , 2001 , 12, 87-94	4.2	27
29	Reasons for and costs of hospitalization for pediatric asthma: a prospective 1-year follow-up in a population-based setting. <i>Pediatric Allergy and Immunology</i> , 2001 , 12, 331-8	4.2	15
28	Chronic lung disease of the newborn is not associated with Ureaplasma urealyticum. <i>Pediatric Pulmonology</i> , 2001 , 32, 303-7	3.5	33
27	Serum dehydroepiandrosterone sulfate concentration as an indicator of adrenocortical suppression in asthmatic children treated with inhaled steroids. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 4908-12	5.6	17
26	Evaluation of the interrupter technique in measuring post-exercise bronchodilator responses in children. <i>Clinical Physiology</i> , 2000 , 20, 62-8		6
25	Adrenal suppression, evaluated by a low dose adrenocorticotropin test, and growth in asthmatic children treated with inhaled steroids. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 652-7	5.6	109
24	Use of pocket-sized turbine spirometer in monitoring exercise-induced bronchospasm and bronchodilator responses in children. <i>Pediatric Allergy and Immunology</i> , 1999 , 10, 266-71	4.2	5
23	Mixed viral-bacterial pulmonary infections in children. <i>Pediatric Pulmonology</i> , 1999 , 18, 110-2	3.5	9
22	Interrupter technique for evaluation of exercise-induced bronchospasm in children. <i>Pediatric Pulmonology</i> , 1999 , 27, 203-7	3.5	14
21	Mixed viral-bacterial pulmonary infections in children 1999 , 27, 110		1
20	Serum eosinophil cationic protein (ECP) and eosinophil protein X (EPX) in childhood asthma: the influence of atopy. <i>Pediatric Pulmonology</i> , 1998 , 25, 167-74	3.5	34
19	One-year follow-up of young children hospitalized for wheezing: the influence of early anti-inflammatory therapy and risk factors for subsequent wheezing and asthma. <i>Pediatric Pulmonology</i> , 1998 , 26, 113-9	3.5	38
18	Etiology of childhood pneumonia: serologic results of a prospective, population-based study. <i>Pediatric Infectious Disease Journal</i> , 1998 , 17, 986-91	3.4	271
17	Serum eosinophil cationic protein (ECP) and eosinophil protein X (EPX) in childhood asthma: The influence of atopy 1998 , 25, 167		2
16	Serum eosinophil cationic protein as a predictor of wheezing after bronchiolitis. <i>Pediatric Pulmonology</i> , 1997 , 23, 397-403	3.5	38

15	Nasopharyngeal eosinophil cationic protein in bronchiolitis: relation to viral findings and subsequent wheezing. <i>Pediatric Pulmonology</i> , 1997 , 24, 35-41	3.5	20
14	Nasopharyngeal eosinophil cationic protein in bronchiolitis 1997 , 24, 35		6
13	Radiological diagnosis of pneumonia in children. <i>Annals of Medicine</i> , 1996 , 28, 69-72	1.5	37
12	Penicillin-resistant Streptococcus pneumoniae and acute pulmonary infections: prevalence and severity. <i>Pediatric Pulmonology</i> , 1995 , 11, 10-1	3.5	100
11	Physical signs in childhood pneumonia. <i>Pediatric Infectious Disease Journal</i> , 1995 , 14, 405-6	3.4	8
10	Asthma after bronchiolitis: what is the role of atopy?. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1995 , 84, 660	3.1	2
9	Bronchial asthma and hyperreactivity after early childhood bronchiolitis or pneumonia. An 8-year follow-up study. <i>JAMA Pediatrics</i> , 1994 , 148, 1079-84		90
8	Osteitis after newborn vaccination with three different Bacillus Calmette-Gufin vaccines: twenty-nine years of experience. <i>Pediatric Infectious Disease Journal</i> , 1994 , 13, 113-6	3.4	56
7	White blood cell and differential counts in acute respiratory viral and bacterial infections in children. <i>Scandinavian Journal of Infectious Diseases</i> , 1993 , 25, 435-40		25
6	C-reactive protein in viral and bacterial respiratory infection in children. <i>Scandinavian Journal of Infectious Diseases</i> , 1993 , 25, 207-13		68
5	Serologically indicated pneumococcal respiratory infection in children. <i>Scandinavian Journal of Infectious Diseases</i> , 1992 , 24, 437-43		36
4	Fungal gut colonization with Candida or Pityrosporum sp. and serum Candida antigen in preterm neonates with very low birth weights. <i>Scandinavian Journal of Infectious Diseases</i> , 1992 , 24, 781-5		8
3	Pneumococcal finding in a sample from upper airways does not indicate pneumococcal infection of lower airways. <i>Scandinavian Journal of Infectious Diseases</i> , 1992 , 24, 445-51		18
2	Bacterial infection in under school age children with expiratory difficulty. <i>Pediatric Pulmonology</i> , 1991 , 10, 254-9	3.5	18
1	Bacterial coinfection in children hospitalized with respiratory syncytial virus infections. <i>Pediatric Infectious Disease Journal</i> , 1989 , 8, 687-92	3.4	130