

Andrew G Bowie

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/151252/andrew-g-bowie-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers

15,899
citations

53
h-index

117
g-index

117
ext. papers

17,973
ext. citations

11.6
avg, IF

6.95
L-index

#	Paper	IF	Citations
110	Myeloid cell nuclear differentiation antigen controls the pathogen-stimulated type I interferon cascade in human monocytes by transcriptional regulation of IRF7.. <i>Nature Communications</i> , 2022 , 13, 14	17.4	3
109	SARM1 Ablation Is Protective and Preserves Spatial Vision in an In Vivo Mouse Model of Retinal Ganglion Cell Degeneration.. <i>International Journal of Molecular Sciences</i> , 2022 , 23,	6.3	2
108	SARM1 Promotes Photoreceptor Degeneration in an Oxidative Stress Model of Retinal Degeneration.. <i>Frontiers in Neuroscience</i> , 2022 , 16, 852114	5.1	0
107	Dual NADPH oxidases DUOX1 and DUOX2 synthesize NAADP and are necessary for Ca signaling during T cell activation. <i>Science Signaling</i> , 2021 , 14, eabe3800	8.8	10
106	CRISPR/Cas9-mediated SARM1 knockout and epitope-tagged mice reveal that SARM1 does not regulate nuclear transcription, but is expressed in macrophages. <i>Journal of Biological Chemistry</i> , 2021 , 297, 101417	5.4	3
105	Detection of Viral Infections by Innate Immunity. <i>Biochemical Pharmacology</i> , 2021 , 183, 114316	6	77
104	Malaria parasites both repress host CXCL10 and use it as a cue for growth acceleration. <i>Nature Communications</i> , 2021 , 12, 4851	17.4	2
103	PYHIN1 regulates pro-inflammatory cytokine induction rather than innate immune DNA sensing in airway epithelial cells. <i>Journal of Biological Chemistry</i> , 2020 , 295, 4438-4450	5.4	8
102	SARM1 deficiency promotes rod and cone photoreceptor cell survival in a model of retinal degeneration. <i>Life Science Alliance</i> , 2020 , 3,	5.8	26
101	Immunometabolism pathways as the basis for innovative anti-viral strategies (INITIATE): A Marie Skłodowska-Curie innovative training network. <i>Virus Research</i> , 2020 , 287, 198094	6.4	0
100	Cell Survival and Cytokine Release after Inflammasome Activation Is Regulated by the Toll-IL-1R Protein SARM. <i>Immunity</i> , 2019 , 50, 1412-1424.e6	32.3	60
99	Harnessing poxviral know-how for anti-cytokine therapies. <i>Journal of Biological Chemistry</i> , 2019 , 294, 5228-5229	5.4	
98	Toll-like receptor 2-dependent endosomal signaling by in monocytes induces type I interferon and promotes intracellular survival. <i>Journal of Biological Chemistry</i> , 2019 , 294, 17031-17042	5.4	19
97	SARM: From immune regulator to cell executioner. <i>Biochemical Pharmacology</i> , 2019 , 161, 52-62	6	21
96	Self-RNA sentinels signal viral invasion. <i>Nature Immunology</i> , 2018 , 19, 4-5	19.1	2
95	Poxviral protein E3-altered cytokine production reveals that DExD/H-box helicase 9 controls Toll-like receptor-stimulated immune responses. <i>Journal of Biological Chemistry</i> , 2018 , 293, 14989-15007	5.4	12
94	Non-canonical Activation of the DNA Sensing Adaptor STING by ATM and IFI16 Mediates NF- κ B Signaling after Nuclear DNA Damage. <i>Molecular Cell</i> , 2018 , 71, 745-760.e5	17.6	214

93	IFI16 and cGAS cooperate in the activation of STING during DNA sensing in human keratinocytes. <i>Nature Communications</i> , 2017 , 8, 14392	17.4	180
92	Molluscum Contagiosum Virus Protein MC005 Inhibits NF- κ B Activation by Targeting NEMO-Regulated I κ B Kinase Activation. <i>Journal of Virology</i> , 2017 , 91,	6.6	21
91	A novel anti-viral role for STAT3 in IFN- β signalling responses. <i>Cellular and Molecular Life Sciences</i> , 2017 , 74, 1755-1764	10.3	28
90	Malaria parasite DNA-harboring vesicles activate cytosolic immune sensors. <i>Nature Communications</i> , 2017 , 8, 1985	17.4	91
89	Alum Activates the Bovine NLRP3 Inflammasome. <i>Frontiers in Immunology</i> , 2017 , 8, 1494	8.4	13
88	The Vaccine Adjuvant Chitosan Promotes Cellular Immunity via DNA Sensor cGAS-STING-Dependent Induction of Type I Interferons. <i>Immunity</i> , 2016 , 44, 597-608	32.3	307
87	Poxvirus Protein MC132 from Molluscum Contagiosum Virus Inhibits NF- κ B Activation by Targeting p65 for Degradation. <i>Journal of Virology</i> , 2015 , 89, 8406-15	6.6	26
86	Innate immune recognition of DNA: A recent history. <i>Virology</i> , 2015 , 479-480, 146-52	3.6	157
85	A frequent hypofunctional IRAK2 variant is associated with reduced spontaneous hepatitis C virus clearance. <i>Hepatology</i> , 2015 , 62, 1375-87	11.2	19
84	DNA sensors are expressed in astrocytes and microglia in vitro and are upregulated during gliosis in neurodegenerative disease. <i>Glia</i> , 2015 , 63, 812-25	9	38
83	SARM regulates CCL5 production in macrophages by promoting the recruitment of transcription factors and RNA polymerase II to the Ccl5 promoter. <i>Journal of Immunology</i> , 2014 , 192, 4821-32	5.3	16
82	Innate antiviral signalling in the central nervous system. <i>Trends in Immunology</i> , 2014 , 35, 79-87	14.4	51
81	TRAM is required for TLR2 endosomal signaling to type I IFN induction. <i>Journal of Immunology</i> , 2014 , 193, 6090-102	5.3	67
80	Innate immune activation of NFB and its antagonism by poxviruses. <i>Cytokine and Growth Factor Reviews</i> , 2014 , 25, 611-20	17.9	29
79	Viral Infections and the DNA Sensing Pathway: Lessons from Herpesviruses and Beyond 2014 , 171-203		
78	The emerging role of human PYHIN proteins in innate immunity: implications for health and disease. <i>Biochemical Pharmacology</i> , 2014 , 92, 405-14	6	48
77	The TLR signaling adaptor TRAM interacts with TRAF6 to mediate activation of the inflammatory response by TLR4. <i>Journal of Leukocyte Biology</i> , 2014 , 96, 427-36	6.5	25
76	Rad50 and CARD9, missing links in cytosolic DNA-stimulated inflammation. <i>Nature Immunology</i> , 2014 , 15, 534-6	19.1	8

75	A coding IRAK2 protein variant compromises Toll-like receptor (TLR) signaling and is associated with colorectal cancer survival. <i>Journal of Biological Chemistry</i> , 2014 , 289, 23123-23131	5.4	18
74	Removing the TREX1 safety net: oxidized DNA overcomes immune silencing by exonuclease TREX1. <i>Immunity</i> , 2013 , 39, 423-5	32.3	1
73	Proteasomal degradation of herpes simplex virus capsids in macrophages releases DNA to the cytosol for recognition by DNA sensors. <i>Journal of Immunology</i> , 2013 , 190, 2311-9	5.3	147
72	The history of Toll-like receptors - redefining innate immunity. <i>Nature Reviews Immunology</i> , 2013 , 13, 453-60	36.5	1077
71	Immune sensing of DNA. <i>Immunity</i> , 2013 , 38, 870-80	32.3	553
70	Innate immune detection of microbial nucleic acids. <i>Trends in Microbiology</i> , 2013 , 21, 413-20	12.4	184
69	Poxvirus targeting of E3 ligase E1rCP by molecular mimicry: a mechanism to inhibit NF- κ B activation and promote immune evasion and virulence. <i>PLoS Pathogens</i> , 2013 , 9, e1003183	7.6	77
68	Poxviral protein A52 stimulates p38 mitogen-activated protein kinase (MAPK) activation by causing tumor necrosis factor receptor-associated factor 6 (TRAF6) self-association leading to transforming growth factor β -activated kinase 1 (TAK1) recruitment. <i>Journal of Biological Chemistry</i> , 2013 , 288, 33642-33653	5.4	14
67	Structures of the HIN domain:DNA complexes reveal ligand binding and activation mechanisms of the AIM2 inflammasome and IFI16 receptor. <i>Immunity</i> , 2012 , 36, 561-71	32.3	352
66	Neuronal Toll-like receptor 4 signaling induces brain endothelial activation and neutrophil transmigration in vitro. <i>Journal of Neuroinflammation</i> , 2012 , 9, 230	10.1	95
65	The STING in the tail for cytosolic DNA-dependent activation of IRF3. <i>Science Signaling</i> , 2012 , 5, pe9	8.8	29
64	Viral immune modulators perturb the human molecular network by common and unique strategies. <i>Nature</i> , 2012 , 487, 486-90	50.4	193
63	Poxviral protein A46 antagonizes Toll-like receptor 4 signaling by targeting BB loop motifs in Toll-IL-1 receptor adaptor proteins to disrupt receptor:adaptor interactions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 22672-82	5.4	31
62	The endocannabinoid, anandamide, augments Notch-1 signaling in cultured cortical neurons exposed to amyloid- β in the cortex of aged rats. <i>Journal of Biological Chemistry</i> , 2012 , 287, 34709-21	5.4	37
61	Innate DNA sensing moves to the nucleus. <i>Cell Host and Microbe</i> , 2011 , 9, 351-3	23.4	20
60	Cytosolic DNA sensors regulating type I interferon induction. <i>Trends in Immunology</i> , 2011 , 32, 574-81	14.4	149
59	Recognition of herpesviruses by the innate immune system. <i>Nature Reviews Immunology</i> , 2011 , 11, 143-54	36.5	242
58	Evaluating the role of Toll-like receptors in diseases of the central nervous system. <i>Biochemical Pharmacology</i> , 2011 , 81, 825-37	6	115

57	The powerstroke and camshaft of the RIG-I antiviral RNA detection machine. <i>Cell</i> , 2011 , 147, 259-61	56.2	19
56	Human interleukin-1 receptor-associated kinase-2 is essential for Toll-like receptor-mediated transcriptional and post-transcriptional regulation of tumor necrosis factor alpha. <i>Journal of Biological Chemistry</i> , 2011 , 286, 23688-97	5.4	26
55	Vaccinia virus protein C6 is a virulence factor that binds TBK-1 adaptor proteins and inhibits activation of IRF3 and IRF7. <i>PLoS Pathogens</i> , 2011 , 7, e1002247	7.6	108
54	IFI16 is an innate immune sensor for intracellular DNA. <i>Nature Immunology</i> , 2010 , 11, 997-1004	19.1	1127
53	Viral inhibitory peptide of TLR4, a peptide derived from vaccinia protein A46, specifically inhibits TLR4 by directly targeting MyD88 adaptor-like and TRIF-related adaptor molecule. <i>Journal of Immunology</i> , 2010 , 185, 4261-71	5.3	100
52	Activation of host pattern recognition receptors by viruses. <i>Current Opinion in Microbiology</i> , 2010 , 13, 503-7	7.9	123
51	Toll-like receptor 3. <i>Progress in Respiratory Research</i> , 2010 , 73-79		
50	Sensing and signaling in antiviral innate immunity. <i>Current Biology</i> , 2010 , 20, R328-33	6.3	149
49	The interleukin-1 receptor-associated kinases: critical regulators of innate immune signalling. <i>Biochemical Pharmacology</i> , 2010 , 80, 1981-91	6	197
48	Unexpected roles for DEAD-box protein 3 in viral RNA sensing pathways. <i>European Journal of Immunology</i> , 2010 , 40, 933-5	6.1	12
47	TRAF3: uncovering the real but restricted role in human. <i>Immunity</i> , 2010 , 33, 293-5	32.3	5
46	Role of non-degradative ubiquitination in interleukin-1 and toll-like receptor signaling. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8211-5	5.4	14
45	Poxvirus K7 protein adopts a Bcl-2 fold: biochemical mapping of its interactions with human DEAD box RNA helicase DDX3. <i>Journal of Molecular Biology</i> , 2009 , 385, 843-53	6.5	74
44	Modulation of innate immune signalling pathways by viral proteins. <i>Advances in Experimental Medicine and Biology</i> , 2009 , 666, 49-63	3.6	14
43	Characterisation of viral proteins that inhibit Toll-like receptor signal transduction. <i>Methods in Molecular Biology</i> , 2009 , 517, 217-35	1.4	1
42	Uncovering novel gene function in Toll-like receptor signalling using siRNA. <i>Methods in Molecular Biology</i> , 2009 , 517, 277-95	1.4	
41	Viral targeting of DEAD box protein 3 reveals its role in TBK1/IKKepsilon-mediated IRF activation. <i>EMBO Journal</i> , 2008 , 27, 2147-57	13	271
40	Viral evasion and subversion of pattern-recognition receptor signalling. <i>Nature Reviews Immunology</i> , 2008 , 8, 911-22	36.5	503

39	The interplay between viruses and innate immune signaling: recent insights and therapeutic opportunities. <i>Biochemical Pharmacology</i> , 2008 , 75, 589-602	6	100
38	Insights from vaccinia virus into Toll-like receptor signalling proteins and their regulation by ubiquitin: role of IRAK-2. <i>Biochemical Society Transactions</i> , 2008 , 36, 449-52	5.1	8
37	Innate immune signaling pathways: lessons from vaccinia virus. <i>Future Virology</i> , 2008 , 3, 147-156	2.4	1
36	Translational mini-review series on Toll-like receptors: recent advances in understanding the role of Toll-like receptors in anti-viral immunity. <i>Clinical and Experimental Immunology</i> , 2007 , 147, 217-26	6.2	31
35	The family of five: TIR-domain-containing adaptors in Toll-like receptor signalling. <i>Nature Reviews Immunology</i> , 2007 , 7, 353-64	36.5	1947
34	IRAK-2 participates in multiple toll-like receptor signaling pathways to NFkappaB via activation of TRAF6 ubiquitination. <i>Journal of Biological Chemistry</i> , 2007 , 282, 33435-33443	5.4	154
33	Polyinosinic acid is a ligand for toll-like receptor 3. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24759-66	5.4	84
32	RIG-I: tri-ning to discriminate between self and non-self RNA. <i>Trends in Immunology</i> , 2007 , 28, 147-50	14.4	49
31	Nucleotide-binding oligomerization domain-1 and epidermal growth factor receptor: critical regulators of beta-defensins during Helicobacter pylori infection. <i>Journal of Biological Chemistry</i> , 2006 , 281, 11637-48	5.4	134
30	The human adaptor SARM negatively regulates adaptor protein TRIF-dependent Toll-like receptor signaling. <i>Nature Immunology</i> , 2006 , 7, 1074-81	19.1	384
29	Toll-like receptors as key sensors of viral infection 2006 , 143-171		1
28	The role of Toll-like receptors in the host response to viruses. <i>Molecular Immunology</i> , 2005 , 42, 859-67	4.3	197
27	TLR3 in antiviral immunity: key player or bystander?. <i>Trends in Immunology</i> , 2005 , 26, 462-8	14.4	179
26	Low pH and Helicobacter pylori increase nuclear factor kappa B binding in gastric epithelial cells: a common pathway for epithelial cell injury?. <i>Journal of Cellular Biochemistry</i> , 2005 , 96, 589-98	4.7	15
25	Vaccinia virus protein A46R targets multiple Toll-like-interleukin-1 receptor adaptors and contributes to virulence. <i>Journal of Experimental Medicine</i> , 2005 , 201, 1007-18	16.6	300
24	Activation of innate defense against a paramyxovirus is mediated by RIG-I and TLR7 and TLR8 in a cell-type-specific manner. <i>Journal of Virology</i> , 2005 , 79, 12944-51	6.6	146
23	Viral inhibition of IL-1- and neutrophil elastase-induced inflammatory responses in bronchial epithelial cells. <i>Journal of Immunology</i> , 2005 , 175, 7594-601	5.3	25
22	Schlafen-1 causes a cell cycle arrest by inhibiting induction of cyclin D1. <i>Journal of Biological Chemistry</i> , 2005 , 280, 30723-34	5.4	59

21	Vaccinia virus protein A52R activates p38 mitogen-activated protein kinase and potentiates lipopolysaccharide-induced interleukin-10. <i>Journal of Biological Chemistry</i> , 2005 , 280, 30838-44	5.4	60
20	Poxvirus protein N1L targets the I-kappaB kinase complex, inhibits signaling to NF-kappaB by the tumor necrosis factor superfamily of receptors, and inhibits NF-kappaB and IRF3 signaling by toll-like receptors. <i>Journal of Biological Chemistry</i> , 2004 , 279, 36570-8	5.4	191
19	Viral activation of macrophages through TLR-dependent and -independent pathways. <i>Journal of Immunology</i> , 2004 , 173, 6890-8	5.3	103
18	Viral appropriation of apoptotic and NF-kappaB signaling pathways. <i>Journal of Cellular Biochemistry</i> , 2004 , 91, 1099-108	4.7	38
17	The Toll-IL-1 receptor adaptor family grows to five members. <i>Trends in Immunology</i> , 2003 , 24, 286-90	14.4	405
16	The poxvirus protein A52R targets Toll-like receptor signaling complexes to suppress host defense. <i>Journal of Experimental Medicine</i> , 2003 , 197, 343-51	16.6	307
15	Mal (MyD88-adaptor-like) is required for Toll-like receptor-4 signal transduction. <i>Nature</i> , 2001 , 413, 78-83	30.4	980
14	Transactivation by the p65 subunit of NF-kappaB in response to interleukin-1 (IL-1) involves MyD88, IL-1 receptor-associated kinase 1, TRAF-6, and Rac1. <i>Molecular and Cellular Biology</i> , 2001 , 21, 4544-52	4.8	74
13	The interleukin-1 receptor/Toll-like receptor superfamily: signal generators for pro-inflammatory interleukins and microbial products. <i>Journal of Leukocyte Biology</i> , 2000 , 67, 508-14	6.5	342
12	Oxidative stress and nuclear factor-kappaB activation: a reassessment of the evidence in the light of recent discoveries. <i>Biochemical Pharmacology</i> , 2000 , 59, 13-23	6	799
11	Vitamin C inhibits NF-kappa B activation by TNF via the activation of p38 mitogen-activated protein kinase. <i>Journal of Immunology</i> , 2000 , 165, 7180-8	5.3	238
10	A46R and A52R from vaccinia virus are antagonists of host IL-1 and toll-like receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 10162-7	11.5	385
9	Ras, protein kinase C zeta, and I kappa B kinases 1 and 2 are downstream effectors of CD44 during the activation of NF-kappa B by hyaluronic acid fragments in T-24 carcinoma cells. <i>Journal of Immunology</i> , 2000 , 164, 2053-63	5.3	123
8	Lipid peroxidation is involved in the activation of NF-kappaB by tumor necrosis factor but not interleukin-1 in the human endothelial cell line ECV304. Lack of involvement of H2O2 in NF-kappaB activation by either cytokine in both primary and transformed endothelial cells. <i>Journal of Biological Chemistry</i> , 1997 , 272, 25641-50	5.4	161
7	Studies into the mechanism of NF kappa B activation by IL1, TNF and H2O2 in primary and transformed endothelial cells. <i>Biochemical Society Transactions</i> , 1997 , 25, 125S	5.1	3
6	Vitamin C inhibits NF kappa B activation in endothelial cells. <i>Biochemical Society Transactions</i> , 1997 , 25, 131S	5.1	10
5	Mechanism of NF kappa B activation by interleukin-1 and tumour necrosis factor in endothelial cells. <i>Biochemical Society Transactions</i> , 1996 , 24, 2S	5.1	8
4	The human endothelial cell line ECV304 as a model of endothelial cell activation by interleukin-1. <i>Biochemical Society Transactions</i> , 1995 , 23, 109S	5.1	2

- 3 Glycosylated low density lipoprotein is more sensitive to oxidation: implications for the diabetic patient?. *Atherosclerosis*, **1993**, 102, 63-7 3.1 153
- 2 The effects of thiol modifiers on the activation of NF kappa B by interleukin-1. *Biochemical Society Transactions*, **1993**, 21, 390S 5.1 3
- 1 Role of Toll-Like Receptors in the Innate Immune Response to RNA Viruses7-27