
Egon Stenager

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/151254/publications.pdf Version: 2024-02-01



FCON STENACED

#	Article	IF	CITATIONS
1	Clinical importance of neutralising antibodies against interferon beta in patients with relapsing-remitting multiple sclerosis. Lancet, The, 2003, 362, 1184-1191.	6.3	366
2	Trends in survival and cause of death in Danish patients with multiple sclerosis. Brain, 2004, 127, 844-850.	3.7	235
3	Childhood body mass index and multiple sclerosis risk: a long-term cohort study. Multiple Sclerosis Journal, 2013, 19, 1323-1329.	1.4	234
4	Exercise and disease progression in multiple sclerosis: can exercise slow down the progression of multiple sclerosis?. Therapeutic Advances in Neurological Disorders, 2012, 5, 81-95.	1.5	152
5	Parkinson's disease and intensive exercise therapy – a systematic review and meta-analysis of randomized controlled trials. Journal of the Neurological Sciences, 2015, 353, 9-19.	0.3	151
6	Incidence of MS has increased markedly over six decades in Denmark particularly with late onset and in women. Neurology, 2018, 90, e1954-e1963.	1.5	124
7	Neonatal vitamin D status and risk of multiple sclerosis. Neurology, 2017, 88, 44-51.	1.5	117
8	Simvastatin as add-on therapy to interferon beta-1a for relapsing-remitting multiple sclerosis (SIMCOMBIN study): a placebo-controlled randomised phase 4 trial. Lancet Neurology, The, 2011, 10, 691-701.	4.9	114
9	Risk factors related to cardiovascular diseases and the metabolic syndrome in multiple sclerosis – a systematic review. Multiple Sclerosis Journal, 2013, 19, 1556-1564.	1.4	102
10	Prevalence of multiple sclerosis in Denmark 1950—2005. Multiple Sclerosis Journal, 2010, 16, 520-525.	1.4	87
11	4-Aminopyridine for symptomatic treatment of multiple sclerosis: a systematic review. Therapeutic Advances in Neurological Disorders, 2014, 7, 97-113.	1.5	85
12	Can resistance training impact MRI outcomes in relapsing-remitting multiple sclerosis?. Multiple Sclerosis Journal, 2018, 24, 1356-1365.	1.4	85
13	Modifications of longitudinally extensive transverse myelitis and brainstem lesions in the course of neuromyelitis optica (NMO): a population-based, descriptive study. BMC Neurology, 2013, 13, 33.	0.8	84
14	Nationwide prevalence and incidence study of neuromyelitis optica spectrum disorder in Denmark. Neurology, 2018, 91, e2265-e2275.	1.5	84
15	Changes in kynurenine pathway metabolism in Parkinson patients with Lâ€ <scp>DOPA</scp> â€induced dyskinesia. Journal of Neurochemistry, 2017, 142, 756-766.	2.1	83
16	The Danish Multiple Sclerosis Registry. Scandinavian Journal of Public Health, 2011, 39, 62-64.	1.2	82
17	Neuromuscular adaptations to long-term progressive resistance training translates to improved functional capacity for people with multiple sclerosis and is maintained at follow-up. Multiple Sclerosis Journal, 2015, 21, 599-611.	1.4	73
18	Validity and variability of the 5-repetition sit-to-stand test in patients with multiple sclerosis. Disability and Rehabilitation, 2012, 34, 2251-2258.	0.9	72

#	Article	IF	CITATIONS
19	Reproductive History and Risk of Multiple Sclerosis. Epidemiology, 2011, 22, 546-552.	1.2	66
20	Excess mortality among patients with multiple sclerosis in Denmark has dropped significantly over the past six decades: a population based study. Journal of Neurology, Neurosurgery and Psychiatry, 2017, 88, 626-631.	0.9	63
21	Is there an overlooked "window of opportunity―in MS exercise therapy? Perspectives for early MS rehabilitation. Multiple Sclerosis Journal, 2018, 24, 886-894.	1.4	62
22	Psychiatric co-morbidity in multiple sclerosis: The risk of depression and anxiety before and after MS diagnosis. Multiple Sclerosis Journal, 2016, 22, 347-353.	1.4	57
23	Relationship between muscle strength parameters and functional capacity in persons with mild to moderate degree multiple sclerosis. Multiple Sclerosis and Related Disorders, 2015, 4, 151-158.	0.9	53
24	Risk for multiple sclerosis in dizygotic and monozygotic twins. Multiple Sclerosis Journal, 2005, 11, 500-503.	1.4	49
25	Neural drive increases following resistance training in patients with multiple sclerosis. Journal of Neurology, 2013, 260, 1822-1832.	1.8	48
26	Risk Factors for Suicide in Multiple Sclerosis. Psychotherapy and Psychosomatics, 1996, 65, 86-90.	4.0	44
27	Use of Penicillin and Other Antibiotics and Risk of Multiple Sclerosis: A Population-based Case-Control Study. American Journal of Epidemiology, 2011, 174, 945-948.	1.6	44
28	A global perspective on the burden of multiple sclerosis. Lancet Neurology, The, 2019, 18, 227-228.	4.9	42
29	Sexual Aspects of Multiple Sclerosis. Seminars in Neurology, 1992, 12, 120-124.	0.5	40
30	Socioeconomic Factors in Childhood and the Risk of Multiple Sclerosis. American Journal of Epidemiology, 2013, 177, 1289-1295.	1.6	35
31	Cerebrospinal fluid levels of catecholamines and its metabolites in Parkinson's disease: effect of <scp>l</scp> â€ <scp>DOPA</scp> treatment and changes in levodopaâ€induced dyskinesia. Journal of Neurochemistry, 2017, 141, 614-625.	2.1	31
32	Physical Illness and Suicidal Behaviour. , 0, , 405-420.		31
33	The risk of fracture in incident multiple sclerosis patients: The Danish National Health Registers. Multiple Sclerosis Journal, 2012, 18, 1609-1616.	1.4	29
34	Heat sensitive persons with multiple sclerosis are more tolerant to resistance exercise than to endurance exercise. Multiple Sclerosis Journal, 2013, 19, 932-940.	1.4	29
35	Muscle Strength and Poststroke Hemiplegia: A Systematic Review of Muscle Strength Assessment and Muscle Strength Impairment. Archives of Physical Medicine and Rehabilitation, 2017, 98, 368-380.	0.5	29
36	Multiple sclerosis among first- and second-generation immigrants in Denmark: a population-based cohort study. Brain, 2019, 142, 1587-1597.	3.7	29

#	Article	IF	CITATIONS
37	Immunomodulatory treatment of multiple sclerosis in Denmark: a prospective nationwide survey. Multiple Sclerosis Journal, 2006, 12, 253-264.	1.4	28
38	Cesarean section and offspring's risk of multiple sclerosis: a Danish nationwide cohort study. Multiple Sclerosis Journal, 2013, 19, 1473-1477.	1.4	26
39	Fatal accidents among Danes with multiple sclerosis. Multiple Sclerosis Journal, 2006, 12, 329-332.	1.4	23
40	Suicide attempts in multiple sclerosis. Multiple Sclerosis Journal, 2011, 17, 1265-1268.	1.4	22
41	Female infertility and multiple sclerosis: Is this an issue?. Multiple Sclerosis Journal, 2015, 21, 5-7.	1.4	22
42	Stressful life-events in childhood and risk of multiple sclerosis: a Danish nationwide cohort study. Multiple Sclerosis Journal, 2014, 20, 1609-1615.	1.4	21
43	Multiple Sclerosis: Sexual Dysfunctions. Journal of Sex Education and Therapy, 1990, 16, 262-269.	0.3	20
44	Multiple Sclerosis: The Impact of Physical Impairment and Cognitive Dysfunction on Social and Sparetime Activities. Psychotherapy and Psychosomatics, 1991, 56, 123-128.	4.0	19
45	Can we trust self-reported walking distance when determining EDSS scores in patients with multiple sclerosis? The Danish MS hospitals rehabilitation study. Multiple Sclerosis Journal, 2019, 25, 1653-1660.	1.4	19
46	Familial multiple sclerosis patients have a shorter delay in diagnosis than sporadic cases. Multiple Sclerosis and Related Disorders, 2019, 32, 97-102.	0.9	17
47	Interferon Alpha Association with Neuromyelitis Optica. Clinical and Developmental Immunology, 2013, 2013, 1-6.	3.3	16
48	A wireless body measurement system to study fatigue in multiple sclerosis. Physiological Measurement, 2012, 33, 2033-2048.	1.2	15
49	Age at Menarche and Risk of Multiple Sclerosis: A Prospective Cohort Study Based on the Danish National Birth Cohort. American Journal of Epidemiology, 2017, 185, 712-719.	1.6	15
50	Investigating the potential disease-modifying and neuroprotective efficacy of exercise therapy early in the disease course of multiple sclerosis: The Early Multiple Sclerosis Exercise Study (EMSES). Multiple Sclerosis Journal, 2022, 28, 1620-1629.	1.4	15
51	Aerobic Capacity Is Not Associated with Most Cognitive Domains in Patients with Multiple Sclerosis—A Cross-Sectional Investigation. Journal of Clinical Medicine, 2018, 7, 272.	1.0	14
52	Major stressful life events in adulthood and risk of multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 1103-1108.	0.9	13
53	Incidence Rates and Risk of Hospital Registered Infections among Schizophrenia Patients before and after Onset of Illness: A Population-Based Nationwide Register Study. Journal of Clinical Medicine, 2018, 7, 485.	1.0	12
54	Short and Long Term Variation in Ultraviolet Radiation and Multiple Sclerosis. International Journal of Environmental Research and Public Health, 2012, 9, 685-697.	1.2	11

#	Article	IF	CITATIONS
55	Risk of multiple sclerosis in nurse anaesthetists. Multiple Sclerosis Journal, 2003, 9, 427-428.	1.4	10
56	Progressive resistance therapy is not the best way to rehabilitate deficits due to multiple sclerosis: No. Multiple Sclerosis Journal, 2014, 20, 141-142.	1.4	10
57	The use of valproic acid and multiple sclerosis. Pharmacoepidemiology and Drug Safety, 2015, 24, 262-268.	0.9	10
58	Patient assessment within the context of healthcare delivery packages: A comparative analysis. International Journal of Nursing Studies, 2016, 53, 248-259.	2.5	10
59	The risk of multiple sclerosis in nurses: a population-based epidemiological study. Multiple Sclerosis Journal, 2003, 9, 299-301.	1.4	9
60	Studies based on the Danish Multiple Sclerosis Registry. Scandinavian Journal of Public Health, 2011, 39, 180-184.	1.2	8
61	Fatigued patients with multiple sclerosis can be discriminated from healthy controls by the recordings of a newly developed measurement system (FAMOS): a pilot study. Disability and Rehabilitation: Assistive Technology, 2013, 8, 77-83.	1.3	8
62	Dual leadership in a hospital practice. Leadership in Health Services, 2017, 30, 101-112.	0.5	8
63	Mobile Phones and Multiple Sclerosis – A Nationwide Cohort Study in Denmark. PLoS ONE, 2012, 7, e34453.	1.1	7
64	Wireless medical sensor measurements of fatigue in patients with multiple sclerosis. , 2010, 2010, 3763-7.		5
65	Antibodies against interferon-beta in neuromyelitis optica patients. Journal of the Neurological Sciences, 2014, 339, 52-56.	0.3	5
66	The role of assessment packages for diagnostic consultations: A conversation analytic perspective. Health (United Kingdom), 2015, 19, 294-317.	0.9	5
67	Author response: Neonatal vitamin D status and risk of multiple sclerosis: A population-based case-control study. Neurology, 2017, 89, 411-411.	1.5	5
68	Can aerobic exercise alleviate flu-like symptoms following interferon beta-1a injections in patients with multiple sclerosis?. Journal of the Neurological Sciences, 2016, 365, 114-120.	0.3	4
69	Morality in clinical space: treatment of youngsters with functional somatic symptoms in a Western clinical context. Anthropology and Medicine, 2019, 26, 228-243.	0.6	4
70	Physical exercise in multiple sclerosis is not just a symptomatic therapy, it has a disease-modifying effect: Commentary. Multiple Sclerosis Journal, 2022, 28, 863-864.	1.4	4
71	A note on the treatment of drummer bock: An early Danish account of multiple sclerosis?*. Journal of the History of the Neurosciences, 1996, 5, 197-199.	0.1	3
72	Population-based head-to-head comparison of the clinical characteristics and epidemiology of AQP4 antibody-positive NMOSD between two European countries. Multiple Sclerosis and Related Disorders, 2021, 51, 102879.	0.9	3

#	Article	IF	CITATIONS
73	Infantile MS and schilder disease. Pediatric Neurology, 1990, 6, 283.	1.0	2
74	Pregnancy, birth, gynecologic operations and multiple sclerosis. Acta Obstetricia Et Gynecologica Scandinavica, 1992, 71, 88-89.	1.3	2
75	SEXUAL PROBLEMS IN MULTIPLE SCLEROSIS. International Journal of Adolescent Medicine and Health, 1994, 7, 95-106.	0.6	2
76	The Course of Heinrich Heine's Illness: Diagnostic Considerations. Journal of Medical Biography, 1996, 4, 28-32.	0.1	2
77	Christian Albrecht Jensen (1792–1870): An artistic illustration of Foville's syndrome. Journal of Medical Biography, 2016, 24, 125-127.	0.1	2
78	Hereditary spastic paraplegia type 8: Neuropathological findings. Brain Pathology, 2018, 28, 292-294.	2.1	2
79	Maternal diabetes and risk of multiple sclerosis in the offspring: A Danish nationwide register-based cohort study. Multiple Sclerosis Journal, 2020, 27, 135245852097712.	1.4	2
80	Historical and psychiatric aspects of multiple sclerosis. Acta Psychiatrica Scandinavica, 1991, 84, 398-398.	2.2	1
81	Schildert's or Stöhr's disease?. Journal of the History of the Neurosciences, 1992, 1, 163-166.	0.1	1
82	Leadership set-up: wishful thinking or reality?. Leadership in Health Services, 2019, 32, 98-112.	0.5	1
83	Identity work and illness careers of patients with medically unexplained symptoms. Health (United) Tj ETQq1 1 C	0.784314	rgBŢ /Overloo
84	Woman with facial spasm induced exclusively by sound. Movement Disorders, 2002, 17, 422-423.	2.2	0
85	Multiple sclerosis: symptom equivalent to delayed visual evoked potential latency. Acta Ophthalmologica, 1990, 68, 587-590.	0.6	0
86	Self-rated health in women prior to clinical onset of multiple sclerosis: A study within the Danish National Birth Cohort. Multiple Sclerosis Journal, 2016, 22, 1444-1451.	1.4	0