

Benoit Peyronnet

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1512702/benoit-peyronnet-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

2,209
citations

20
h-index

44
g-index

138
ext. papers

3,328
ext. citations

3.8
avg, IF

4.94
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 123 | European Association of Urology Guidelines on Non-muscle-invasive Bladder Cancer (TaT1 and Carcinoma In Situ) - 2019 Update. <i>European Urology</i> , 2019 , 76, 639-657 | 10.2 | 531 |
| 122 | European Association of Urology Guidelines on Upper Urinary Tract Urothelial Carcinoma: 2020 Update. <i>European Urology</i> , 2021 , 79, 62-79 | 10.2 | 176 |
| 121 | Oncologic Outcomes of Kidney-sparing Surgery Versus Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the EAU Non-muscle Invasive Bladder Cancer Guidelines Panel. <i>European Urology</i> , 2016 , 70, 1052-1068 | 10.2 | 122 |
| 120 | A Comprehensive Review of Overactive Bladder Pathophysiology: On the Way to Tailored Treatment. <i>European Urology</i> , 2019 , 75, 988-1000 | 10.2 | 89 |
| 119 | Comparison of 1800 Robotic and Open Partial Nephrectomies for Renal Tumors. <i>Annals of Surgical Oncology</i> , 2016 , 23, 4277-4283 | 3.1 | 70 |
| 118 | Oncological Outcomes of Laparoscopic Nephroureterectomy Versus Open Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: An European Association of Urology Guidelines Systematic Review. <i>European Urology Focus</i> , 2019 , 5, 205-223 | 5.1 | 66 |
| 117 | Analysis of the impact of adherent perirenal fat on peri-operative outcomes of robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 1801-6 | 4 | 54 |
| 116 | Early unclamping technique during robot-assisted laparoscopic partial nephrectomy can minimise warm ischaemia without increasing morbidity. <i>BJU International</i> , 2014 , 114, 741-7 | 5.6 | 54 |
| 115 | The Learning Curve for Robot-assisted Partial Nephrectomy: Impact of Surgical Experience on Perioperative Outcomes. <i>European Urology</i> , 2019 , 75, 253-256 | 10.2 | 54 |
| 114 | Impact of ischaemia time on renal function after partial nephrectomy: a systematic review. <i>BJU International</i> , 2016 , 118, 692-705 | 5.6 | 52 |
| 113 | Learning curves and perioperative outcomes after endoscopic enucleation of the prostate: a comparison between GreenLight 532-nm and holmium lasers. <i>World Journal of Urology</i> , 2017 , 35, 973-984 | 4 | 52 |
| 112 | Accuracy of Magnetic Resonance Imaging/Ultrasound Fusion Targeted Biopsies to Diagnose Clinically Significant Prostate Cancer in Enlarged Compared to Smaller Prostates. <i>Journal of Urology</i> , 2015 , 194, 669-73 | 2.5 | 48 |
| 111 | High rates of advanced disease, complications, and decline of renal function after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 47.e9-14 | 2.8 | 44 |
| 110 | Potential Benefit of Lymph Node Dissection During Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma: A Systematic Review by the European Association of Urology Guidelines Panel on Non-muscle-invasive Bladder Cancer. <i>European Urology Focus</i> , 2019 , 5, 224-241 | 5.1 | 33 |
| 109 | Direct Comparison of GreenLight Laser XPS Photoselective Prostate Vaporization and GreenLight Laser En Bloc Enucleation of the Prostate in Enlarged Glands Greater than 80 ml: a Study of 120 Patients. <i>Journal of Urology</i> , 2016 , 195, 1027-32 | 2.5 | 32 |
| 108 | Mutations of KRAS, NRAS, BRAF, EGFR, and PIK3CA genes in urachal carcinoma: Occurrence and prognostic significance. <i>Oncotarget</i> , 2016 , 7, 39293-39301 | 3.3 | 30 |
| 107 | Outcomes of intra-detrusor injections of botulinum toxin in patients with spina bifida: A systematic review. <i>Neurourology and Urodynamics</i> , 2017 , 36, 557-564 | 2.3 | 27 |

| | | | |
|-----|--|------|----|
| 106 | Mirabegron in patients with Parkinson disease and overactive bladder symptoms: A retrospective cohort. <i>Parkinsonism and Related Disorders</i> , 2018 , 57, 22-26 | 3.6 | 27 |
| 105 | Artificial urinary sphincter implantation in women with stress urinary incontinence: preliminary comparison of robot-assisted and open approaches. <i>International Urogynecology Journal</i> , 2016 , 27, 475-81 | 2.6 | 26 |
| 104 | Robot-assisted AMS-800 Artificial Urinary Sphincter Bladder Neck Implantation in Female Patients with Stress Urinary Incontinence. <i>European Urology</i> , 2019 , 75, 169-175 | 10.2 | 23 |
| 103 | Pathogenic and targetable genetic alterations in 70 urachal adenocarcinomas. <i>International Journal of Cancer</i> , 2018 , 143, 1764-1773 | 7.5 | 20 |
| 102 | Impact of hospital volume and surgeon volume on robot-assisted partial nephrectomy outcomes: a multicentre study. <i>BJU International</i> , 2018 , 121, 916-922 | 5.6 | 19 |
| 101 | Bowel Dysfunction Related to Spina Bifida: Keep It Simple. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 1209-1214 | 3.1 | 18 |
| 100 | AMS-800 Artificial urinary sphincter in female patients with stress urinary incontinence: A systematic review. <i>Neurourology and Urodynamics</i> , 2019 , 38 Suppl 4, S28-S41 | 2.3 | 18 |
| 99 | Preliminary results of botulinum toxin A switch after first detrusor injection failure as a treatment of neurogenic detrusor overactivity. <i>Neurourology and Urodynamics</i> , 2016 , 35, 267-70 | 2.3 | 17 |
| 98 | Preoperative nomogram to predict the likelihood of complications after radical nephroureterectomy. <i>BJU International</i> , 2017 , 119, 268-275 | 5.6 | 16 |
| 97 | Switch to Abobotulinum toxin A may be useful in the treatment of neurogenic detrusor overactivity when intradetrusor injections of Onabotulinum toxin A failed. <i>Neurourology and Urodynamics</i> , 2018 , 37, 291-297 | 2.3 | 16 |
| 96 | Complications associated with photoselective vaporization of the prostate: categorization by a panel of GreenLight users according to Clavien score and report of a single-center experience. <i>Urology</i> , 2014 , 84, 657-64 | 1.6 | 16 |
| 95 | Intradetrusor Injections of Botulinum Toxin Type A in Children With Spina Bifida: A Multicenter Study. <i>Urology</i> , 2018 , 116, 161-167 | 1.6 | 15 |
| 94 | Management of Female and Functional Urology Patients During the COVID Pandemic. <i>European Urology Focus</i> , 2020 , 6, 1049-1057 | 5.1 | 14 |
| 93 | Lower Urinary Tract Symptoms: What's New in Medical Treatment?. <i>European Urology Focus</i> , 2018 , 4, 17-24 | 5.1 | 14 |
| 92 | The use of hemostatic agents does not prevent hemorrhagic complications of robotic partial nephrectomy. <i>World Journal of Urology</i> , 2015 , 33, 1815-20 | 4 | 13 |
| 91 | Predicting morbidity after robotic partial nephrectomy: The effect of tumor, environment, and patient-related factors. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 338.e19-338.e26 | 2.8 | 13 |
| 90 | Intradetrusor injections of onabotulinum toxin A (Botox®) 300 U or 200 U versus abobotulinum toxin A (Dysport®) 750 U in the management of neurogenic detrusor overactivity: A case control study. <i>Neurourology and Urodynamics</i> , 2017 , 36, 734-739 | 2.3 | 12 |
| 89 | Predictive factors of adherence to urinary self-catheterization in older adults. <i>Neurourology and Urodynamics</i> , 2019 , 38, 770-778 | 2.3 | 12 |

| | | | |
|----|---|------|----|
| 88 | Role of quantitative computed tomography texture analysis in the prediction of adherent perinephric fat. <i>World Journal of Urology</i> , 2018 , 36, 1635-1642 | 4 | 12 |
| 87 | Radiomics can predict tumour response in patients treated with Nivolumab for a metastatic renal cell carcinoma: an artificial intelligence concept. <i>World Journal of Urology</i> , 2021 , 39, 3707-3709 | 4 | 12 |
| 86 | Management of Overactive Bladder Symptoms After Radical Prostatectomy. <i>Current Urology Reports</i> , 2018 , 19, 95 | 2.9 | 12 |
| 85 | Efficacy and safety of the first and repeated intradetrusor injections of abobotulinum toxin A 750U for treating neurological detrusor overactivity. <i>World Journal of Urology</i> , 2016 , 34, 755-61 | 4 | 11 |
| 84 | Off-Clamp versus On-Clamp Robotic Partial Nephrectomy: A Multicenter Match-Paired Case-Control Study. <i>Urologia Internationalis</i> , 2017 , 99, 272-276 | 1.9 | 11 |
| 83 | Postoperative drainage does not prevent complications after robotic partial nephrectomy. <i>World Journal of Urology</i> , 2016 , 34, 933-8 | 4 | 11 |
| 82 | Patient selection for laparoscopic excision of adrenal metastases: A multicenter cohort study. <i>International Journal of Surgery</i> , 2015 , 24, 75-80 | 7.5 | 11 |
| 81 | Relationship between surgical volume and outcomes in nephron-sparing surgery. <i>Current Opinion in Urology</i> , 2014 , 24, 453-8 | 2.8 | 11 |
| 80 | Intermittent Self-catheterization in Older Adults: Predictors of Success for Technique Learning. <i>International Neurourology Journal</i> , 2018 , 22, 65-71 | 2.6 | 11 |
| 79 | Does training of fellows affect peri-operative outcomes of robot-assisted partial nephrectomy?. <i>BJU International</i> , 2017 , 120, 591-599 | 5.6 | 10 |
| 78 | Long-term oncological outcomes after robotic partial nephrectomy for renal cell carcinoma: a prospective multicentre study. <i>World Journal of Urology</i> , 2018 , 36, 897-904 | 4 | 10 |
| 77 | Artificial Urinary Sphincter in Male Patients with Spina Bifida: Comparison of Perioperative and Functional Outcomes between Bulbar Urethra and Bladder Neck Cuff Placement. <i>Journal of Urology</i> , 2018 , 199, 791-797 | 2.5 | 10 |
| 76 | Failure of botulinum toxin injection for neurogenic detrusor overactivity: Switch of toxin versus second injection of the same toxin. <i>International Journal of Urology</i> , 2015 , 22, 1160-5 | 2.3 | 10 |
| 75 | Long-Term Discontinuation of Botulinum Toxin A Intradetrusor Injections for Neurogenic Detrusor Overactivity: A Multicenter Study. <i>Journal of Urology</i> , 2019 , 201, 769-776 | 2.5 | 10 |
| 74 | Impact of Anticoagulant and Antiplatelet Drugs on Perioperative Outcomes of Robotic-assisted Partial Nephrectomy. <i>Urology</i> , 2017 , 99, 118-122 | 1.6 | 9 |
| 73 | Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>European Urology</i> , 2021 , 79, 492-504 | 10.2 | 9 |
| 72 | The surgical learning curve for endoscopic GreenLight laser enucleation of the prostate: an international multicentre study. <i>BJU International</i> , 2020 , 125, 153-159 | 5.6 | 9 |
| 71 | Diagnosis and treatment of urinary and sexual dysfunction in hereditary TTR amyloidosis. <i>Clinical Autonomic Research</i> , 2019 , 29, 65-74 | 4.3 | 8 |

| | | | |
|----|---|-----|---|
| 70 | Role of routine computed tomography scan in the oncological follow up of patients treated by radical cystectomy for bladder cancer. <i>International Journal of Urology</i> , 2016 , 23, 840-846 | 2.3 | 8 |
| 69 | Intradetrusor Injections of Botulinum Toxin A in Adults with Spinal Dysraphism. <i>Journal of Urology</i> , 2018 , 200, 875-880 | 2.5 | 8 |
| 68 | Cost analysis of prostate cancer detection including the prostate health index (phi). <i>World Journal of Urology</i> , 2019 , 37, 481-487 | 4 | 8 |
| 67 | Prospective Assessment of the Sexual Function After Greenlight Endoscopic Enucleation and Greenlight 180W XPS Photoselective Vaporization of the Prostate. <i>Urology</i> , 2019 , 131, 184-189 | 1.6 | 8 |
| 66 | Assessment of Learning Curves for 180-W GreenLight XPS Photoselective Vaporisation of the Prostate: A Multicentre Study. <i>European Urology Focus</i> , 2019 , 5, 266-272 | 5.1 | 7 |
| 65 | Exploring stress urinary incontinence outcomes after sling excision for perforation or exposure. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2019 , 11, 206-210 | 1.9 | 6 |
| 64 | The current state and the future of robotic surgery in female pelvic medicine and reconstructive surgery. <i>Turkish Journal of Urology</i> , 2019 , 45, 331-339 | 1.3 | 6 |
| 63 | Risk stratification for kidney sparing procedure in upper tract urothelial carcinoma. <i>Translational Andrology and Urology</i> , 2016 , 5, 711-719 | 2.3 | 6 |
| 62 | Peri-operative and local control outcomes of robot-assisted partial nephrectomy vs percutaneous cryoablation for renal masses: comparison after matching on radiological stage and renal score. <i>BJU International</i> , 2019 , 123, 632-638 | 5.6 | 6 |
| 61 | Diagnosis and management of nocturia in current clinical practice: who are nocturia patients, and how do we treat them?. <i>World Journal of Urology</i> , 2019 , 37, 1389-1394 | 4 | 6 |
| 60 | Endophytic Renal Cell Carcinoma Treated with Robot-Assisted Surgery: Functional Outcomes - A Comprehensive Review of the Current Literature. <i>Urologia Internationalis</i> , 2020 , 104, 343-350 | 1.9 | 6 |
| 59 | Urologic Disorders are Still the Leading Cause of In-hospital Death in Patients With Spina Bifida. <i>Urology</i> , 2020 , 137, 200-204 | 1.6 | 5 |
| 58 | Defecation disorders in Spina Bifida: Realistic goals and best therapeutic approaches. <i>Neurourology and Urodynamics</i> , 2019 , 38, 719-725 | 2.3 | 4 |
| 57 | Fecal incontinence in patients with spina bifida: The target is the rectum. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1082-1087 | 2.3 | 4 |
| 56 | Urinary TIMP-2 and MMP-2 are significantly associated with poor bladder compliance in adult patients with spina bifida. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2151-2158 | 2.3 | 4 |
| 55 | Nocturia in Patients With Multiple Sclerosis. <i>Reviews in Urology</i> , 2019 , 21, 63-73 | 1 | 4 |
| 54 | Effect of Radiation on Male Stress Urinary Incontinence and the Role of Urodynamic Assessment. <i>Urology</i> , 2019 , 125, 58-63 | 1.6 | 4 |
| 53 | Stopping or maintaining oral anticoagulation in patients undergoing photoselective vaporization of the prostate (SOAP) surgery for benign prostate obstruction: study protocol for a multicentre randomized controlled trial. <i>Trials</i> , 2018 , 19, 705 | 2.8 | 4 |

| | | | |
|----|--|------|---|
| 52 | European Association of Urology Guidelines on the Diagnosis and Management of Female Non-neurogenic Lower Urinary Tract Symptoms. Part 1: Diagnostics, Overactive Bladder, Stress Urinary Incontinence, and Mixed Urinary Incontinence.. <i>European Urology</i> , 2022 , | 10.2 | 4 |
| 51 | MRI assessment of tissue effects after 180-W XPS greenlight laser vaporization of the prostate. <i>Lasers in Surgery and Medicine</i> , 2017 , 49, 577-581 | 3.6 | 3 |
| 50 | Current Use of the Artificial Urinary Sphincter in Adult Females. <i>Current Urology Reports</i> , 2020 , 21, 53 | 2.9 | 3 |
| 49 | Comparison of adjustable continence therapy periurethral balloons and artificial urinary sphincter in female patients with stress urinary incontinence due to intrinsic sphincter deficiency. <i>International Urogynecology Journal</i> , 2018 , 29, 949-957 | 2 | 3 |
| 48 | Nocturia in female patients: Current clinical features, treatment patterns and outcomes at a tertiary referral centre. <i>Arab Journal of Urology Arab Association of Urology</i> , 2019 , 17, 82-86 | 1.7 | 3 |
| 47 | Botulinum Toxin Use in Neurourology. <i>Reviews in Urology</i> , 2018 , 20, 84-93 | 1 | 3 |
| 46 | Do Failure of Posterior Tibial Nerve Stimulation Precludes to Use Sacral Neuromodulation in Patient With Overactive Bladder?. <i>International Neurourology Journal</i> , 2019 , 23, 287-293 | 2.6 | 3 |
| 45 | Urinary biomarkers profiles in patients with neurogenic detrusor overactivity according to their neurological condition. <i>World Journal of Urology</i> , 2020 , 38, 2261-2268 | 4 | 3 |
| 44 | Rectus Fascia Versus Fascia Lata for Autologous Fascial Pubovaginal Sling: A Single-Center Comparison of Perioperative and Functional Outcomes. <i>Female Pelvic Medicine and Reconstructive Surgery</i> , 2020 , 26, 493-497 | 1.9 | 3 |
| 43 | Management of urinary stone disease in general practice: A French Delphi study. <i>European Journal of General Practice</i> , 2016 , 22, 103-10 | 2.8 | 3 |
| 42 | Desmopressin for treating nocturia in patients with multiple sclerosis: A systematic review: A report from the Neuro-Urology Promotion Committee of the International Continence Society (ICS). <i>Neurourology and Urodynamics</i> , 2019 , 38, 563-571 | 2.3 | 3 |
| 41 | The Changing Face of Artificial Urinary Sphincter Use in France: The Future is Female. <i>European Urology Focus</i> , 2020 , 6, 1248-1250 | 5.1 | 3 |
| 40 | Comparison of the prognosis of primary vs. progressive muscle invasive bladder cancer after radical cystectomy: Results from a large multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 195.e1-195.e6 | 2.8 | 3 |
| 39 | Greenlight users should move from photoselective vaporization to endoscopic enucleation in larger prostates. <i>World Journal of Urology</i> , 2017 , 35, 1635-1636 | 4 | 2 |
| 38 | A preoperative nomogram to predict major complications after robot assisted partial nephrectomy (UroCCR-57 study). <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 577.e1-577.e7 | 2.8 | 2 |
| 37 | Failures and long-term discontinuations of intradetrusor botulinum toxin injections for neurogenic detrusor overactivity: A new challenge in neurourology. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1182-1183 | 2.3 | 2 |
| 36 | Contrast-enhanced CT Texture Parameters as Predictive Markers of High-risk Urodynamic Features in Adult Patients with Spina Bifida. <i>Urology</i> , 2019 , 134, 84-89 | 1.6 | 2 |
| 35 | A comparison of perioperative outcomes of laparoscopic versus open nephroureterectomy for upper tract urothelial carcinoma: a propensity score matching analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2021 , | 4.4 | 2 |

| | | | |
|----|--|------|---|
| 34 | Artificial intelligence in functional urology: how it may shape the future. <i>Current Opinion in Urology</i> , 2021 , 31, 385-390 | 2.8 | 2 |
| 33 | What Is Better for Predicting Morbidity of Robotic Partial Nephrectomy-A Score or Your Clinical Judgement?. <i>European Urology Focus</i> , 2020 , 6, 313-319 | 5.1 | 2 |
| 32 | The safety of lasers for BPH surgery in men taking clopidogrel: one cannot judge a book by its cover. <i>World Journal of Urology</i> , 2020 , 38, 1081-1082 | 4 | 2 |
| 31 | Robot-Assisted Cystectomy and Ileal Conduit for Neurogenic Bladder: Comparison of Extracorporeal Intracorporeal Urinary Diversion. <i>Journal of Endourology</i> , 2021 , 35, 1350-1356 | 2.7 | 2 |
| 30 | Adherent perinephric fat affects perioperative outcomes after partial nephrectomy: a systematic review and meta-analysis. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 636-646 | 4.2 | 2 |
| 29 | Response to Re: Role of routine computed tomography scan in the oncological follow up of patients treated by radical cystectomy for bladder cancer. <i>International Journal of Urology</i> , 2017 , 24, 242-243 | 2.3 | 1 |
| 28 | Management of urethrocutaneous fistulae complicating sacral and perineal pressure ulcer in neurourological patients: A national multicenter study from the French-speaking Neuro-urology Study Group and the Neuro-urology committee of the French Association of Urology. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1713-1720 | 2.3 | 1 |
| 27 | Impact of routine imaging in the diagnosis of recurrence for patients with localized and locally advanced renal tumor treated with nephrectomy. <i>World Journal of Urology</i> , 2019 , 37, 2727-2736 | 4 | 1 |
| 26 | Comparison of neurogenic lower urinary tract dysfunctions in open versus closed spinal dysraphism: A prospective cross-sectional study of 318 patients. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2818-2826 | 2.3 | 1 |
| 25 | A Fatal Case of Massive Incarcerated Genital Prolapse. <i>Urology</i> , 2017 , 99, e5-e6 | 1.6 | 1 |
| 24 | Cystectomy and ileal conduit for neurogenic bladder: Comparison of the open, laparoscopic and robotic approaches.. <i>Neurourology and Urodynamics</i> , 2021 , | 2.3 | 1 |
| 23 | PD32-04 ROBOT-ASSISTED ARTIFICIAL URINARY SPHINCTER IMPLANTATION IN FEMALE PATIENTS : LESSONS LEARNT AFTER A 58 CASES MULTICENTER EXPERIENCE. <i>Journal of Urology</i> , 2018 , 199, | 2.5 | 1 |
| 22 | Reply to Satoshi Funada, Takashi Yoshioka, and Yan Luo's Letter to the Editor re: Cosimo De Nunzio, Benjamin Brucker, Thomas Bschiepfer, et al. Beyond Antimuscarinics: A Review of Pharmacological and Interventional Options for Overactive Bladder Management in Men. <i>Eur Urol</i> 2021 ; 79:492-504. <i>European Urology</i> , 2021 , 79, e147-e148 | 10.2 | 1 |
| 21 | Re: Efficacy of High-Intensity Local Treatment for Metastatic Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Analysis from the National Cancer Data Base. <i>European Urology</i> , 2016 , 70, 894 | 10.2 | 1 |
| 20 | Risk of prolapse and urinary complications in adult spina bifida patients with neurogenic acontractile detrusor using clean intermittent catheterization versus Valsalva voiding. <i>Neurourology and Urodynamics</i> , 2019 , 38, 269-277 | 2.3 | 1 |
| 19 | Long-term outcomes of artificial urinary sphincter in female patients with spina bifida. <i>Neurourology and Urodynamics</i> , 2021 , 40, 412-420 | 2.3 | 1 |
| 18 | Factors Predictive of Selective Angioembolization Failure for Moderate- to High-grade Renal Trauma: A French Multi-institutional Study. <i>European Urology Focus</i> , 2021 , | 5.1 | 1 |
| 17 | Transcutaneous posterior tibial nerve stimulation: Ready for prime time?. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1024-1025 | 2.3 | 0 |

| | | | |
|----|--|------|---|
| 16 | Does tumour effraction during robotic partial nephrectomy have any impact on recurrence?. <i>International Journal of Clinical Oncology</i> , 2019 , 24, 87-93 | 4.2 | ○ |
| 15 | Simplified robot-assisted partial nephrectomy: step-by-step technique and perioperative outcomes. <i>Journal of Robotic Surgery</i> , 2019 , 13, 245-251 | 2.9 | ○ |
| 14 | A study of the immunohistochemical profile of bladder cancer in neuro-urological patients by the French Association of Urology.. <i>World Journal of Urology</i> , 2022 , 1 | 4 | ○ |
| 13 | Prognostic Impact of pT3 Subclassification in a Multicentre Cohort of Patients with Urothelial Carcinoma of the Renal Pelvicalyceal System Undergoing Radical Nephroureterectomy: A Propensity Score-weighted Analysis After Central Pathology Review. <i>European Urology Focus</i> , 2021 , 7, 1075-1083 | 5.1 | ○ |
| 12 | Prevalence and Risk Factors of Artificial Urinary Sphincter Revision in Nonneurological Male Patients. <i>Journal of Urology</i> , 2021 , 206, 1248-1257 | 2.5 | ○ |
| 11 | Transcorporal vs. bulbar artificial urinary sphincter implantation in male patients with fragile urethra. <i>World Journal of Urology</i> , 2021 , 39, 4449-4457 | 4 | ○ |
| 10 | Determinants and prognostic value of post-operative maximum urethral closure pressure after artificial urinary sphincter in men. <i>World Journal of Urology</i> , 2020 , 38, 1303-1309 | 4 | ○ |
| 9 | Robot-assisted artificial urinary sphincter implantation. <i>Current Opinion in Urology</i> , 2021 , 31, 2-10 | 2.8 | ○ |
| 8 | Propensity-score analysis comparing perioperative and functional outcomes between XPS 180 W-photovaporization and GreenLight laser enucleation of the prostate: reasons to discard vaporization and move to enucleation. <i>World Journal of Urology</i> , 2021 , 39, 2269-2276 | 4 | ○ |
| 7 | Prioritization of risk situations in neuro-urology: guidelines from Association Française d'Urologie (AFU), Association Francophone Internationale des Groupes d'Animation de la Paraplégie (A.F.I.G.A.P.), Groupe de Neuro-urologie de Langue Française (GENULF), Société Française de Médecine Physique et de Réadaptation (SOFMER) and Société Interdisciplinaire Francophone | 4 | ○ |
| 6 | Impact of Hospital Volume on the Outcomes of Renal Trauma Management.. <i>European Urology Open Science</i> , 2022 , 37, 99-105 | 0.9 | |
| 5 | Editorial Comment. <i>Journal of Urology</i> , 2020 , 203, 1171 | 2.5 | |
| 4 | Re: Paul Abrams, Lynda D. Constable, David Cooper, et al. Outcomes of a Noninferiority Randomised Controlled Trial of Surgery for Men with Urodynamic Stress Incontinence After Prostate Surgery (MASTER). <i>Eur Urol</i> 2021;79:812-23. <i>European Urology</i> , 2021 , 79, e178-e179 | 10.2 | |
| 3 | Reply by Authors. <i>Journal of Urology</i> , 2021 , 206, 1257 | 2.5 | |
| 2 | Who Is at Risk of Death after Renal Trauma? An Analysis of Thirty-Day Mortality after 1,799 Cases of Renal Trauma.. <i>Urologia Internationalis</i> , 2022 , 1-6 | 1.9 | |
| 1 | Comparison of early loosening vs delayed section of mid-urethral slings for postoperative voiding dysfunction.. <i>International Urogynecology Journal</i> , 2022 , 1 | 2 | |