

# Guoping Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1512787/publications.pdf>

Version: 2024-02-01

91  
papers

4,096  
citations

136950

32  
h-index

128289

60  
g-index

92  
all docs

92  
docs citations

92  
times ranked

4703  
citing authors

#	ARTICLE	IF	CITATIONS
1	Silencing of SIMYB55 affects plant flowering and enhances tolerance to drought and salt stress in tomato. <i>Plant Science</i> , 2022, 316, 111166.	3.6	14
2	SICHYR1, a RING and CHY zinc finger domain-containing protein, promotes tomato fruit ripening by reprogramming abscisic acid and ethylene signaling. <i>Scientia Horticulturae</i> , 2022, 296, 110900.	3.6	3
3	New insight into the pigment composition and molecular mechanism of flower coloration in tulip ( <i>Tulipa gesneriana</i> L.) cultivars with various petal colors. <i>Plant Science</i> , 2022, 317, 111193.	3.6	12
4	The AP2/ERF transcription factor SIERF.F5 functions in leaf senescence in tomato. <i>Plant Cell Reports</i> , 2022, 41, 1181-1195.	5.6	14
5	SIMBP22 overexpression in tomato affects flower morphology and fruit development. <i>Journal of Plant Physiology</i> , 2022, 272, 153687.	3.5	4
6	Knockout of SIALKBH2 weakens the DNA damage repair ability of tomato. <i>Plant Science</i> , 2022, 319, 111266.	3.6	1
7	Genome-Wide Identification, Classification and Expression Analysis of m6A Gene Family in <i>Solanum lycopersicum</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 4522.	4.1	9
8	Overexpression of SIPRE5, an atypical bHLH transcription factor, affects plant morphology and chlorophyll accumulation in tomato. <i>Journal of Plant Physiology</i> , 2022, 273, 153698.	3.5	11
9	SIJAZ10 and SIJAZ11 mediate dark-induced leaf senescence and regeneration. <i>PLoS Genetics</i> , 2022, 18, e1010285.	3.5	5
10	A novel E6-like gene, E6-2, affects fruit ripening in tomato. <i>Plant Science</i> , 2021, 313, 111066.	3.6	4
11	Novel Translational and Phosphorylation Modification Regulation Mechanisms of Tomato ( <i>Solanum</i> ) Tj ETQq1 1 0.784314 rgBT /Over International <i>Journal of Molecular Sciences</i> , 2021, 22, 11782.	4.1	7
12	Silencing of the MADS-Box Gene SIMADS83 Enhances Adventitious Root Formation in Tomato Plants. <i>Journal of Plant Growth Regulation</i> , 2020, 39, 941-953.	5.1	2
13	Anthocyanin Accumulation and Transcriptional Regulation of Anthocyanin Biosynthesis in Purple Pepper. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 12152-12163.	5.2	47
14	Overexpression of SIMBP22 in Tomato Affects Plant Growth and Enhances Tolerance to Drought Stress. <i>Plant Science</i> , 2020, 301, 110672.	3.6	15
15	The basic helix-loop-helix transcription factor bHLH95 affects fruit ripening and multiple metabolisms in tomato. <i>Journal of Experimental Botany</i> , 2020, 71, 6311-6327.	4.8	27
16	Suppression of a hexokinase gene, SIHKK1, leads to accelerated leaf senescence and stunted plant growth in tomato. <i>Plant Science</i> , 2020, 298, 110544.	3.6	15
17	Isolation of the brassinosteroid receptor genes and recharacterization of dwarf plants by silencing of SIBRI1 in tomato. <i>Plant Growth Regulation</i> , 2019, 89, 59-71.	3.4	7
18	The bHLH transcription factor SIPRE2 regulates tomato fruit development and modulates plant response to gibberellin. <i>Plant Cell Reports</i> , 2019, 38, 1053-1064.	5.6	43

#	ARTICLE	IF	CITATIONS
19	Genome-Wide Analysis of the MADS-Box Transcription Factor Family in <i>Solanum lycopersicum</i> . <i>International Journal of Molecular Sciences</i> , 2019, 20, 2961.	4.1	69
20	Metabolic and molecular analysis of nonuniform anthocyanin pigmentation in tomato fruit under high light. <i>Horticulture Research</i> , 2019, 6, 56.	6.3	29
21	The tomato MADS-box gene SIMBP9 negatively regulates lateral root formation and apical dominance by reducing auxin biosynthesis and transport. <i>Plant Cell Reports</i> , 2019, 38, 951-963.	5.6	14
22	Overexpression of SIOFP20 affects floral organ and pollen development. <i>Horticulture Research</i> , 2019, 6, 125.	6.3	22
23	Overexpression of SIOFP20 in Tomato Affects Plant Growth, Chlorophyll Accumulation, and Leaf Senescence. <i>Frontiers in Plant Science</i> , 2019, 10, 1510.	3.6	22
24	Molecular and Phylogenetic Analyses of the Mediator Subunit Genes in <i>Solanum lycopersicum</i> . <i>Frontiers in Genetics</i> , 2019, 10, 1222.	2.3	6
25	Accumulation of Anthocyanin and Its Associated Gene Expression in Purple Tumorous Stem Mustard ( <i>Brassica juncea</i> var. <i>tumida</i> Tsen et Lee) Sprouts When Exposed to Light, Dark, Sugar, and Methyl Jasmonate. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 856-866.	5.2	19
26	An AGAMOUS MADS-box protein, SIMBP3, regulates the speed of placenta liquefaction and controls seed formation in tomato. <i>Journal of Experimental Botany</i> , 2019, 70, 909-924.	4.8	38
27	Silencing SIMED18, tomato Mediator subunit 18 gene, restricts internode elongation and leaf expansion. <i>Scientific Reports</i> , 2018, 8, 3285.	3.3	12
28	A tomato MADS-box protein, SICMB1, regulates ethylene biosynthesis and carotenoid accumulation during fruit ripening. <i>Scientific Reports</i> , 2018, 8, 3413.	3.3	49
29	SIHDA5, a Tomato Histone Deacetylase Gene, Is Involved in Responding to Salt, Drought, and ABA. <i>Plant Molecular Biology Reporter</i> , 2018, 36, 36-44.	1.8	13
30	Suppression of a tomato SEPALLATA MADS-box gene, SICMB1, generates altered inflorescence architecture and enlarged sepals. <i>Plant Science</i> , 2018, 272, 75-87.	3.6	24
31	The SIFSR gene controls fruit shelf-life in tomato. <i>Journal of Experimental Botany</i> , 2018, 69, 2897-2909.	4.8	43
32	Manipulation of plant architecture and flowering time by down-regulation of the GRAS transcription factor SIGRAS26 in <i>Solanum lycopersicum</i> . <i>Plant Science</i> , 2018, 271, 81-93.	3.6	25
33	A histone deacetylase gene, SIHDA3, acts as a negative regulator of fruit ripening and carotenoid accumulation. <i>Plant Cell Reports</i> , 2018, 37, 125-135.	5.6	48
34	The Jasmonate ZIM-domain protein gene SIJAZ2 regulates plant morphology and accelerates flower initiation in <i>Solanum lycopersicum</i> plants. <i>Plant Science</i> , 2018, 267, 65-73.	3.6	57
35	Suppression of SIMBP15 Inhibits Plant Vegetative Growth and Delays Fruit Ripening in Tomato. <i>Frontiers in Plant Science</i> , 2018, 9, 938.	3.6	19
36	Cold stress improves the production of artemisinin depending on the increase in endogenous jasmonate. <i>Biotechnology and Applied Biochemistry</i> , 2017, 64, 305-314.	3.1	45

#	ARTICLE	IF	CITATIONS
37	Silencing of SIHB2 Improves Drought, Salt Stress Tolerance, and Induces Stress-Related Gene Expression in Tomato. <i>Journal of Plant Growth Regulation</i> , 2017, 36, 578-589.	5.1	19
38	Molecular Characterization of Nine Tissue-Specific or Stress-Responsive Genes of Histone Deacetylase in Tomato ( <i>Solanum lycopersicum</i> ). <i>Journal of Plant Growth Regulation</i> , 2017, 36, 566-577.	5.1	16
39	The MADS-box gene SIMBP11 regulates plant architecture and affects reproductive development in tomato plants. <i>Plant Science</i> , 2017, 258, 90-101.	3.6	36
40	The abiotic stress-responsive NAC transcription factor SINAC11 is involved in drought and salt response in tomato ( <i>Solanum lycopersicum</i> L.). <i>Plant Cell, Tissue and Organ Culture</i> , 2017, 129, 161-174.	2.3	43
41	Suppression of the MADS-box gene SIMBP8 accelerates fruit ripening of tomato ( <i>Solanum</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5.8 44	5.8	44
42	Silencing SIAGL6, a tomato AGAMOUS-LIKE6 lineage gene, generates fused sepal and green petal. <i>Plant Cell Reports</i> , 2017, 36, 959-969.	5.6	23
43	Physiological, biochemical, and molecular differences in chloroplast synthesis between leaf and corolla of cabbage ( <i>Brassica rapa</i> L. var. <i>chinensis</i> ) and rapeseed ( <i>Brassica napus</i> L.). <i>Plant Growth Regulation</i> , 2017, 82, 91-101.	3.4	0
44	Silencing of histone deacetylase SIHDT3 delays fruit ripening and suppresses carotenoid accumulation in tomato. <i>Plant Science</i> , 2017, 265, 29-38.	3.6	47
45	The tomato histone deacetylase SIHDA1 contributes to the repression of fruit ripening and carotenoid accumulation. <i>Scientific Reports</i> , 2017, 7, 7930.	3.3	33
46	Overexpression of SIPRE2, an atypical bHLH transcription factor, affects plant morphology and fruit pigment accumulation in tomato. <i>Scientific Reports</i> , 2017, 7, 5786.	3.3	56
47	Tomato ( <i>Solanum lycopersicum</i> ) MADS-box transcription factor SIMBP8 regulates drought, salt tolerance and stress-related genes. <i>Plant Growth Regulation</i> , 2017, 83, 55-68.	3.4	53
48	The tomato floral homeotic protein FBP1-like gene, SIGLO1, plays key roles in petal and stamen development. <i>Scientific Reports</i> , 2016, 6, 20454.	3.3	22
49	Overexpression of SIUPA-like induces cell enlargement, aberrant development and low stress tolerance through phytohormonal pathway in tomato. <i>Scientific Reports</i> , 2016, 6, 23818.	3.3	5
50	Genetically engineered anthocyanin pathway for high health-promoting pigment production in eggplant. <i>Molecular Breeding</i> , 2016, 36, 1.	2.1	37
51	<i>Solanum lycopersicum</i> agamous-like MADS-box protein AGL15-like gene, SIMBP11, confers salt stress tolerance. <i>Molecular Breeding</i> , 2016, 36, 1.	2.1	55
52	Silencing SIGID2, a putative F-box protein gene, generates a dwarf plant and dark-green leaves in tomato. <i>Plant Physiology and Biochemistry</i> , 2016, 109, 491-501.	5.8	16
53	Anthocyanins and flavonols are responsible for purple color of <i>Lablab purpureus</i> (L.) sweet pods. <i>Plant Physiology and Biochemistry</i> , 2016, 103, 183-190.	5.8	22
54	SIDEAD31, a Putative DEAD-Box RNA Helicase Gene, Regulates Salt and Drought Tolerance and Stress-Related Genes in Tomato. <i>PLoS ONE</i> , 2015, 10, e0133849.	2.5	63

#	ARTICLE	IF	CITATIONS
55	OrthoVenn: a web server for genome wide comparison and annotation of orthologous clusters across multiple species. <i>Nucleic Acids Research</i> , 2015, 43, W78-W84.	14.5	612
56	Dual silencing of DmCPD and DmGA20ox genes generates a novel miniature and delayed-flowering <i>Dendranthema morifolium</i> variety. <i>Molecular Breeding</i> , 2015, 35, 1.	2.1	13
57	Tomato lipoxygenase D involved in the biosynthesis of jasmonic acid and tolerance to abiotic and biotic stress in tomato. <i>Plant Biotechnology Reports</i> , 2015, 9, 37-45.	1.5	27
58	Anthocyanin Accumulation and Molecular Analysis of Correlated Genes in Purple Kohlrabi ( <i>Brassica oleracea</i> var. <i>gongylodes</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4160-4169.	5.2	65
59	Silencing SLEP2L, a tomato Elongator complex protein 2-like gene, inhibits leaf growth, accelerates leaf, sepal senescence and produces dark-green fruit. <i>Scientific Reports</i> , 2015, 5, 7693.	3.3	19
60	Anthocyanin composition and expression analysis of anthocyanin biosynthetic genes in kidney bean pod. <i>Plant Physiology and Biochemistry</i> , 2015, 97, 304-312.	5.8	22
61	A Non-Climacteric Fruit Gene CaMADS-RIN Regulates Fruit Ripening and Ethylene Biosynthesis in Climacteric Fruit. <i>PLoS ONE</i> , 2014, 9, e95559.	2.5	28
62	AIM: a comprehensive Arabidopsis interactome module database and related interologs in plants. Database: the <i>Journal of Biological Databases and Curation</i> , 2014, 2014, bau117.	3.0	8
63	Anthocyanin Accumulation and Transcriptional Regulation of Anthocyanin Biosynthesis in Purple Bok Choy ( <i>Brassica rapa</i> var. <i>chinensis</i> ). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 12366-12376.	5.2	78
64	Simultaneous Silencing of Five Lipoxygenase Genes Increases the Contents of $\hat{\pm}$ -Linolenic and Linoleic Acids in Tomato ( <i>Solanum lycopersicum</i> L.) Fruits. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 11988-11993.	5.2	6
65	Jointly silencing BoDWARF, BoGA20ox and BoSP (SELF-PRUNING) produces a novel miniature ornamental <i>Brassica oleracea</i> var. <i>acephala</i> f. <i>tricolor</i> variety. <i>Molecular Breeding</i> , 2014, 34, 99-113.	2.1	4
66	A New Tomato NAC (NAM/ATAF1/2/CUC2) Transcription Factor, SINAC4, Functions as a Positive Regulator of Fruit Ripening and Carotenoid Accumulation. <i>Plant and Cell Physiology</i> , 2014, 55, 119-135.	3.1	296
67	The abiotic stress-responsive NAC-type transcription factor SINAC4 regulates salt and drought tolerance and stress-related genes in tomato ( <i>Solanum lycopersicum</i> ). <i>Plant Cell Reports</i> , 2014, 33, 1851-1863.	5.6	132
68	Accumulation and Molecular Regulation of Anthocyanin in Purple Tumorous Stem Mustard ( <i>Brassica juncea</i> var. <i>tumida</i> Tsen et Lee). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 7813-7821.	5.2	52
69	Anthocyanin Accumulation and Molecular Analysis of Anthocyanin Biosynthesis-Associated Genes in Eggplant ( <i>Solanum melongena</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 2906-2912.	5.2	96
70	Heterologous Expression of BoPAP1 in Tomato Induces Stamen Specific Anthocyanin Accumulation and Enhances Tolerance to a Long-Term Low Temperature Stress. <i>Journal of Plant Growth Regulation</i> , 2014, 33, 757-768.	5.1	19
71	Molecular Characterization of Six Tissue-Specific or Stress-Inducible Genes of NAC Transcription Factor Family in Tomato ( <i>Solanum lycopersicum</i> ). <i>Journal of Plant Growth Regulation</i> , 2014, 33, 730-744.	5.1	27
72	Overexpression of a novel MADS-box gene SlFYFL delays senescence, fruit ripening and abscission in tomato. <i>Scientific Reports</i> , 2014, 4, 4367.	3.3	69

#	ARTICLE	IF	CITATIONS
73	Transgenic pepper plants carrying RNA interference constructs of CaCO11 gene show severe abnormality. <i>Molecular Breeding</i> , 2013, 31, 971-979.	2.1	3
74	Overexpression of the Tomato 13-Lipoxygenase Gene TomloxD Increases Generation of Endogenous Jasmonic Acid and Resistance to <i>Cladosporium fulvum</i> and High Temperature. <i>Plant Molecular Biology Reporter</i> , 2013, 31, 1141-1149.	1.8	38
75	A Tomato MADS-Box Transcription Factor, SIMADS1, Acts as a Negative Regulator of Fruit Ripening. <i>Plant Physiology</i> , 2013, 163, 1026-1036.	4.8	161
76	Biochemical and molecular analysis of a temperature-sensitive albino mutant in kale named "White Dove". <i>Plant Growth Regulation</i> , 2013, 71, 281-294.	3.4	23
77	A putative functional MYB transcription factor induced by low temperature regulates anthocyanin biosynthesis in purple kale ( <i>Brassica Oleracea</i> var. <i>acephala</i> f. <i>tricolor</i> ). <i>Plant Cell Reports</i> , 2012, 31, 281-289.	5.6	122
78	An ethylene response factor (ERF5) promoting adaptation to drought and salt tolerance in tomato. <i>Plant Cell Reports</i> , 2012, 31, 349-360.	5.6	222
79	Molecular characterization and functional analysis by heterologous expression in <i>E. coli</i> under diverse abiotic stresses for OsLEA5, the atypical hydrophobic LEA protein from <i>Oryza sativa</i> L.. <i>Molecular Genetics and Genomics</i> , 2012, 287, 39-54.	2.1	71
80	Functional analysis of tomato LeEIL1 in an <i>Arabidopsis ein2</i> mutant. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 489-496.	2.1	1
81	Quantitative prediction of the thermal motion and intrinsic disorder of protein cofactors in crystalline state: A case study on halide anions. <i>Journal of Theoretical Biology</i> , 2010, 266, 291-298.	1.7	10
82	A powerful hybrid puc operon promoter tightly regulated by both IPTG and low oxygen level. <i>Biochemistry (Moscow)</i> , 2010, 75, 519-525.	1.5	11
83	Heterologous synthesis and assembly of functional LHIII antenna complexes from <i>Rhodovulum sulfidophilum</i> in <i>Rhodobacter sphaeroides</i> mutant. <i>Molecular Biology Reports</i> , 2009, 36, 1695-1702.	2.3	5
84	High human GLUT1, GLUT2, and GLUT3 expression in <i>Schizosaccharomyces pombe</i> . <i>Biochemistry (Moscow)</i> , 2009, 74, 75-80.	1.5	4
85	Characteristics of light-harvesting complex II mutant of <i>Rhodobacter sphaeroides</i> with alterations at the transmembrane helices of l <sup>2</sup> -subunit. <i>Biochemistry (Moscow)</i> , 2009, 74, 807-812.	1.5	2
86	The Wettability and Topography of Self-Assembled Protein Monolayer Linked by Alkanethiols. , 2009, , .		2
87	Applying Novel Three-Dimensional Holographic Vector of Atomic Interaction Field to QSAR Studies of Artemisinin Derivatives. <i>QSAR and Combinatorial Science</i> , 2008, 27, 198-207.	1.4	3
88	Differential regulation of tomato ethylene responsive factor LeERF3b, a putative repressor, and the activator Pti4 in ripening mutants and in response to environmental stresses. <i>Journal of Plant Physiology</i> , 2008, 165, 662-670.	3.5	58
89	Cloning and characterization of the EIN2-homology gene LeEIN2 from tomato. <i>DNA Sequence</i> , 2007, 18, 33-38.	0.7	15
90	Identification of a Specific Isoform of Tomato Lipoxygenase (TomloxC) Involved in the Generation of Fatty Acid-Derived Flavor Compounds. <i>Plant Physiology</i> , 2004, 136, 2641-2651.	4.8	329

#	ARTICLE	IF	CITATIONS
91	Constitutive expression of EIL-like transcription factor partially restores ripening in the ethylene-insensitive Nr tomato mutant. <i>Journal of Experimental Botany</i> , 2004, 55, 1491-1497.	4.8	59