Bina Shaheen Siddiqui

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1514029/publications.pdf

Version: 2024-02-01

209 papers 4,842 citations

36 h-index 54 g-index

224 all docs

224 docs citations

times ranked

224

4074 citing authors

#	Article	IF	CITATIONS
1	Oleanderol, a New Pentacyclic Triterpene from the Leaves of Nerium oleander. Journal of Natural Products, 1988, 51, 229-233.	1.5	166
2	Isolation and Structure Elucidation of New Nitrile and Mustard Oil Glycosides from Moringa oleifera and Their Effect on Blood Pressure. Journal of Natural Products, 1994, 57, 1256-1261.	1.5	165
3	Fully acetylated carbamate and hypotensive thiocarbamate glycosides from Moringa oleifera. Phytochemistry, 1995, 38, 957-963.	1.4	143
4	Hypotensive Constituents from the Pods ofMoringa oleifera. Planta Medica, 1998, 64, 225-228.	0.7	127
5	Triterpenoids from the leaves of Psidium guajava. Phytochemistry, 2002, 61, 399-403.	1.4	112
6	Pharmacological studies on hypotensive and spasmolytic activities of pure compounds from Moringa oleifera. Phytotherapy Research, 1994, 8, 87-91.	2.8	94
7	Anti-nociceptive, anti-inflammatory and sedative activities of the extracts and chemical constituents of Diospyros lotus L Phytomedicine, 2014, 21, 954-959.	2.3	79
8	Chemical constituents from the leaves of Psidium guajava. Natural Product Research, 2004, 18, 135-140.	1.0	76
9	Gastrointestinal, selective airways and urinary bladder relaxant effects of <i>Hyoscyamus niger</i> are mediated through dual blockade of muscarinic receptors and Ca ²⁺ channels. Fundamental and Clinical Pharmacology, 2008, 22, 87-99.	1.0	75
10	Two insecticidal tetranortriterpenoids from Azadirachta indica. Phytochemistry, 2000, 53, 371-376.	1.4	74
11	Tetracyclic Triterpenoids and Their Derivatives from Azadirachta indica. Journal of Natural Products, 1988, 51, 30-43.	1.5	73
12	Two New Triterpenoids from the Fresh Leaves of Psidium guajava. Planta Medica, 2002, 68, 1149-1152.	0.7	72
13	Constituents of Azadirachta indica: Isolation and Structure Elucidation of a New Antibacterial Tetranortriterpenoid, Mahmoodin, and a New Protolimonoid, Naheedin. Journal of Natural Products, 1992, 55, 303-310.	1.5	69
14	Nematicidal Constituents of the Aerial Parts of Lantana camara. Journal of Natural Products, 2000, 63, 765-767.	1.5	65
15	Bio-active cardenolides from the leaves of Nerium oleander. Phytochemistry, 1999, 50, 435-438.	1.4	63
16	Tetracyclic Triterpenoids from the Leaves of Azadirachta indica and Their Insecticidal Activities Chemical and Pharmaceutical Bulletin, 2003, 51, 415-417.	0.6	62
17	Pentacyclic triterpenoids from Lantana camara. Phytochemistry, 1995, 38, 681-685.	1.4	59
18	Phytochemical, ethnomedicinal uses and pharmacological profile of genus Pistacia. Biomedicine and Pharmacotherapy, 2017, 86, 393-404.	2.5	59

#	Article	IF	Citations
19	Cardenolides from the Methanolic Extract of Neriumoleander Leaves Possessing Central Nervous System Depressant Activity in Mice. Journal of Natural Products, 1997, 60, 540-544.	1.5	58
20	New Insecticidal Amides from Petroleum Ether Extract of Dried Piper nigrum L. Whole Fruits. Chemical and Pharmaceutical Bulletin, 2004, 52, 1349-1352.	0.6	56
21	Tetracyclic triterpenoids from the leaves of Azadirachta indica. Phytochemistry, 2004, 65, 2363-2367.	1.4	51
22	Pentacyclic Triterpenoids from the Aerial Parts of <i>Lantana camara</i> and Their Nematicidal Activity. Chemistry and Biodiversity, 2008, 5, 1856-1866.	1.0	46
23	Two cytotoxic pentacyclic triterpenoids from Nerium oleander. Phytochemistry, 1995, 39, 171-174.	1.4	45
24	Flavonoid and cardenolide glycosides and a pentacyclic triterpene from the leaves of Nerium oleander and evaluation of cytotoxicity. Phytochemistry, 2012, 77, 238-244.	1.4	45
25	Ethnic uses, pharmacological and phytochemical profile of genus <i>Grewia</i> . Journal of Asian Natural Products Research, 2012, 14, 186-195.	0.7	44
26	Antipyretic and antinociceptive activity of Diospyros lotus L. in animals. Asian Pacific Journal of Tropical Biomedicine, 2014, 4, S382-S386.	0.5	44
27	Kaneric Acid, a New Triterpene from the Leaves of Nerium oleander. Journal of Natural Products, 1986, 49, 1086-1090.	1.5	43
28	Novel hypotensive agents, niazimin A, niazimin B, Niazicin A and Niazicin B from Moringa oleifera: isolation of first naturally occurring carbamates. Journal of the Chemical Society Perkin Transactions 1, 1994, , 3035.	0.9	43
29	An amide from fruits of Piper nigrum. Phytochemistry, 1997, 45, 1617-1619.	1.4	43
30	Terpenoids from the stem bark of Azadirachta indica. Phytochemistry, 1988, 27, 1801-1804.	1.4	42
31	Triterpenes, A sterol and A monocyclic alcohol from Momordica charantia. Phytochemistry, 1997, 44, 1313-1320.	1.4	42
32	Evaluation of the antimycobacterium activity of the constituents from Ocimum basilicum against Mycobacterium tuberculosis. Journal of Ethnopharmacology, 2012, 144, 220-222.	2.0	42
33	Studies on the constituents of the leaves of Nerium oleander on behavior pattern in mice. Journal of Ethnopharmacology, 1995, 49, 33-39.	2.0	39
34	Phytochemical studies on the seed extract of Piper nigrum Linn Natural Product Research, 2005, 19, 703-712.	1.0	39
35	In-vivo antinociceptive, anti-inflammatory and antipyretic activity of pistagremic acid isolated from Pistacia integerrima. Phytomedicine, 2014, 21, 1509-1515.	2.3	38
36	Triterpenoidal constituents from Eucalyptus camaldulensis var. obtusa leaves. Phytochemistry, 2000, 54, 861-865.	1.4	37

#	Article	IF	Citations
37	Carandinol: First isohopane triterpene from the leaves of Carissa carandas L. and its cytotoxicity against cancer cell lines. Phytochemistry Letters, 2013, 6, 91-95.	0.6	37
38	Pentacyclic Triterpenoids from the Aerial Parts of Lantana camara Chemical and Pharmaceutical Bulletin, 2003, 51, 134-137.	0.6	36
39	Two New Triterpenoids and a Steroidal Glycoside from the Aerial Parts of Ocimum basilicum. Chemical and Pharmaceutical Bulletin, 2007, 55, 516-519.	0.6	36
40	Isolation and structure elucidation of novel hypotensive agents, niazinin A, niazinin B, niazimicin and niaziminin A + B from Moringa oleifera: the first naturally occurring thiocarbamates. Journal of the Chemical Society Perkin Transactions 1, 1992, , 3237.	0.9	35
41	Two New Triterpenoids fromAzadirachtaindicaand Their Insecticidal Activity. Journal of Natural Products, 2002, 65, 1216-1218.	1.5	35
42	Synthesis of dihydrodehydrodiconiferyl alcohol: the revised structure of lawsonicin. Organic and Biomolecular Chemistry, 2010, 8, 107-113.	1.5	34
43	Leishmanicidal Triterpenes from <i>Lantana camara</i> . Chemistry and Biodiversity, 2014, 11, 709-718.	1.0	34
44	Isolation and structure of two cardiac glycosides from the leaves of Nerium oleander. Phytochemistry, 1986, 26, 237-241.	1.4	33
45	Triterpenoids from the Aerial Parts of Lantana camara. Journal of Natural Products, 1995, 58, 1570-1574.	1.5	33
46	Study of the in vitro antimicrobial activity of harmine, harmaline and their derivatives. Journal of Ethnopharmacology, 1992, 35, 289-294.	2.0	32
47	Pharmacological basis for the medicinal use of Carissa carandas in constipation and diarrhea. Journal of Ethnopharmacology, 2014, 153, 359-367.	2.0	32
48	Steroidal alkaloids and an androstane derivative from the bark of Holarrhena pubescens. Phytochemistry, 1993, 33, 925-928.	1.4	30
49	Isolation and Structural Elucidation of Acylated Pentacyclic Triterpenoids from the Leaves of Eucalyptus camaldulensisvar. obtusa. Planta Medica, 1997, 63, 47-50.	0.7	29
50	Insecticidal amides from fruits of Piper Nigrum Linn Natural Product Research, 2005, 19, 143-150.	1.0	29
51	Structure and Spasmolytic Activity of Eucalyptanoic Acid fromEucalyptus camaldulensisvar.obtusaand Synthesis of Its Active Derivative from Oleanolic Acid. Journal of Natural Products, 2002, 65, 1939-1941.	1.5	28
52	Antinociceptive and anti-inflammatory activities of flavonoids isolated from Pistacia integerrima galls. Complementary Therapies in Medicine, 2016, 25, 132-138.	1.3	28
53	Triterpenoids from the Leaves of Eucalyptus camaldulensis var. obtusa. Journal of Natural Products, 1997, 60, 20-23.	1.5	27
54	Pentacyclic triterpenoids from the leaves of Plumeria obtusa. Phytochemistry, 1989, 28, 3143-3147.	1.4	26

#	Article	IF	CITATIONS
55	New insect-growth-regulator meliacin butenolides from the leaves of Azadirachta indica A. Juss. Journal of the Chemical Society Perkin Transactions 1, 1999, , 2367-2370.	0.9	26
56	Chemical constituents of leaves and stem bark of Plumeria obtusa. Phytochemistry, 2004, 65, 2077-2084.	1.4	26
57	Bioactive flavonoids from the leaves of Lawsonia alba (Henna). Phytochemistry Letters, 2011, 4, 454-458.	0.6	26
58	Petra/Osiris/Molinspiration and Molecular Docking Analyses of 3-Hydroxy-Indolin-2-one Derivatives as Potential Antiviral Agents. Current Computer-Aided Drug Design, 2021, 17, 123-133.	0.8	26
59	Triterpenoids of the Fruit Coats of Azadirachta indica. Journal of Natural Products, 1999, 62, 1006-1009.	1.5	25
60	Spasmolytic Constituents fromEucalyptus camaldulensisvar.obtusaLeaves. Journal of Natural Products, 2000, 63, 1265-1268.	1.5	25
61	Analysis of Insecticidal Azadirachta indica A. Juss. Fractions. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2004, 59, 104-112.	0.6	25
62	Two new compounds from the aerial parts of Bergenia himalaica Boriss and their anti-hyperglycemic effect in streptozotocin-nicotinamide induced diabetic rats. Journal of Ethnopharmacology, 2014, 152, 561-567.	2.0	25
63	Triterpenoids from the fresh fruit coats of Azadirachta indica. Phytochemistry, 1992, 31, 4275-4278.	1.4	24
64	Tetracyclic Triterpenoids of the Fruit Coats of Azadirachta indica. Journal of Natural Products, 1991, 54, 408-415.	1.5	23
65	Modulation of c-Fos and BDNF Protein Expression in Pentylenetetrazole-Kindled Mice following the Treatment with Novel Antiepileptic Compound HHL-6. BioMed Research International, 2014, 2014, 1-9.	0.9	23
66	Phosphodiesterase-1 Inhibitory Activity of Two Flavonoids Isolated from <i>Pistacia integerrima</i> J. L. Stewart Galls. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-6.	0.5	23
67	Two New Tetranortriterpenoids from Azadirachta indica. Journal of Natural Products, 1986, 49, 1068-1073.	1.5	22
68	Isolation and Structure Elucidation of a Novel Glycoside Niazidin from the Pods of Moringa oleifera. Journal of Natural Products, 1997, 60, 1317-1321.	1.5	22
69	Biologically Active Triterpenoids of Biogenetic Interest from the Fresh Fruit Coats of Azadirachta indica. Tetrahedron, 2000, 56, 3547-3551.	1.0	22
70	A natural flavonoid lawsonaringenin induces cell cycle arrest and apoptosis in HT-29 colorectal cancer cells by targeting multiple signalling pathways. Molecular Biology Reports, 2018, 45, 1339-1348.	1.0	22
71	Studies on the Chemical Constituents of Azadirachta indica A. Juss (Meliaceae) Part I: Isolation and Structure of a New Tetranortriterpenoid — Nimolicinol. Heterocycles, 1984, 22, 295.	0.4	22
72	Isolation of a tetranortriterpenoid from Azadirachta indica. Phytochemistry, 1984, 23, 2899-2901.	1.4	21

#	Article	IF	CITATIONS
73	Non-Terpenoidal Constituents fromAzadirachta indica. Planta Medica, 1988, 54, 457-459.	0.7	21
74	A New Bisbenzopyran fromAloe barbadensisRoots. Planta Medica, 1997, 63, 454-456.	0.7	21
75	GC-based analysis of insecticidal constituents of the flowers of <i>Azadirachta indica </i> A. Juss. Natural Product Research, 2009, 23, 271-283.	1.0	21
76	Two New Terpenoids from Root Bark of Azadirachta indica. Journal of Natural Products, 1989, 52, 1209-1213.	1.5	20
77	Two triterpenoids from the leaves of Plumeria obtusa. Phytochemistry, 1999, 52, 1111-1115.	1.4	20
78	Antimicrobial activity of the methanolic bark extract of Holarrhena pubescens (Buch. Ham), its fractions and the pure compound conessine. Natural Product Research, 2012, 26, 987-992.	1.0	20
79	Grewialin and optivanin new constituents from the stem bark of <i>Grewia optiva</i> Drummond ex Burret (Tiliaceae). Natural Product Research, 2013, 27, 215-220.	1.0	20
80	In vivo sedative and muscle relaxants activity of Diospyros lotus L. Asian Pacific Journal of Tropical Biomedicine, 2015, 5, 277-280.	0.5	20
81	Pentacyclic triterpenoids from Plumeria obtusa. Phytochemistry, 1990, 29, 3615-3620.	1.4	19
82	Terpenoids from fruit coatings of Azadirachta indica. Phytochemistry, 1991, 30, 1615-1619.	1.4	19
83	Minor iridoids from the leaves of Plumeria obtusa. Phytochemistry, 1994, 37, 769-771.	1.4	19
84	New cinnamic acid esters from <i>Ocimum basilicum</i> . Natural Product Research, 2007, 21, 736-741.	1.0	19
85	Nematicidal Triterpenoids from <i>Lantana camara</i> . Chemistry and Biodiversity, 2015, 12, 1435-1442.	1.0	19
86	Tetracyclic triterpenoids of the fruit coats of Azadirachta indica. Phytochemistry, 1998, 47, 1631-1636.	1.4	18
87	Triterpenoids from Psidium Guajava Leaves. Natural Product Research, 2002, 16, 173-177.	0.4	18
88	Triterpenoidal Constituents of the Leaves of Carissa Carandas. Natural Product Research, 2003, 17, 153-158.	1.0	18
89	Potential of black pepper as a functional food for treatment of airways disorders. Journal of Functional Foods, 2015, 19, 126-140.	1.6	18
90	Identification of new potent inhibitor of aldose reductase from Ocimum basilicum. Bioorganic Chemistry, 2017, 75, 62-70.	2.0	18

#	Article	IF	CITATIONS
91	Margosinolide and isomargosinolide, two new tetranortriteprenoids from azadirachta indica a, juss (Meliaceae). Tetrahedron, 1986, 42, 4849-4856.	1.0	17
92	Anthrones from Aloe barbadensis. Phytochemistry, 1997, 45, 1279-1282.	1.4	17
93	Pharmacological basis for the medicinal use of Psidium guajava leave in hyperactive gut disorders. Bangladesh Journal of Pharmacology, 2011, 6, .	0.1	17
94	Bioassay-guided isolation of urease and \hat{l}_{\pm} -chymotrypsin inhibitory constituents from the stems of Lawsonia alba Lam. (Henna). Fìtoterapìâ, 2013, 84, 202-207.	1.1	17
95	Isolation and Structure of Neriucoumaric and Isoneriucoumaric Acids from the Leaves of Nerium oleander. Planta Medica, 1987, 53, 424-427.	0.7	16
96	Two triterpenes from the leaves of Nerium oleander. Phytochemistry, 1989, 28, 1187-1191.	1.4	16
97	Three Pentacyclic Triterpenoids from the Leaves of Plumeria obtusa. Journal of Natural Products, 1990, 53, 1332-1336.	1.5	16
98	Triterpenoids from the leaves of Nerium oleander. Phytochemistry, 1997, 44, 329-332.	1.4	16
99	A pyoverdine from Pseudomonas putida CFML 90-51 with a Lys epsilon-amino link in the peptide chain. BioMetals, 2000, 13, 147-152.	1.8	16
100	An isopyoverdin from Pseudomonas putida CFML 90-33. Tetrahedron, 2001, 57, 1019-1023.	1.0	16
101	Piptigrine, a new Insecticidal Amide fromPiper NigrumLinn Natural Product Research, 2004, 18, 473-477.	1.0	16
102	New anthraquinones from the stem of Morinda citrifolia Linn Natural Product Research, 2006, 20, 1136-1144.	1.0	16
103	Isolation and structural elucidation of chemical constituents from the fruits of Morinda citrifolia Linn. Archives of Pharmacal Research, 2007, 30, 919-923.	2.7	16
104	Chemical Constituents of Cordia latifolia and Their Nematicidal Activity. Chemistry and Biodiversity, 2011, 8, 850-861.	1.0	16
105	Amides from the Seeds of Piper nigrum Linn. and Their Insecticidal Activity. Heterocycles, 2002, 57, 1653.	0.4	16
106	Pentacyclic triterpenoids from the leaves of Plumeria obtusa. Phytochemistry, 1992, 31, 4279-4283.	1.4	15
107	Triterpenoids of Atriplex stocksii. Phytochemistry, 1994, 37, 1123-1125.	1.4	15
108	Studies on the chemical constituents of the fruits of Cordia latifolia. Natural Product Research, 2006, 20, 131-137.	1.0	15

#	Article	IF	CITATIONS
109	A Rare Class of New Dimeric Naphthoquinones from Diospyros lotus have Multidrug Reversal and Antiproliferative Effects. Frontiers in Pharmacology, 2015, 6, 293.	1.6	15
110	Triterpenoids and triterpenoid saponins from the aerial parts of Fagonia indica Burm. Phytochemistry Letters, 2015, 13, 256-261.	0.6	15
111	The Prokinetic, Laxative, and Antidiarrheal Effects of <scp><i>Morus nigra</i></scp> : Possible Muscarinic, Ca ²⁺ Channel Blocking, and Antimuscarinic Mechanisms. Phytotherapy Research, 2016, 30, 1362-1376.	2.8	15
112	Bioassay-guided isolation of antibacterial constituents from <i>Diospyros lotus </i> roots. Natural Product Research, 2016, 30, 426-428.	1.0	15
113	Constituents of the Leaves of Thevetia neriifolia. Journal of Natural Products, 1993, 56, 613-617.	1.5	14
114	A new ethylene glycol triterpenoid from the leaves of <i>Psidium guajava</i> . Natural Product Research, 2007, 21, 742-748.	1.0	14
115	Two New Pentacyclic Triterpenoids from Lantana camara LINN Chemical and Pharmaceutical Bulletin, 2008, 56, 1317-1320.	0.6	14
116	New constituents from the dried fruit of Piper nigrum Linn., and their larvicidal potential against the Dengue vector mosquito Aedes aegypti. Phytochemistry Letters, 2013, 6, 219-223.	0.6	14
117	Pistagremic acid, a novel î²-secretase enzyme (BACE1) inhibitor from <i>Pistacia integerrima</i> Stewart. Natural Product Research, 2015, 29, 1735-1738.	1.0	14
118	Structure activity relationship of bergenin, <i>p</i> -hydroxybenzoyl bergenin, 11- <i>O</i> -galloylbergenin as potent antioxidant and urease inhibitor isolated from <i>Bergenia ligulata </i> -li>. Natural Product Research, 2015, 29, 2291-2294.	1.0	14
119	In vivo and in silico sedative-hypnotic like activity of 7-methyljuglone isolated from Diospyros lotus L Biomedicine and Pharmacotherapy, 2017, 87, 678-682.	2.5	14
120	Two New Withanolides from the Aerial Parts of Datura innoxia. Australian Journal of Chemistry, 1999, 52, 905.	0.5	13
121	Further constituents from the bark of Holarrhena pubescens. Phytochemistry, 2001, 58, 1199-1204.	1.4	13
122	Antibacterial effect of Melia azedarach flowers on rabbits. Phytotherapy Research, 2002, 16, 762-764.	2.8	13
123	Effect of cream containing Melia azedarach flowers on skin diseases in children. Phytomedicine, 2008, 15, 231-236.	2.3	13
124	A new natural product and insecticidal amides from seeds of <i>Piper nigrum </i> Linn Natural Product Research, 2008, 22, 1107-1111.	1.0	13
125	Antimycobacterial and antioxidant activities of reserpine and its derivatives. Natural Product Research, 2012, 26, 1-5.	1.0	13
126	Phytochemicals from <i>Carissa carandas</i> with potent cytotoxic and anti-inflammatory activities. Natural Product Research, 2022, 36, 1587-1592.	1.0	13

#	Article	IF	CITATIONS
127	Antiproliferative Activity and Characterization of Metabolites of <i>Aspergillus nidulans</i> : An Endophytic Fungus from <i>Nyctanthes arbor-tristis</i> Linn. Against Three Human Cancer Cell Lines. Medicinal Chemistry, 2019, 15, 352-359.	0.7	13
128	POM Analysis of Phytotoxic Agents from Pistacia integerrima Stewart. Current Bioactive Compounds, 2015, 11, 231-238.	0.2	13
129	Reversal of Multidrug Resistance in Mouse Lymphoma Cells by Extracts and Flavonoids from Pistacia integerrima. Asian Pacific Journal of Cancer Prevention, 2016, 17, 51-55.	0.5	13
130	Kanerin and 12, 13-Dihydroursolic Acid, Two New Pentacyclic Triterpenes from the Leaves of Nerium oleander. Journal of Natural Products, 1989, 52, 57-62.	1.5	12
131	Alkaloids from the bark of Holarrhena pubescens. Phytochemistry, 1994, 36, 1537-1541.	1.4	12
132	Three novel tetracyclic triterpenoids of biogenetic interest from the leaves of Azadirachta indica. Tetrahedron, 2001, 57, 10281-10286.	1.0	12
133	Chemical constituents from the aerial parts ofLippia nodiflora linn Archives of Pharmacal Research, 2007, 30, 1507-1510.	2.7	12
134	A Pyoverdin from Pseudomonas sp. CFML 95-275 (sup) § (sup). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2000, 55, 857-865.	0.6	11
135	Steroidal constituents from the aerial parts of <i>Lippia nodiflora</i> Linn Natural Product Research, 2009, 23, 436-441.	1.0	11
136	Biological Evaluation and Docking Analysis of Daturaolone as Potential Cyclooxygenase Inhibitor. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-7.	0.5	11
137	Bioassay-guided isolation of novel and selective urease inhibitors from Diospyros lotus. Chinese Journal of Natural Medicines, 2017, 15, 865-870.	0.7	11
138	Withanolides from Datura innoxia. Heterocycles, 2005, 65, 857.	0.4	11
139	Steroidal Constituents of Holarrhena pubescens. Journal of Natural Products, 1994, 57, 27-31.	1.5	10
140	Hypotensive Constituents from the Bark of Holarrhena pubescens (Holarrhena antidysenterica). Heterocycles, 1995, 41, 267.	0.4	10
141	Two New Triterpenoids from Lawsonia alba. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2005, 60, 37-40.	0.3	10
142	Two new abietane diterpenes from Cordia latifolia. Tetrahedron, 2006, 62, 10087-10090.	1.0	10
143	Isolation and Structure Elucidation of a New Dimeric Naphthoquinone from Diospyros lotus. Chemistry of Natural Compounds, 2015, 51, 1049-1051.	0.2	10
144	Coadministration of Black Seeds and Turmeric Shows Enhanced Efficacy in Preventing Metabolic Syndrome in Fructose-fed Rats. Journal of Cardiovascular Pharmacology, 2015, 65, 176-183.	0.8	10

#	Article	IF	Citations
145	Isolation of Meliacin CInnamates from the Root Bark of Azadiracha indica A. Juss (Meliaceae). Heterocycles, 1989, 29, 729.	0.4	10
146	Isonimolide and Isolimbolide, Two New Tetranortriterpenoids from the Twigs of Azadirachta indica A.Juss (Meliaceae). Heterocycles, 1987, 26, 1827.	0.4	10
147	Isolation and Structure of Neriumol and Nerifol from the Leaves of <i>Nerium odorum </i> . Planta Medica, 1987, 53, 47-49.	0.7	9
148	An Isopyoverdin from Pseudomonas putida CFML 90-44. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 303-307.	0.6	9
149	A new flavanoid from the flowers of Azadirachta indica. Natural Product Research, 2006, 20, 241-245.	1.0	9
150	Isolation and structure determination of two new constituents from the fruits of <i>Morinda citrifolia </i> Linn Natural Product Research, 2008, 22, 1128-1136.	1.0	9
151	Three new constituents, latifolinal, latifolidin and cordicinol, from the fruits and leaves of <i>Cordia latifolia</i> . Natural Product Research, 2010, 24, 160-166.	1.0	9
152	A new isoflavone from the fruits of <i>Madhuca latifolia </i> . Natural Product Research, 2010, 24, 76-80.	1.0	9
153	A Note on Anti-leishmanial, Spasmolytic and Spasmogenic, Antioxidant and Antimicrobial Activities of Fruits, Leaves and Stem of Morinda citrifolia Linn – an Important Medicinal and Food Supplement Plant. , 2014, 03, .		9
154	<i>In vitro</i> growth inhibition and cytotoxicity of <i>Euphorbia caducifolia</i> against four human cancer cell lines and its phytochemical characterisation. Natural Product Research, 2017, 31, 2936-2940.	1.0	9
155	Isolation of Chlorogenic Acid from Soil Borne Fungi Screlotium rolfsii, their Reversal of Multidrug Resistance and Anti-proliferative in Mouse Lymphoma Cells. Medicinal Chemistry, 2017, 13, 721-726.	0.7	9
156	Oleanderoic Acid and Oleanderen from the Leaves of Nerium oleander. Planta Medica, 1988, 54, 232-234.	0.7	8
157	Kanerocin: A New Triterpene from the Leaves of Nerium oleander. Planta Medica, 1989, 55, 292-293.	0.7	8
158	A new reagent for the methylation of carboxyl groups. Tetrahedron Letters, 2001, 42, 9059-9060.	0.7	8
159	Isolation and Structure Determination of a Benzofuran and a Bis-Nor-Isoprenoid fromAspergillus NigerGrown on the Water Soluble Fraction ofMorinda CitrifoliaLinn. Leaves. Natural Product Research, 2003, 17, 355-360.	1.0	8
160	Two new triterpenoid isomers from <i>Nerium oleander</i> leaves. Natural Product Research, 2009, 23, 1603-1608.	1.0	8
161	Two new dioxin derivatives from the aerial parts of <i>Lawsonia alba </i> . Natural Product Research, 2009, 23, 1740-1745.	1.0	8
162	Anti-hyperalgesic activity of crude extract and 7-methyljuglone ofDiospyros lotusroots. Natural Product Research, 2015, 29, 2226-2229.	1.0	8

#	Article	IF	CITATIONS
163	Muscle relaxant activities of pistagremic acid isolated from <i>Pistacia integerrima </i> Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 413-416.	0.6	8
164	Chemical constituents from the stems of Morinda citrifolia linn. Archives of Pharmacal Research, 2007, 30, 793-798.	2.7	7
165	Lawsozaheer, a new chromone produced by an endophytic fungus Paecilomyces variotii isolated from Lawsonia Alba Lam. inhibits the growth of Staphylococcus aureus. Natural Product Research, 2020, 35, 1-6.	1.0	7
166	Two New Pentacyclic Triterpenoids from the Aerial Parts of Lantana camara Linn Heterocycles, 2000, 53, 681.	0.4	7
167	Isolation and characterization of anti-inflammatory and anti-proliferative compound, for B-cell Non-Hodgkin lymphoma, from Nyctanthes arbor-tristis Linn Journal of Ethnopharmacology, 2022, 293, 115267.	2.0	7
168	Some Extensions of von Braun (BrCN) Reaction on Organic Bases. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1980, 35, 1049-1052.	0.3	6
169	Daturacin, a new withanolide fromDatura innoxia. Natural Product Research, 2005, 19, 619-623.	1.0	6
170	A new tetracyclic triterpenoid from the leaves of Azadirachta indica. Natural Product Research, 2006, 20, 1036-1040.	1.0	6
171	Simple Method for the Preparation of Symmetrical Alkyl and Aryl Disulfides with Alkyl Sulfonyl Halides in Nitrogenous Base. Synthetic Communications, 2007, 37, 2461-2465.	1.1	6
172	A new lignan and a new sesquiterpene from Eurotia ceratoides (L.). Tetrahedron, 2010, 66, 1716-1720.	1.0	6
173	Ursethoxy Acid, a New Triterpene from Lantana Camara. Natural Product Research, 2002, 16, 235-238.	0.4	5
174	Synthesis and Antimycobacterial Activity of Somel^2-Carboline Alkaloids. Natural Product Research, 2004, 18, 341-347.	1.0	5
175	Chemical Constituents of the Aerial Parts of Kalidium foliatum. Chemical and Pharmaceutical Bulletin, 2007, 55, 1356-1360.	0.6	5
176	Variation of Major Limonoids in Azadirachta Indica Fruits at Different Ripening Stages and Toxicity against Aedes Aegypti. Natural Product Communications, 2009, 4, 1934578X0900400.	0.2	5
177	Chromenone Glucosides Acylated with Monoterpene Acids from the Leaves of <i>Eucalyptus camaldulensis</i> var. <i>obtusa</i> Helvetica Chimica Acta, 2011, 94, 238-247.	1.0	5
178	Mannich Reaction Product of Quinolin-8-ol (Oxine) and its Antibacterial Activity. Australian Journal of Chemistry, 1997, 50, 861.	0.5	5
179	Variation of major limonoids in Azadirachta indica fruits at different ripening stages and toxicity against Aedes aegypti. Natural Product Communications, 2009, 4, 473-6.	0.2	5
180	Diterpenoids from the Root Bark of Azadirachta indica. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1989, 44, 1279-1282.	0.3	4

#	Article	IF	CITATIONS
181	A Rapid, Mild, Efficient, and Solventâ€Free Friedelâ€Crafts Acylation of Nâ€Acetyltetrahydroharmine. Synthetic Communications, 2005, 35, 23-39.	1.1	4
182	Mild and Efficient Solventâ€Free Friedel–Crafts Acylation of Reserpine. Synthetic Communications, 2006, 36, 3203-3224.	1.1	4
183	Novel ferulic acid and benzophenone derivatives from the flower buds of Syzygium aromaticum. Natural Product Research, 2019, 35, 1-6.	1.0	4
184	Triterpenoids from the aerial parts of <i>Lantana camara</i> . Journal of Asian Natural Products Research, 2019, 21, 141-149.	0.7	4
185	Novel ursane-type triterpene from the fresh leaves of Carissa carandas and evaluation of cytotoxicity. Journal of Asian Natural Products Research, 2020, 23, 1-7.	0.7	4
186	Antiproliferative Effects of Ocimum basilicum Methanolic Extract and Fractions, Oleanolic Acid and 3-epi-Ursolic Acid. Current Traditional Medicine, 2020, 6, 134-146.	0.1	4
187	Preparation, structure and spasmolytic activities of some derivatives of harmine series of alkaloids. Natural Product Research, 2006, 20, 213-227.	1.0	3
188	A Simple, Rapid and Mild One Pot Synthesis of Benzene Ring Acylated and Demethylated Analogues of Harmine under Solvent-free Conditions. Molecules, 2008, 13, 1584-1598.	1.7	3
189	A new 28-noroleanane triterpenoid from the aerial parts ofLantana camaraLinn. Natural Product Research, 2010, 24, 1227-1234.	1.0	3
190	Two New Degraded Triterpenoids and a Novel <i>seco</i> å€Norabietane Diterpene from the Root Bark of <i>Azadirachta indica</i> . Helvetica Chimica Acta, 2015, 98, 135-142.	1.0	3
191	New anthrarobin acyl derivatives as butyrylcholinesterase inhibitors: synthesis, in vitro and in silico studies. Heliyon, 2017, 3, e00350.	1.4	3
192	Chemical Constituents of Syzygium aromaticum. Chemistry of Natural Compounds, 2018, 54, 1192-1193.	0.2	3
193	Antinociceptive, antioxidant and phytochemical studies of Pakistani medicinal plants. Pakistan Journal of Pharmaceutical Sciences, 2016, 29, 929-33.	0.2	3
194	Von Braun (BrCN) Reaction on Solasodine. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1983, 38, 1236-1239.	0.3	2
195	Reaction of Harmidine/Harmaline with BrCN â€" a Facile Mono- and Di-Bromination at a-Carbon of the Imine Tautomer. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1985, 40, 1747-1748.	0.3	2
196	A Novel Iridoid from Plumeria Obtusa. Natural Product Communications, 2008, 3, 1934578X0800300.	0.2	2
197	An Efficient, Mild and Solvent-Free Synthesis of Benzene Ring Acylated Harmalines. Molecules, 2010, 15, 68-82.	1.7	2
198	Some New Derivatives of Harmaline Series of Bases. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 1986, 41, 1583-1586.	0.3	1

#	Article	lF	CITATIONS
199	Arbutin Derivatives from the Seeds of <i>Madhuca latifolia</i> . Natural Product Communications, 2011, 6, 1934578X1100601.	0.2	1
200	Antiproliferative Effects of Nerium oleander Stem and Mitotic Ar rest Induced by Cardenolide Odoroside B on NCI-H460 Cancer Cells. Letters in Drug Design and Discovery, 2018, 15, 84-94.	0.4	1
201	Isolation and Spectral Studies of a New Lactone Triterpenoid from Lantana camara. Chemistry of Natural Compounds, 2019, 55, 478-481.	0.2	1
202	Camaridin, a New Triterpenoid from Roots of Lantana camara. Chemistry of Natural Compounds, 2019, 55, 296-299.	0.2	1
203	Nematicidal activity of oleanolic acid derivatives on Meloidogyne incognita. Natural Product Research, 2020, 35, 1-7.	1.0	1
204	Antiproliferative Effects of Nerium oleander Leaves and Their Cardiac Glycosides Odoroside A and Oleandrin on MCF-7 Cancer Cells. Current Traditional Medicine, 2017, 3, .	0.1	1
205	Presence of arachldonic acid-like substance(s) in Thevitia neriifolia. Biochemical Society Transactions, 1992, 20, 358S-358S.	1.6	O
206	Chemical Constituents of the Aerial Parts of Lantana camara. Chemistry of Natural Compounds, 2013, 49, 566-567.	0.2	0
207	NMR study of <i>O</i> and <i>N</i> , <i>O</i> â€substituted 8â€quinolinol derivatives. Magnetic Resonance in Chemistry, 2014, 52, 115-121.	1.1	O
208	Medicinal Plants - A Source of Potential Chemicals of Diverse Structures and Biological Activity. , 2002, , 109-117.		0
209	Volatile constituents and in vitro activity of Syzygium aromaticum flower buds (clove) against human cancer cell lines. Pakistan Journal of Pharmaceutical Sciences, 2020, 33, 2659-2665.	0.2	0