

Xin-Chun Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1515034/xin-chun-yang-publications-by-year.pdf>

Version: 2023-05-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150
papers

2,676
citations

20
h-index

49
g-index

166
ext. papers

3,468
ext. citations

3.7
avg, IF

5.12
L-index

#	Paper	IF	Citations
150	Antihypertensive Therapy by ACEI/ARB Is Associated With Intestinal Flora Alterations and Metabolomic Profiles in Hypertensive Patients.. <i>Frontiers in Cell and Developmental Biology</i> , 2022 , 10, 861829	5.4	
149	Dysbiosis of Gut Microbiota and Metabolite Phenylacetylglutamine in Coronary Artery Disease Patients With Stent Stenosis.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 832092	5.2	1
148	Elevated Plasma Thymic Stromal Lymphopietin After Acute Myocardial Infarction.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 685677	5.2	0
147	Elevated plasma Ninturin-1 levels in atrial fibrillation is associated with atrial remodeling and thromboembolic risk.. <i>BMC Cardiovascular Disorders</i> , 2022 , 22, 153	2.2	
146	First post-discharge heart rate and long-term prognosis in patients with acute myocardial infarction.. <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 24	3.7	
145	MiRNA-122-5p inhibitor abolishes angiotensin II-mediated loss of autophagy and promotion of apoptosis in rat cardiofibroblasts by modulation of the apelin-AMPK-mTOR signaling.. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2022 , 58, 136	2.5	0
144	A Nomogram for Predicting In-Hospital Major Adverse Cardio- and Cerebro-Vascular Events in Patients Undergoing Major Noncardiac Surgery: A Large-Scale Nested Case-Control Study.. <i>Therapeutics and Clinical Risk Management</i> , 2022 , 18, 457-465	2.8	
143	Feasibility and Safety of Drug-Coated Balloon-Only Angioplasty for De Novo Ostial Lesions of the Left Anterior Descending Artery: Two-Center Retrospective Study.. <i>Frontiers in Cardiovascular Medicine</i> , 2022 , 9, 874394	5.2	
142	Association between Gut Microbiota Dysbiosis and the CHA2DS2-VASc Score in Atrial Fibrillation Patients. <i>International Journal of Clinical Practice</i> , 2022 , 2022, 1-10	2.8	
141	Association of white matter lesions with orthostatic hypotension.. <i>American Journal of Translational Research (discontinued)</i> , 2022 , 14, 2410-2418	2.9	
140	Localized Myocardial Anti-Inflammatory Effects of Temperature-Sensitive Budesonide Nanoparticles during Radiofrequency Catheter Ablation. <i>Research</i> , 2022 , 2022, 1-11	7.5	
139	Comparison of Safety between Different Kinds of Heparins in Patients Receiving Intra-Aortic Balloon Counterpulsation. <i>Thoracic and Cardiovascular Surgeon</i> , 2021 , 69, 511-517	1.6	1
138	The Elabela-APJ axis: a promising therapeutic target for heart failure. <i>Heart Failure Reviews</i> , 2021 , 26, 1249-1258	4.8	16
137	The Role and Mechanism of Intestinal Flora in Blood Pressure Regulation and Hypertension Development. <i>Antioxidants and Redox Signaling</i> , 2021 , 34, 811-830	8	9
136	Eosinopenia is associated with greater severity in patients with coronavirus disease 2019. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 562-564	9	26
135	A risk score model to predict in-hospital mortality of patients with end-stage renal disease and acute myocardial infarction. <i>Internal and Emergency Medicine</i> , 2021 , 16, 905-912	3.6	1
134	Gender differences and survival after an out-of-hospital cardiac arrest: a systematic review and meta-analysis. <i>Internal and Emergency Medicine</i> , 2021 , 16, 765-775	3.6	2

133	Endothelium-specific endothelin-1 expression promotes pro-inflammatory macrophage activation by regulating miR-33/NR4A axis. <i>Experimental Cell Research</i> , 2021 , 399, 112443	4	6
132	Elevated plasma Sirtuin2 level predicts heart failure after acute myocardial infarction. <i>Journal of Thoracic Disease</i> , 2021 , 13, 50-59	2.5	1
131	The potential regulatory role of hsa_circ_0004104 in the persistency of atrial fibrillation by promoting cardiac fibrosis via TGF- β pathway. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 25	2.2	6
130	Shortened leukocyte telomere length as a potential biomarker for predicting the progression of atrial fibrillation from paroxysm to persistence in the short-term. <i>Medicine (United States)</i> , 2021 , 100, e26020	1.8	1
129	Pulmonary vein isolation guided by moderate ablation index targets combined with strict procedural endpoints for patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1842-1848	2.6	1
128	Increased, Decreased, or Stable Left Ventricle Ejection Fraction over Time in a Series of 626 Heart Failure Patients Receiving Medical Treatment. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 639-647	1.2	
127	Elabela prevents angiotensin II-induced apoptosis and inflammation in rat aortic adventitial fibroblasts via the activation of FGF21-ACE2 signaling. <i>Journal of Molecular Histology</i> , 2021 , 52, 905-918	3.2	1
126	Altered synthesis of genes associated with short-chain fatty acids in the gut of patients with atrial fibrillation. <i>BMC Genomics</i> , 2021 , 22, 634	4.3	1
125	Declined ELABELA plasma levels in hypertension patients with atrial fibrillation: a case control study. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 390	2.2	1
124	Low-Voltage Zones as the Atrial Fibrillation Substrates: Relationship With Initiation, Perpetuation, and Termination. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 705510	5.2	0
123	Predictive value of CHADS and CHADS-VASc scores for coronary artery lesions and in-hospital prognosis of patients with acute ST-segment elevation myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 439	2.2	0
122	Incidence and Outcome of Acute Myocardial Infarction in Patients With Aortic Dissection and Risk Factor Control. <i>Frontiers in Surgery</i> , 2021 , 8, 678806	2.2	1
121	The common characteristics and mutual effects of heart failure and atrial fibrillation: initiation, progression, and outcome of the two aging-related heart diseases. <i>Heart Failure Reviews</i> , 2021 , 1	4.8	
120	Lower Plasma Elabela Levels in Hypertensive Patients With Heart Failure Predict the Occurrence of Major Adverse Cardiac Events: A Preliminary Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 638468	5.2	2
119	MiR-339 is a potential biomarker of coronary heart disease to aggravate oxidative stress through Nrf2/FOXO3 targeting Sirt2. <i>Annals of Palliative Medicine</i> , 2021 , 10, 2596-2609	1.7	6
118	In-hospital outcome of primary PCI for patients with acute myocardial infarction and prior coronary artery bypass grafting. <i>Journal of Thoracic Disease</i> , 2021 , 13, 1737-1745	2.5	
117	Impact of Prior Digestive System Disease on In-Hospital Gastrointestinal Bleeding in Patients with Acute Myocardial Infarction. <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 1233-1239	2.7	0
116	Predictive value of CHA2DS2-VASc score combined with hs-CRP for new-onset atrial fibrillation in elderly patients with acute myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 175	2.2	0

115	COVID-19 letter to the editor: Epicardial fat inflammation as possible enhancer in COVID-19?. <i>Metabolism: Clinical and Experimental</i> , 2021 , 117, 154722	10	1
114	Characteristics and variation of fecal bacterial communities and functions in isolated systolic and diastolic hypertensive patients. <i>BMC Microbiology</i> , 2021 , 21, 128	4.3	4
113	Does taking an angiotensin inhibitor increase the risk for COVID-19? - a systematic review and meta-analysis. <i>Aging</i> , 2021 , 13, 10853-10865	5.5	2
112	Plasma Galectin-3 is associated with progression from paroxysmal to persistent atrial fibrillation. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 226	2.2	0
111	Cigarette smoking status alters dysbiotic gut microbes in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2021 , 23, 1431-1446	2.3	4
110	Leukocyte Telomere Length Predicts Progression From Paroxysmal to Persistent Atrial Fibrillation in the Long Term After Catheter Ablation.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 813390	5.2	0
109	The long-term impact of a chronic total occlusion in a non-infarct-related artery on acute ST-segment elevation myocardial infarction after primary coronary intervention. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 59	2.2	0
108	Cardiovascular complications of SARS-CoV-2 infection (COVID-19): a systematic review and meta-analysis. <i>Reviews in Cardiovascular Medicine</i> , 2021 , 22, 159-165	3.7	10
107	Association of atrial arrhythmias with thrombospondin-1 in patients with acute myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 507	2.2	1
106	Predictive value of ACEF II score in patients with multi-vessel coronary artery disease undergoing one-stop hybrid coronary revascularization. <i>BMC Cardiovascular Disorders</i> , 2021 , 21, 489	2.2	
105	Circulating Serpina3 levels predict the major adverse cardiac events in patients with myocardial infarction. <i>International Journal of Cardiology</i> , 2020 , 300, 34-38	3	10
104	Proteomics of epicardial adipose tissue in patients with heart failure. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 511-520	5.5	9
103	Assessing the association of appropriateness of coronary revascularization and 1-year clinical outcomes for patients with stable coronary artery disease in China. <i>Chinese Medical Journal</i> , 2020 , 133, 1-8	2.8	0
102	Analysis of long non-coding RNA and mRNA profiles in epicardial adipose tissue of patients with atrial fibrillation. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 121, 109634	7.2	18
101	Shifts in gut microbiome and metabolome are associated with risk of recurrent atrial fibrillation. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 13356-13369	5.5	10
100	MicroRNA-122 aggravates angiotensin II-mediated apoptosis and autophagy imbalance in rat aortic adventitial fibroblasts via the modulation of SIRT6-elabela-ACE2 signaling. <i>European Journal of Pharmacology</i> , 2020 , 883, 173374	5.1	21
99	Metagenomic data-mining reveals enrichment of trimethylamine-N-oxide synthesis in gut microbiome in atrial fibrillation patients. <i>BMC Genomics</i> , 2020 , 21, 526	4.3	9
98	Expression profile of circular RNAs in epicardial adipose tissue in heart failure. <i>Chinese Medical Journal</i> , 2020 , 133, 2565-2572	2.8	1

97	THRIL mediates endothelial progenitor cells autophagy via AKT pathway and FUS. <i>Molecular Medicine</i> , 2020 , 26, 86	5.9	8
96	p38/JNK Is Required for the Proliferation and Phenotype Changes of Vascular Smooth Muscle Cells Induced by in Essential Hypertension. <i>International Journal of Hypertension</i> , 2020 , 2020, 3123968	2.4	1
95	Blood group A: a risk factor for heart rupture after acute myocardial infarction. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 471	2.2	0
94	Prognostic values of the SYNTAX score II and the erythrocyte sedimentation rate on long-term clinical outcomes in STEMI patients with multivessel disease: a retrospective cohort study. <i>BMC Cardiovascular Disorders</i> , 2020 , 20, 213	2.2	3
93	A novel risk score for predicting left atrial and left atrial appendage thrombogenic milieu in patients with non-valvular atrial fibrillation. <i>Thrombosis Research</i> , 2020 , 192, 161-166	7.3	2
92	Investigation of the Cellular Pharmacological Mechanism and Clinical Evidence of the Multi-Herbal Antiarrhythmic Chinese Medicine Xin Su Ning. <i>Frontiers in Pharmacology</i> , 2020 , 11, 600	5.4	2
91	Identification of circumferential pulmonary vein isolation responders among patients with persistent atrial fibrillation: clinical value of the sequential low-dose ibutilide test. <i>Europace</i> , 2020 , 22, 1197-1205	3.8	
90	Circulating exosomal long non-coding RNAs in patients with acute myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 9388-9396	5.5	11
89	Serpina3 in myocardial infarction. <i>International Journal of Cardiology</i> , 2020 , 306, 8	3	1
88	Electrocardiographic morphology during left bundle branch area pacing: Characteristics, underlying mechanisms, and clinical implications. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020 , 43, 297-307	1.6	13
87	Ablation of ventricular tachycardia by direct left ventricle puncture through a minithoracotomy after double valve replacement: a case report and literature review. <i>Journal of International Medical Research</i> , 2020 , 48, 300060519897667	1.3	1
86	Different Types of Atrial Fibrillation Share Patterns of Gut Microbiota Dysbiosis. <i>MSphere</i> , 2020 , 5,	4.9	15
85	Myofibroblast-Derived Exosomes Contribute to Development of a Susceptible Substrate for Atrial Fibrillation. <i>Cardiology</i> , 2020 , 145, 324-332	1.5	11
84	Resting heart rate control and prognosis in coronary artery disease patients with hypertension previously treated with bisoprolol: a sub-group analysis of the BISO-CAD study. <i>Chinese Medical Journal</i> , 2020 , 133, 1155-1165	2.8	3
83	LncRNA H19/Runx2 axis promotes VSMCs transition via MAPK pathway. <i>American Journal of Translational Research (discontinued)</i> , 2020 , 12, 1338-1347	2.9	3
82	Effects of nicorandil on myocardial infarct size in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention: study design and protocol for the randomized controlled trial. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 519-524	1.7	
81	Monotropein alleviates H ₂ O ₂ -induced inflammation, oxidative stress and apoptosis via NF- κ B/AP-1 signaling. <i>Molecular Medicine Reports</i> , 2020 , 22, 4828-4836	2.8	3
80	Plasma levels of Elabela are associated with coronary angiographic severity in patients with acute coronary syndrome. <i>Journal of Geriatric Cardiology</i> , 2020 , 17, 674-679	1.7	0

79	Application of blood pre-albumin and NT-pro BNP levels in evaluating prognosis of elderly chronic heart failure patients. <i>Experimental and Therapeutic Medicine</i> , 2020 , 20, 1337-1342	2	3
78	Role of the notched unipolar electrogram in guiding catheter ablation of frequent premature ventricular contractions originating from the ventricular outflow tract. <i>Journal of International Medical Research</i> , 2020 , 48, 300060520977634	1.3	3
77	Circulating Connective Tissue Growth Factor Is Associated with Diastolic Dysfunction in Patients with Diastolic Heart Failure. <i>Cardiology</i> , 2019 , 143, 77-84	1.5	6
76	Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. <i>GigaScience</i> , 2019 , 8,	7.3	44
75	PKC-Mediated Endothelin-1 Expression in Endothelial Cell Promotes Macrophage Activation in Atherogenesis. <i>American Journal of Hypertension</i> , 2019 , 32, 880-889	2.1	8
74	Dysbiotic gut microbes may contribute to hypertension by limiting vitamin D production. <i>Clinical Cardiology</i> , 2019 , 42, 710-719	3.2	27
73	Study on the relationship between telomere length changes and recurrence of atrial fibrillation after radiofrequency catheter ablation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1117-1124	2.6	5
72	Nicorandil prior to primary percutaneous coronary intervention improves clinical outcomes in patients with acute myocardial infarction: a meta-analysis of randomized controlled trials. <i>Drug Design, Development and Therapy</i> , 2019 , 13, 1389-1400	4.3	8
71	Pace capture and adenosine triphosphate provocation are complementary rather than mutually exclusive methods to ensure durable pulmonary vein isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 815-823	2.6	1
70	Genetic screening for Bartter syndrome and Gitelman syndrome pathogenic genes among individuals with hypertension and hypokalemia. <i>Clinical and Experimental Hypertension</i> , 2019 , 41, 381-388	2.1	5
69	Expression Profiles of Long Noncoding RNA and mRNA in Epicardial Adipose Tissue in Patients with Heart Failure. <i>BioMed Research International</i> , 2019 , 2019, 3945475	2.9	5
68	Blood Pressure Variability Is Associated with Hearing and Hearing Loss: A Population-Based Study in Males. <i>International Journal of Hypertension</i> , 2019 , 2019, 9891025	2.4	3
67	Low-Dose Ibutilide Combined with Catheter Ablation of Persistent Atrial Fibrillation: Procedural Impact and Clinical Outcome. <i>Cardiology Research and Practice</i> , 2019 , 2019, 3210803	1.8	3
66	Duration of Persistent Atrial Fibrillation Is Associated with Alterations in Human Gut Microbiota and Metabolic Phenotypes. <i>MSystems</i> , 2019 , 4,	7.4	12
65	Does pre-angiography Total ST-segment resolution reliably predict spontaneous reperfusion of the infarct-related artery in patients with acute myocardial infarction?. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 264	2.2	1
64	Comparing the effects of depression, anxiety, and comorbidity on quality-of-life, adverse outcomes, and medical expenditure in Chinese patients with acute coronary syndrome. <i>Chinese Medical Journal</i> , 2019 , 132, 1045-1052	2.8	9
63	Radiofrequency Catheter Ablation Versus Cryoballoon Ablation in the Treatment of Paroxysmal Atrial Fibrillation: A Cost-effectiveness Analysis in China. <i>Clinical Therapeutics</i> , 2019 , 41, 78-91	3.4	4
62	Preliminary study of microRNA-126 as a novel therapeutic target for primary hypertension. <i>International Journal of Molecular Medicine</i> , 2018 , 41, 1835-1844	4.3	5

61	Diffuse Myocardial Injuries are Present in Subclinical Hypothyroidism: A Clinical Study Using Myocardial T1-mapping Quantification. <i>Scientific Reports</i> , 2018 , 8, 4999	4.7	5
60	Recurrence after successful catheter ablation for ventricular arrhythmia from the aortic root. <i>Acta Cardiologica</i> , 2018 , 73, 29-39	0.9	
59	Effect of remote ischemic preconditioning on left atrial remodeling and prothrombotic response after radiofrequency catheter ablation for atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018 , 41, 246-254	1.6	5
58	Susceptibility of multiple polymorphisms in ADIPOQ, ADIPOR1 and ADIPOR2 genes to myocardial infarction in Han Chinese. <i>Gene</i> , 2018 , 658, 10-17	3.7	7
57	Occurrence of composite cardiac endpoints with change in resting heart rate among Chinese patients with coronary artery disease: Chinese cohort from the real-world BISO-CAD study. <i>Current Medical Research and Opinion</i> , 2018 , 34, 1921-1926	2.5	1
56	Anticoagulation in atrial fibrillation with heart failure. <i>Heart Failure Reviews</i> , 2018 , 23, 563-571	4.8	7
55	Correlation between clinic, cumulative, 24h-ambulatory systolic blood pressure, and chronic kidney damage in Chinese elderly. <i>Clinical and Experimental Hypertension</i> , 2018 , 40, 434-439	2.1	4
54	Heart rate control is associated with reduced cardiovascular events in Asian patients with coronary artery disease treated with bisoprolol (BISO-CAD): results from a multi-national, real-world experience. <i>Current Medical Research and Opinion</i> , 2018 , 34, 217-225	2.5	3
53	Correlation of triglycerides with myocardial infarction and analysis of risk factors for myocardial infarction in patients with elevated triglyceride. <i>Journal of Thoracic Disease</i> , 2018 , 10, 2551-2557	2.5	5
52	miR-483-3p regulates acute myocardial infarction by transcriptionally repressing insulin growth factor 1 expression. <i>Molecular Medicine Reports</i> , 2018 , 17, 4785-4790	2.8	4
51	Circulating Long Noncoding RNA LIPCAR Acts as a Novel Biomarker in Patients with ST-Segment Elevation Myocardial Infarction. <i>Medical Science Monitor</i> , 2018 , 24, 5064-5070	3.1	32
50	The safety and efficacy of hybrid ablation for the treatment of atrial fibrillation: A meta-analysis. <i>PLoS ONE</i> , 2018 , 13, e0190170	3.6	11
49	Clinical analysis of acute myocardial infarction caused by coronary embolism. <i>Journal of Thoracic Disease</i> , 2017 , 9, 2898-2903	2.5	10
48	Percutaneous Left Atrial Appendage Closure With the LAMBRE Device for Stroke Prevention in Atrial Fibrillation: A Prospective, Multicenter Clinical Study. <i>JACC: Cardiovascular Interventions</i> , 2017 , 10, 2188-2194	4.2	48
47	Diagnostic accuracy of coronary CT angiography combined with dual-energy myocardial perfusion imaging for detection of myocardial infarction. <i>Experimental and Therapeutic Medicine</i> , 2017 , 14, 207-213	3	12
46	Gut microbiota dysbiosis contributes to the development of hypertension. <i>Microbiome</i> , 2017 , 5, 14	16.2	620
45	Efficacy and tolerability of once-daily 160 mg valsartan in Chinese patients with mild to moderate hypertension. <i>Experimental and Therapeutic Medicine</i> , 2017 , 13, 1109-1116	2	1
44	The association of eight potentially functional polymorphisms in five adrenergic receptor-encoding genes with myocardial infarction risk in Han Chinese. <i>Gene</i> , 2017 , 624, 43-49	3.7	8

43	ABO blood groups: A risk factor for left atrial and left atrial appendage thrombogenic milieu in patients with non-valvular atrial fibrillation. <i>Thrombosis Research</i> , 2017 , 156, 45-50	7.3	4
42	MicroRNA let-7g alleviates atherosclerosis via the targeting of LOX-1 in vitro and in vivo. <i>International Journal of Molecular Medicine</i> , 2017 , 40, 57-64	4.3	29
41	Predictive Nomogram of RAGE Genetic Polymorphisms and Metabolic Risk Factors for Myocardial Infarction Risk in a Han Chinese Population. <i>Angiology</i> , 2017 , 68, 877-883	2.1	6
40	Effect of Resting Heart Rate on All-Cause Mortality and Cardiovascular Events According to Age. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 989-994	5.4	10
39	Progress in Therapies for Myocardial Ischemia Reperfusion Injury. <i>Current Drug Targets</i> , 2017 , 18, 1712-1721	2.0	20
38	Correlation between cardiac rhythm, left atrial appendage flow velocity, and CHA DS -VAsC score: Study based on transesophageal echocardiography and 2-dimensional speckle tracking. <i>Clinical Cardiology</i> , 2017 , 40, 120-125	3.2	10
37	Genome Wide Association Study Identifies L3MBTL4 as a Novel Susceptibility Gene for Hypertension. <i>Scientific Reports</i> , 2016 , 6, 30811	4.7	11
36	Positive Expression of Human Cytomegalovirus Phosphoprotein 65 in Atherosclerosis. <i>BioMed Research International</i> , 2016 , 2016, 4067685	2.9	6
35	Genetic Polymorphism of CYP2C19 and Inhibitory Effects of Ticagrelor and Clopidogrel Towards Post-Percutaneous Coronary Intervention (PCI) Platelet Aggregation in Patients with Acute Coronary Syndromes. <i>Medical Science Monitor</i> , 2016 , 22, 4929-4936	3.1	10
34	The Independent and Joint Association of Blood Pressure, Serum Total Homocysteine, and Fasting Serum Glucose Levels With Brachial-Ankle Pulse Wave Velocity in Chinese Hypertensive Adults. <i>International Heart Journal</i> , 2016 , 57, 627-33	1.7	9
33	Myocarditis with chest pain, normal heart function and extreme increased troponin. <i>International Journal of Cardiology</i> , 2016 , 209, 307-9	3	6
32	Effect of remote ischemic preconditioning on myocardial injury and inflammatory response induced by ablation for atrial fibrillation: A randomized controlled trial. <i>International Journal of Cardiology</i> , 2016 , 222, 396-400	3	6
31	Native Magnetic Resonance T1-Mapping Identifies Diffuse Myocardial Injury in Hypothyroidism. <i>PLoS ONE</i> , 2016 , 11, e0151266	3.6	15
30	Long-term prognosis of patients with acute myocardial infarction due to unprotected left main coronary artery disease: a single-centre experience over 14 years. <i>Singapore Medical Journal</i> , 2016 , 57, 396-400	1.7	6
29	Evaluation of Short- and Long-Term Efficacy of Combined Intracoronary Administration of High-Dose Adenosine and Tirofiban during Primary Percutaneous Coronary Intervention. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 640-648	1.1	3
28	A prospective study on pulse wave velocity (PWV) and response to anti-hypertensive treatments: PWV determines BP control. <i>International Journal of Cardiology</i> , 2015 , 178, 226-31	3	17
27	Efficacy of folic acid therapy in primary prevention of stroke among adults with hypertension in China: the CSPPT randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 313, 1325-35	26.8	428
26	Relationship between cardiovascular health score and year-to-year blood pressure variability in China: a prospective cohort study. <i>BMJ Open</i> , 2015 , 5, e008730	2.9	4

25	Cardiovascular Health Score and the Risk of Cardiovascular Diseases. <i>PLoS ONE</i> , 2015 , 10, e0131537	3.6	35
24	PPAR- α Agonist Fenofibrate Decreased Serum Irisin Levels in Type 2 Diabetes Patients with Hypertriglyceridemia. <i>PPAR Research</i> , 2015 , 2015, 924131	4.1	13
23	Associations between plasma total homocysteine, blood pressure stages and pulse wave velocity in Chinese rural community population. <i>Blood Pressure</i> , 2015 , 24, 340-6	1.6	5
22	Long-term outcomes following very late stent thrombosis of drug-eluting stent. <i>Journal of Cardiology</i> , 2015 , 66, 496-501	2.8	6
21	Hcmv-miR-UL112 attenuates NK cell activity by inhibition type I interferon secretion. <i>Immunology Letters</i> , 2015 , 163, 151-6	4	21
20	Arterial Stiffness as a Predictor of Clinical Hypertension. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 582-91.3	1.3	35
19	MicroRNA-181c targets Bcl-2 and regulates mitochondrial morphology in myocardial cells. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 2084-97	5.5	43
18	Changes in cardiovascular health score and atherosclerosis progression in middle-aged and older persons in China: a cohort study. <i>BMJ Open</i> , 2015 , 5, e007547	2.9	7
17	Vascular endothelial function of patients with stable coronary artery disease. <i>Pakistan Journal of Medical Sciences</i> , 2015 , 31, 538-42	2	1
16	The ideal cardiovascular health metrics associated inversely with mortality from all causes and from cardiovascular diseases among adults in a Northern Chinese industrial city. <i>PLoS ONE</i> , 2014 , 9, e89161	3.6	43
15	Genetic variants associated with myocardial infarction and the risk factors in Chinese population. <i>PLoS ONE</i> , 2014 , 9, e86332	3.6	34
14	The correlation between peripartum cardiomyopathy and autoantibodies against cardiovascular receptors. <i>PLoS ONE</i> , 2014 , 9, e86770	3.6	29
13	Characterization and influencing factors of visit-to-visit blood pressure variability of the population in a northern Chinese industrial city. <i>Chinese Medical Journal</i> , 2014 , 127, 1022-6	2.8	2
12	Platelet function monitoring guided antiplatelet therapy in patients receiving high-risk coronary interventions. <i>Chinese Medical Journal</i> , 2014 , 127, 3364-70	2.8	6
11	Should antiplatelet therapy be interrupted in drug eluting stent recipients throughout the perioscopic period? A very late stent thrombosis case report and review of the literature. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 274-7	1.7	
10	Efficacy and safety of a biodegradable polymer sirolimus-eluting stent in primary percutaneous coronary intervention: a randomized controlled trial. <i>Archives of Medical Science</i> , 2013 , 9, 1040-8	2.7	3
9	Prevalence of ideal cardiovascular health and its relationship with the 4-year cardiovascular events in a northern Chinese industrial city. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2012 , 5, 487-93	5.5	205
8	Signature microRNA expression profile of essential hypertension and its novel link to human cytomegalovirus infection. <i>Circulation</i> , 2011 , 124, 175-84	16.3	269

7	Association study between three polymorphisms and myocardial infarction and ischemic stroke in Chinese Han population. <i>Thrombosis Research</i> , 2010 , 126, 292-4	7.3	3
6	MTAP and CDKN2B genes are associated with myocardial infarction in Chinese Hans. <i>Clinical Biochemistry</i> , 2009 , 42, 1071-5	3.4	16
5	Nonlinear processing and analysis of ECG data. <i>Technology and Health Care</i> , 2004 , 12, 1-9	1	5
4	Electrical heterogeneity of canine right ventricular transient outward potassium currents. <i>Chinese Medical Journal</i> , 2004 , 117, 528-31	2.8	3
3	Regulation by methacholine of potassium transient outward currents in rabbit atrial cells. <i>Europace</i> , 2001 , 2, A82-A82	3.8	
2	The characteristic of body surface mapping in patients with congenital long QT syndrome. <i>Europace</i> , 2001 , 2, A82-A82	3.8	
1	Shifts in gut microbiome and metabolome are associated with risk of recurrent atrial fibrillation		1