

Pedro Beja

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1515921/pedro-beja-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240
papers

7,155
citations

42
h-index

74
g-index

256
ext. papers

8,769
ext. citations

4.5
avg, IF

6.06
L-index

#	Paper	IF	Citations
240	Ecological impacts of early 21st century agricultural change in Europe--a review. <i>Journal of Environmental Management</i> , 2009 , 91, 22-46	7.9	783
239	Conservation status of freshwater mussels in Europe: state of the art and future challenges. <i>Biological Reviews</i> , 2017 , 92, 572-607	13.5	284
238	The future of biotic indices in the ecogenomic era: Integrating (e)DNA metabarcoding in biological assessment of aquatic ecosystems. <i>Science of the Total Environment</i> , 2018 , 637-638, 1295-1310	10.2	213
237	Conservation of Mediterranean temporary ponds under agricultural intensification: an evaluation using amphibians. <i>Biological Conservation</i> , 2003 , 114, 317-326	6.2	163
236	Invasive bivalves in fresh waters: impacts from individuals to ecosystems and possible control strategies. <i>Hydrobiologia</i> , 2014 , 735, 233-251	2.4	156
235	Conservation of freshwater bivalves at the global scale: diversity, threats and research needs. <i>Hydrobiologia</i> , 2018 , 810, 1-14	2.4	146
234	Effects of multi-year droughts on fish assemblages of seasonally drying Mediterranean streams. <i>Freshwater Biology</i> , 2007 , 52, 1494-1510	3.1	142
233	The PREDICTS database: a global database of how local terrestrial biodiversity responds to human impacts. <i>Ecology and Evolution</i> , 2014 , 4, 4701-35	2.8	132
232	Birds of prey as limiting factors of gamebird populations in Europe: a review. <i>Biological Reviews</i> , 2005 , 80, 171-203	13.5	119
231	Distance to edges, edge contrast and landscape fragmentation: Interactions affecting farmland birds around forest plantations. <i>Biological Conservation</i> , 2009 , 142, 824-838	6.2	112
230	Biology and conservation of freshwater bivalves: past, present and future perspectives. <i>Hydrobiologia</i> , 2014 , 735, 1-13	2.4	107
229	The use of sighting data to analyse Iberian lynx habitat and distribution. <i>Journal of Applied Ecology</i> , 1999 , 36, 812-824	5.8	103
228	DNAqua-Net: Developing new genetic tools for bioassessment and monitoring of aquatic ecosystems in Europe. <i>Research Ideas and Outcomes</i> , 2014 , e11321	2.5	102
227	The database of the PREDICTS (Projecting Responses of Ecological Diversity In Changing Terrestrial Systems) project. <i>Ecology and Evolution</i> , 2017 , 7, 145-188	2.8	101
226	Phylogeny of the most species-rich freshwater bivalve family (Bivalvia: Unionida: Unionidae): Defining modern subfamilies and tribes. <i>Molecular Phylogenetics and Evolution</i> , 2017 , 106, 174-191	4.1	99
225	Functional heterogeneity of dry-season fish refugia across a Mediterranean catchment: the role of habitat and predation. <i>Freshwater Biology</i> , 2002 , 47, 1919-1934	3.1	97
224	Research priorities for freshwater mussel conservation assessment. <i>Biological Conservation</i> , 2019 , 231, 77-87	6.2	88

223	Seasonal patterns of spatial variation in understory bird assemblages across a mosaic of flooded and unflooded Amazonian forests. <i>Biodiversity and Conservation</i> , 2010 , 19, 129-152	3.4	85
222	Influence of landscape characteristics on carnivore diversity and abundance in Mediterranean farmland. <i>Agriculture, Ecosystems and Environment</i> , 2009 , 132, 57-65	5.7	84
221	Structuring of Amazonian bat assemblages: the roles of flooding patterns and floodwater nutrient load. <i>Journal of Animal Ecology</i> , 2009 , 78, 1163-71	4.7	82
220	Diversity, biogeography and conservation of freshwater mussels (Bivalvia: Unionida) in East and Southeast Asia. <i>Hydrobiologia</i> , 2018 , 810, 29-44	2.4	77
219	Effects of field management and landscape context on grassland wintering birds in Southern Portugal. <i>Agriculture, Ecosystems and Environment</i> , 2005 , 109, 59-74	5.7	73
218	Modelling farming system dynamics in High Nature Value Farmland under policy change. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 183, 138-144	5.7	69
217	Massive die-offs of freshwater bivalves as resource pulses. <i>Annales De Limnologie</i> , 2012 , 48, 105-112	0.7	65
216	Fish and mussels: Importance of fish for freshwater mussel conservation. <i>Fish and Fisheries</i> , 2018 , 19, 244-259	6	62
215	Fouling of European freshwater bivalves (Unionidae) by the invasive zebra mussel (<i>Dreissena polymorpha</i>). <i>Freshwater Biology</i> , 2011 , 56, 867-876	3.1	61
214	Factors driving changes in freshwater mussel (Bivalvia, Unionida) diversity and distribution in Peninsular Malaysia. <i>Science of the Total Environment</i> , 2016 , 571, 1069-78	10.2	60
213	From local monitoring to a broad-scale viability assessment: a case study for the Bonelli's Eagle in western Europe. <i>Ecological Monographs</i> , 2013 , 83, 239-261	9	55
212	An Analysis of Otter <i>Lutra lutra</i> Predation on Introduced American Crayfish <i>Procambarus clarkii</i> in Iberian Streams. <i>Journal of Applied Ecology</i> , 1996 , 33, 1156	5.8	55
211	Why do raptors take domestic prey? The case of Bonelli's eagles and pigeons. <i>Journal of Applied Ecology</i> , 2006 , 43, 1075-1086	5.8	53
210	Networks of global bird invasion altered by regional trade ban. <i>Science Advances</i> , 2017 , 3, e1700783	14.3	52
209	Predator abundance in relation to small game management in southern Portugal: conservation implications. <i>European Journal of Wildlife Research</i> , 2009 , 55, 227-238	2	51
208	Female dietary bias towards large migratory moths in the European free-tailed bat (<i>Tadarida teniotis</i>). <i>Biology Letters</i> , 2016 , 12, 20150988	3.6	49
207	Who lives where? Molecular and morphometric analyses clarify which Unio species (Unionida, Mollusca) inhabit the southwestern Palearctic. <i>Organisms Diversity and Evolution</i> , 2016 , 16, 597-611	1.7	47
206	Does local habitat fragmentation affect large-scale distributions? The case of a specialist grassland bird. <i>Diversity and Distributions</i> , 2013 , 19, 423-432	5	47

205	Biotic homogenization as a threat to native affiliate species: fish introductions dilute freshwater mussel's host resources. <i>Diversity and Distributions</i> , 2013 , 19, 933-942	5	46
204	Relative effects of road risk, habitat suitability, and connectivity on wildlife roadkills: the case of tawny owls (<i>Strix aluco</i>). <i>PLoS ONE</i> , 2013 , 8, e79967	3.7	45
203	Invisible barriers: Differential sanitary regulations constrain vulture movements across country borders. <i>Biological Conservation</i> , 2018 , 219, 46-52	6.2	44
202	Negative effects of <i>Corbicula fluminea</i> over native freshwater mussels. <i>Hydrobiologia</i> , 2018 , 810, 85-95	2.4	44
201	Does afforestation increase bird nest predation risk in surrounding farmland?. <i>Forest Ecology and Management</i> , 2010 , 260, 1359-1366	3.9	44
200	Spatial population structure of the Cabrera vole in Mediterranean farmland: The relative role of patch and matrix effects. <i>Biological Conservation</i> , 2007 , 134, 383-392	6.2	44
199	Starting a DNA barcode reference library for shallow water polychaetes from the southern European Atlantic coast. <i>Molecular Ecology Resources</i> , 2016 , 16, 298-313	8.4	44
198	Biological invasions and ecosystem functioning: time to merge. <i>Biological Invasions</i> , 2011 , 13, 1055-1058	2.7	42
197	Calandra lark habitat selection: Strong fragmentation effects in a grassland specialist. <i>Acta Oecologica</i> , 2010 , 36, 63-73	1.7	41
196	Effects of changed grazing regimes and habitat fragmentation on Mediterranean grassland birds. <i>Agriculture, Ecosystems and Environment</i> , 2010 , 138, 27-34	5.7	41
195	Conserving the Cabrera vole, <i>Microtus cabrerae</i> , in intensively used Mediterranean landscapes. <i>Agriculture, Ecosystems and Environment</i> , 2006 , 115, 1-5	5.7	41
194	Combined effects of landscape composition and heterogeneity on farmland avian diversity. <i>Ecology and Evolution</i> , 2017 , 7, 1212-1223	2.8	40
193	Sampling effects on the identification of roadkill hotspots: Implications for survey design. <i>Journal of Environmental Management</i> , 2015 , 162, 87-95	7.9	39
192	Effectiveness of a large reserve network in protecting freshwater biodiversity: a test for the Iberian Peninsula. <i>Freshwater Biology</i> , 2015 , 60, 698-710	3.1	39
191	Freshwater conservation in a fragmented world: Dealing with barriers in a systematic planning framework. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 17-25	2.6	39
190	Mixed Effects of Long-Term Conservation Investment in Natura 2000 Farmland. <i>Conservation Letters</i> , 2014 , 7, 467-477	6.9	39
189	Genetic diversity of the pan-European freshwater mussel <i>Anodonta anatina</i> (Bivalvia: Unionoida) based on CO1: new phylogenetic insights and implications for conservation. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2014 , 24, 561-574	2.6	38
188	Expansion and systematics redefinition of the most threatened freshwater mussel family, the Margaritiferidae. <i>Molecular Phylogenetics and Evolution</i> , 2018 , 127, 98-118	4.1	37

187	Long-term understory recovery after mechanical fuel reduction in Mediterranean cork oak forests. <i>Forest Ecology and Management</i> , 2011 , 261, 447-459	3.9	37
186	How much is enough? Effects of technical and biological replication on metabarcoding dietary analysis. <i>Molecular Ecology</i> , 2019 , 28, 165-175	5.7	36
185	Mediterranean amphibians and the loss of temporary ponds: Are there alternative breeding habitats?. <i>Biological Conservation</i> , 2013 , 165, 179-186	6.2	36
184	Invasive Chinese pond mussel <i>Sinanodonta woodiana</i> threatens native mussel reproduction by inducing cross-resistance of host fish. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2017 , 27, 1325-1333	2.6	35
183	Optimizing sampling design to deal with mist-net avoidance in Amazonian birds and bats. <i>PLoS ONE</i> , 2013 , 8, e74505	3.7	35
182	Reproductive cycle and strategy of <i>Anodonta anatina</i> (L., 1758): notes on hermaphroditism. <i>Journal of Experimental Zoology</i> , 2013 , 319, 378-90		34
181	Rabbit <i>Oryctolagus Cuniculus</i> Habitats in Mediterranean Scrubland: The Role of Scrub Structure and Composition. <i>Wildlife Biology</i> , 2007 , 13, 28-37	1.7	33
180	Assessing landscape functional connectivity in a forest carnivore using path selection functions. <i>Landscape Ecology</i> , 2016 , 31, 1021-1036	4.3	32
179	Forest fuel management as a conservation tool for early successional species under agricultural abandonment: The case of Mediterranean butterflies. <i>Biological Conservation</i> , 2012 , 146, 14-23	6.2	32
178	Circadian activity rhythms in relation to season, sex and interspecific interactions in two Mediterranean voles. <i>Animal Behaviour</i> , 2011 , 81, 1023-1030	2.8	31
177	Genetic non-invasive sampling (gNIS) as a cost-effective tool for monitoring elusive small mammals. <i>European Journal of Wildlife Research</i> , 2018 , 64, 1	2	30
176	Ecology of southern European pearl mussels (<i>Margaritifera margaritifera</i>): first record of two new populations on the rivers Terva and Beil (Portugal). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, 374-389	2.6	30
175	Assessing habitat differentiation between coexisting species: The role of spatial scale. <i>Acta Oecologica</i> , 2011 , 37, 124-132	1.7	30
174	Conservation status of the freshwater pearl mussel <i>Margaritifera margaritifera</i> in Portugal. <i>Limnologica</i> , 2015 , 50, 4-10	2	29
173	Spatial segregation of two vole species (<i>Arvicola sapidus</i> and <i>Microtus cabreræ</i>) within habitat patches in a highly fragmented farmland landscape. <i>European Journal of Wildlife Research</i> , 2010 , 56, 651-662		29
172	Advancing the use of molecular methods for routine freshwater macroinvertebrate biomonitoring [The need for calibration experiments. <i>Metabarcoding and Metagenomics</i> , 3,		29
171	Have the cake and eat it: Optimizing nondestructive DNA metabarcoding of macroinvertebrate samples for freshwater biomonitoring. <i>Molecular Ecology Resources</i> , 2019 , 19, 863-876	8.4	28
170	Towards a taxonomically unbiased European Union biodiversity strategy for 2030. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020 , 287, 20202166	4.4	28

169	Die-offs of the endangered pearl mussel <i>Margaritifera margaritifera</i> during an extreme drought. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 1244-1248	2.6	28
168	Documenting biogeographical patterns of African timber species using herbarium records: a conservation perspective based on native trees from Angola. <i>PLoS ONE</i> , 2014 , 9, e103403	3.7	28
167	Temporal and spatial patterns of rest-site use by four female otters <i>Lutra lutra</i> along the south-west coast of Portugal. <i>Journal of Zoology</i> , 1996 , 239, 741-753	2	28
166	Advancing the integration of multi-marker metabarcoding data in dietary analysis of trophic generalists. <i>Molecular Ecology Resources</i> , 2019 , 19, 1420-1432	8.4	27
165	Landscape effects on large scale abundance patterns of turtle doves <i>Streptopelia turtur</i> in Portugal. <i>European Journal of Wildlife Research</i> , 2013 , 59, 531-541	2	27
164	Spatial variation of mercury levels in nesting Bonelli's eagles from Southwest Portugal: effects of diet composition and prey contamination. <i>Environmental Pollution</i> , 2005 , 134, 549-57	9.3	27
163	Diet of otters (<i>Lutra lutra</i>) in closely associated freshwater, brackish and marine habitats in south-west Portugal. <i>Journal of Zoology</i> , 1991 , 225, 141-152	2	27
162	Phylogeny, phylogeography, and evolution in the Mediterranean region: News from a freshwater mussel (<i>Potomida</i> , <i>Unionida</i>). <i>Molecular Phylogenetics and Evolution</i> , 2016 , 100, 322-332	4.1	27
161	Railway ecology vs. road ecology: similarities and differences. <i>European Journal of Wildlife Research</i> , 2019 , 65, 1	2	26
160	What is socio-ecological research delivering? A literature survey across 25 international LTSER platforms. <i>Science of the Total Environment</i> , 2018 , 622-623, 1225-1240	10.2	26
159	Wolf predation on cattle in Portugal: Assessing the effects of husbandry systems. <i>Biological Conservation</i> , 2017 , 207, 17-26	6.2	25
158	Avian trait-mediated vulnerability to road traffic collisions. <i>Biological Conservation</i> , 2016 , 200, 122-130	6.2	25
157	An applied farming systems approach to infer conservation-relevant agricultural practices for agri-environment policy design. <i>Land Use Policy</i> , 2016 , 58, 165-172	5.6	24
156	Pearl mussels (<i>Margaritifera marocana</i>) in Morocco: Conservation status of the rarest bivalve in African fresh waters. <i>Science of the Total Environment</i> , 2016 , 547, 405-412	10.2	23
155	Predators and livestock reduce bird nest survival in intensive Mediterranean farmland. <i>European Journal of Wildlife Research</i> , 2014 , 60, 249-258	2	23
154	Lifting the curtain on the freshwater mussel diversity of the Italian Peninsula and Croatian Adriatic coast. <i>Biodiversity and Conservation</i> , 2017 , 26, 3255-3274	3.4	23
153	Contrasting morphological and DNA barcode-suggested species boundaries among shallow-water amphipod fauna from the southern European Atlantic coast. <i>Genome</i> , 2017 , 60, 147-157	2.4	23
152	Hybridization following population collapse in a critically endangered antelope. <i>Scientific Reports</i> , 2016 , 6, 18788	4.9	23

151	LTSER platforms as a place-based transdisciplinary research infrastructure: learning landscape approach through evaluation. <i>Landscape Ecology</i> , 2019 , 34, 1461-1484	4.3	23
150	Non-native freshwater fauna in Portugal: A review. <i>Science of the Total Environment</i> , 2019 , 650, 1923-1934	4.2	23
149	Designing the landscape of coexistence: Integrating risk avoidance, habitat selection and functional connectivity to inform large carnivore conservation. <i>Biological Conservation</i> , 2019 , 235, 178-188	6.2	22
148	Effects of a drought episode on the reproductive success of European free-tailed bats (<i>Tadarida teniotis</i>). <i>Mammalian Biology</i> , 2015 , 80, 228-236	1.6	22
147	Effects of freshwater availability on the summer distribution of otters <i>Lutra lutra</i> in the southwest coast of Portugal. <i>Ecography</i> , 1992 , 15, 273-278	6.5	20
146	Freshwater mollusc assemblages and habitat associations in the Danube River drainage, Hungary. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016 , 26, 319-332	2.6	20
145	A Spatially Explicit Choice Model to Assess the Impact of Conservation Policy on High Nature Value Farming Systems. <i>Ecological Economics</i> , 2018 , 145, 331-338	5.6	20
144	Landscape makers and landscape takers: links between farming systems and landscape patterns along an intensification gradient. <i>Landscape Ecology</i> , 2016 , 31, 791-803	4.3	19
143	Effects of the invasive clam <i>Corbicula fluminea</i> (Müller, 1774) on an estuarine microbial community. <i>Science of the Total Environment</i> , 2016 , 566-567, 1168-1175	10.2	19
142	From Archived Historical Aerial Imagery to Informative Orthophotos: A Framework for Retrieving the Past in Long-Term Socioecological Research. <i>Remote Sensing</i> , 2019 , 11, 1388	5	19
141	OUT OF POOLS: MOVEMENT PATTERNS OF MEDITERRANEAN STREAM FISH IN RELATION TO DRY SEASON REFUGIA. <i>River Research and Applications</i> , 2014 , 30, 1269-1280	2.3	19
140	Geostatistical distribution modelling of two invasive crayfish across dendritic stream networks. <i>Biological Invasions</i> , 2017 , 19, 2899-2912	2.7	19
139	Long-term consequences of mechanical fuel management for the conservation of Mediterranean forest herb communities. <i>Biodiversity and Conservation</i> , 2011 , 20, 2669-2691	3.4	19
138	Endemic species may have complex histories: within-refugium phylogeography of an endangered Iberian vole. <i>Molecular Ecology</i> , 2017 , 26, 951-967	5.7	18
137	From water to land: How an invasive clam may function as a resource pulse to terrestrial invertebrates. <i>Science of the Total Environment</i> , 2015 , 538, 664-71	10.2	18
136	Filling gaps in a large reserve network to address freshwater conservation needs. <i>Journal of Environmental Management</i> , 2015 , 161, 358-365	7.9	18
135	<i>Microtus cabreræ</i> (Rodentia: Cricetidae). <i>Mammalian Species</i> , 2014 , 912, 48-70	0.5	18
134	Relationships between nutrient composition of flowers and fruit quality in orange trees grown in calcareous soil. <i>Tree Physiology</i> , 2005 , 25, 761-7	4.2	18

133	The male and female complete mitochondrial genome sequences of the Endangered freshwater mussel <i>Potomida littoralis</i> (Cuvier, 1798) (Bivalvia: Unionidae). <i>Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis</i> , 2016 , 27, 3571-2	1.3	17
132	Current and future effects of global change on a hotspot's freshwater diversity. <i>Science of the Total Environment</i> , 2018 , 635, 750-760	10.2	17
131	Use of tree hollows by a Mediterranean forest carnivore. <i>Forest Ecology and Management</i> , 2014 , 315, 54-62	3.9	17
130	Ecological status of a <i>Margaritifera margaritifera</i> (Linnaeus, 1758) population at the southern edge of its distribution (River Paiva, Portugal). <i>Environmental Management</i> , 2013 , 52, 1230-8	3.1	17
129	A metapopulation approach to predict species range shifts under different climate change and landscape connectivity scenarios. <i>Ecological Modelling</i> , 2017 , 359, 406-414	3	17
128	Fine-scale determinants of conservation value of river reaches in a hotspot of native and non-native species diversity. <i>Science of the Total Environment</i> , 2017 , 574, 455-466	10.2	17
127	A Mediterranean silent spring? The effects of olive farming intensification on breeding bird communities. <i>Agriculture, Ecosystems and Environment</i> , 2020 , 288, 106694	5.7	17
126	Physical legacy of freshwater bivalves: Effects of habitat complexity on the taxonomical and functional diversity of invertebrates. <i>Science of the Total Environment</i> , 2018 , 634, 1398-1405	10.2	16
125	Inter- and intraspecific variation of carbon and nitrogen stable isotope ratios in freshwater bivalves. <i>Hydrobiologia</i> , 2016 , 765, 149-158	2.4	16
124	Using beta diversity to inform agricultural policies and conservation actions on Mediterranean farmland. <i>Journal of Applied Ecology</i> , 2017 , 54, 1825-1835	5.8	15
123	Potential impacts of the invasive species <i>Corbicula fluminea</i> on the survival of glochidia. <i>Science of the Total Environment</i> , 2019 , 673, 157-164	10.2	15
122	A biogeographical regionalization of Angolan mammals. <i>Mammal Review</i> , 2015 , 45, 103-116	5	15
121	Modeling stream fish distributions using interval-censored detection times. <i>Ecology and Evolution</i> , 2016 , 6, 5530-41	2.8	15
120	Newly developed microsatellite markers for the pan-European duck mussel, <i>Anodonta anatina</i> : revisiting the main mitochondrial lineages. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2016 , 26, 307-318	2.6	15
119	Limitations of methods to test density-dependent fecundity hypothesis. <i>Journal of Animal Ecology</i> , 2008 , 77, 335-40	4.7	15
118	A tale of shells and claws: The signal crayfish as a threat to the pearl mussel <i>Margaritifera margaritifera</i> in Europe. <i>Science of the Total Environment</i> , 2019 , 665, 329-337	10.2	15
117	Invasive crayfishes as a threat to freshwater bivalves: Interspecific differences and conservation implications. <i>Science of the Total Environment</i> , 2019 , 649, 938-948	10.2	15
116	Modelling landscape constraints on farmland bird species range shifts under climate change. <i>Science of the Total Environment</i> , 2018 , 625, 1596-1605	10.2	14

115	Following the water? Landscape-scale temporal changes in bat spatial distribution in relation to Mediterranean summer drought. <i>Ecology and Evolution</i> , 2018 , 8, 5801-5814	2.8	14
114	Application of indicator kriging to the complementary use of bioindicators at three trophic levels. <i>Environmental Pollution</i> , 2009 , 157, 2689-96	9.3	14
113	The effects of a motorway on movement behaviour and gene flow in a forest carnivore: Joint evidence from road mortality, radio tracking and genetics. <i>Landscape and Urban Planning</i> , 2018 , 178, 217-227	7.7	14
112	Combining distribution modelling and non-invasive genetics to improve range shift forecasting. <i>Ecological Modelling</i> , 2015 , 297, 171-179	3	13
111	Small hydropower plants as a threat to the endangered pearl mussel <i>Margaritifera margaritifera</i> . <i>Science of the Total Environment</i> , 2020 , 719, 137361	10.2	13
110	Direct and indirect effects of an invasive omnivore crayfish on leaf litter decomposition. <i>Science of the Total Environment</i> , 2016 , 541, 714-720	10.2	13
109	Recent range contractions in the globally threatened Pyrenean desman highlight the importance of stream headwater refugia. <i>Animal Conservation</i> , 2018 , 21, 515-525	3.2	13
108	Assessing the morphological variability of <i>Unio delphinus</i> Spengler, 1783 (Bivalvia: Unionidae) using geometric morphometry. <i>Journal of Molluscan Studies</i> , 2014 , 80, 17-23	1.1	13
107	Structure and Seasonal Fluctuations of Rocky Littoral Fish Assemblages in South-Western Portugal: Implications for Otter Prey Availability. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 1995 , 75, 833-847	1.1	13
106	Mesozoic mitogenome rearrangements and freshwater mussel (Bivalvia: Unionoidea) macroevolution. <i>Heredity</i> , 2020 , 124, 182-196	3.6	13
105	Risks a la carte: Modelling the occurrence and intensity of wolf predation on multiple livestock species. <i>Biological Conservation</i> , 2018 , 228, 331-342	6.2	13
104	Freshwater conservation assessments in (semi-)arid regions: Testing river intermittence and buffer strategies using freshwater mussels (Bivalvia, Unionida) in Morocco. <i>Biological Conservation</i> , 2019 , 236, 420-434	6.2	12
103	Consequences of game bird management for non-game species in Europe. <i>Journal of Applied Ecology</i> , 2018 , 55, 2285-2295	5.8	12
102	Species Conservation Assessments in Oceanic Islands: the Consequences of Precautionary Versus Evidentiary Attitudes. <i>Conservation Letters</i> , 2016 , 9, 275-280	6.9	12
101	Changes in intrapopulation resource use patterns of an endangered raptor in response to a disease-mediated crash in prey abundance. <i>Journal of Animal Ecology</i> , 2012 , 81, 1154-1160	4.7	12
100	Catchment zoning to unlock freshwater conservation opportunities in the Iberian Peninsula. <i>Diversity and Distributions</i> , 2016 , 22, 960-969	5	11
99	Combining genetic non-invasive sampling with spatially explicit capture-recapture models for density estimation of a patchily distributed small mammal. <i>European Journal of Wildlife Research</i> , 2018 , 64, 1	2	11
98	Large-scale population genetic structure in Bonelli's Eagle <i>Aquila fasciata</i> . <i>Ibis</i> , 2013 , 155, 485-498	1.9	11

97	Railway Ecology 2017 , 3-9		11
96	Isolation of highly polymorphic microsatellite loci for a species with a large genome size: sharp-ribbed salamander (<i>Pleurodeles waltl</i>). <i>Molecular Ecology Resources</i> , 2009 , 9, 425-8	8.4	11
95	Modelling spatial and environmental effects at the edge of the distribution: the red-backed shrike <i>Lanius collurio</i> in Northern Portugal. <i>Diversity and Distributions</i> , 2006 , 12, 379-387	5	11
94	Optimization of landscape services under uncoordinated management by multiple landowners. <i>PLoS ONE</i> , 2014 , 9, e86001	3.7	11
93	Making olive oil sustainable. <i>Science</i> , 2019 , 365, 873	33.3	10
92	Through the eye of a butterfly: Assessing biodiversity impacts of cashew expansion in West Africa. <i>Biological Conservation</i> , 2015 , 191, 779-786	6.2	10
91	Oued Bouhlou: A new hope for the Moroccan pearl mussel. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2018 , 28, 247-251	2.6	10
90	Is the body condition of the invasive zebra mussel (<i>Dreissena polymorpha</i>) enhanced through attachment to native freshwater mussels (<i>Bivalvia</i> , Unionidae)? <i>Science of the Total Environment</i> , 2016 , 553, 243-249	10.2	10
89	Seasonal breeding and food resources of otters, <i>Lutra lutra</i> (Carnivora, Mustelidae), in south-west Portugal: a comparison between coastal and inland habitats. <i>Mammalia</i> , 1996 , 60,	1	10
88	Using an apex predator for large-scale monitoring of trace element contamination: Associations with environmental, anthropogenic and dietary proxies. <i>Science of the Total Environment</i> , 2019 , 676, 746-755	10.2	9
87	Priority questions for biodiversity conservation in the Mediterranean biome: Heterogeneous perspectives across continents and stakeholders. <i>Conservation Science and Practice</i> , 2019 , 1, e118	2.2	9
86	Invasive dynamics of the crayfish <i>Procambarus clarkii</i> (Girard, 1852) in the international section of the River Minho (NW of the Iberian Peninsula). <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2013 , 23, n/a-n/a	2.6	9
85	Biodiversity Conservation: History, Protected Areas and Hotspots 2019 , 495-512		8
84	First estimates of genetic diversity for the highly endangered giant sable antelope using a set of 57 microsatellites. <i>European Journal of Wildlife Research</i> , 2015 , 61, 313-317	2	8
83	Effects of hunting management on Mediterranean farmland birds. <i>Bird Conservation International</i> , 2015 , 25, 166-181	1.7	8
82	Long-term responses of Mediterranean birds to forest fuel management. <i>Journal of Applied Ecology</i> , 2012 , 49, no-no	5.8	8
81	Influence of land mosaic composition and structure on patchy populations: the case of the water vole (<i>Arvicola sapidus</i>) in Mediterranean farmland. <i>PLoS ONE</i> , 2013 , 8, e69976	3.7	8
80	Modelling technical and biological biases in macroinvertebrate community assessment from bulk preservative using multiple metabarcoding markers. <i>Molecular Ecology</i> , 2021 , 30, 3221-3238	5.7	8

79	Rehabilitation and post-release monitoring of two wolves with severe injuries. <i>Journal of Wildlife Management</i> , 2016 , 80, 729-735	1.9	8
78	Use of space and homesite attendance by Iberian wolves during the breeding season. <i>Mammalian Biology</i> , 2018 , 92, 1-10	1.6	7
77	Spatial and temporal dynamics of <i>Corbicula fluminea</i> (Müller, 1774) in relation to environmental variables in the Mondego Estuary (Portugal). <i>Journal of Molluscan Studies</i> , 2013 , 79, 302-309	1.1	7
76	Setting the stage for new ecological indicator species: A holistic case study on the Iberian dolphin freshwater mussel <i>Unio delphinus</i> Spengler, 1793. <i>Ecological Indicators</i> , 2020 , 111, 105987	5.8	7
75	Landscape connectivity affects individual survival in unstable patch networks: The case of a freshwater turtle inhabiting temporary ponds. <i>Freshwater Biology</i> , 2020 , 65, 540-551	3.1	7
74	Hierarchical spatial segregation of two Mediterranean vole species: the role of patch-network structure and matrix composition. <i>Oecologia</i> , 2016 , 182, 253-63	2.9	7
73	Effects of invasive aquatic carrion on soil chemistry and terrestrial microbial communities. <i>Biological Invasions</i> , 2017 , 19, 2491-2502	2.7	6
72	The Mammals of Angola 2019 , 357-443		6
71	An R package for simulating metapopulation dynamics and range expansion under environmental change. <i>Environmental Modelling and Software</i> , 2016 , 81, 40-44	5.2	6
70	Factors affecting southern water vole (<i>Arvicola sapidus</i>) detection and occupancy probabilities in Mediterranean farmland. <i>Mammalian Biology</i> , 2016 , 81, 123-129	1.6	6
69	Genetic Divergence for the Amphibian <i>Pleurodeles waltl</i> in Southwest Portugal: Dispersal Barriers Shaping Geographic Patterns. <i>Journal of Herpetology</i> , 2014 , 48, 38	1.1	6
68	Roads, forestry plantations and hedgerows affect badger occupancy in intensive Mediterranean farmland. <i>Agriculture, Ecosystems and Environment</i> , 2020 , 289, 106721	5.7	6
67	Major shortfalls impairing knowledge and conservation of freshwater molluscs. <i>Hydrobiologia</i> , 2021 , 848, 2831-2867	2.4	6
66	Sensitivity of <i>Pseudunio auricularius</i> to metals and ammonia: first evaluation. <i>Hydrobiologia</i> , 2021 , 848, 2977-2992	2.4	6
65	The role of conservative versus innovative nesting behavior on the 25-year population expansion of an avian predator. <i>Ecology and Evolution</i> , 2017 , 7, 4241-4253	2.8	5
64	The strange case of the tetragenous <i>Anodonta anatina</i> . <i>Journal of Experimental Zoology</i> , 2016 , 325, 52-6		5
63	Highly polymorphic microsatellite loci for the Parsley frog (<i>Pelodytes punctatus</i>): characterization and testing for cross-species amplification. <i>Conservation Genetics</i> , 2009 , 10, 665-668	2.6	5
62	Advances in the use of molecular tools in ecological and biodiversity assessment of aquatic ecosystems 2020 , 39, 419-440		5

61	The role of anthropogenic habitats in freshwater mussel conservation. <i>Global Change Biology</i> , 2021 , 27, 2298-2314	11.4	5
60	Drivers of survival in a small mammal of conservation concern: An assessment using extensive genetic non-invasive sampling in fragmented farmland. <i>Biological Conservation</i> , 2019 , 230, 131-140	6.2	5
59	Structural simplification compromises the potential of common insectivorous bats to provide biocontrol services against the major olive pest <i>Prays oleae</i> . <i>Agriculture, Ecosystems and Environment</i> , 2020 , 287, 106708	5.7	5
58	Assessment of a terrestrial protected area for the conservation of freshwater biodiversity. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 520-530	2.6	5
57	Conservation threats from roadkill in the global road network. <i>Global Ecology and Biogeography</i> , 2021 , 30, 2200	6.1	5
56	Unravelling population processes over the Late Pleistocene driving contemporary genetic divergence in Palearctic buzzards. <i>Molecular Phylogenetics and Evolution</i> , 2019 , 134, 269-281	4.1	4
55	Time travelling through local ecological knowledge regarding an endangered species. <i>Science of the Total Environment</i> , 2020 , 739, 140047	10.2	4
54	Modelling fuel succession in Mediterranean cork oak forests along a 70-year chronosequence. <i>Forest Ecology and Management</i> , 2013 , 302, 221-230	3.9	4
53	Diel variation in movement patterns and habitat use by the Iberian endemic Cabrera vole: Implications for conservation and monitoring. <i>Mammalian Biology</i> , 2017 , 83, 21-26	1.6	4
52	The collection and database of Birds of Angola hosted at IICT (Instituto de Investigaçã Científica Tropical), Lisboa, Portugal. <i>ZooKeys</i> , 2014 , 89-99	1.2	4
51	Diet of Breeding Ospreys in the Cape Verde Archipelago, Northwestern Africa. <i>Journal of Raptor Research</i> , 2011 , 45, 244-251	0.9	4
50	The InBIO Barcoding Initiative Database: contribution to the knowledge on DNA barcodes of Iberian Plecoptera. <i>Biodiversity Data Journal</i> , 2020 , 8, e55137	1.8	4
49	What's Next? Railway Ecology in the 21st Century 2017 , 311-318		4
48	Speeding up the detection of invasive aquatic species using environmental DNA and nanopore sequencing		4
47	High-resolution multi-marker DNA metabarcoding reveals sexual dietary differentiation in a bird with minor dimorphism. <i>Ecology and Evolution</i> , 2020 , 10, 10364-10373	2.8	4
46	The collection of birds from Sã Tomã and Príncipe at the Instituto de Investigaçã Científica Tropical of the University of Lisbon (Portugal). <i>ZooKeys</i> , 2016 , 155-67	1.2	4
45	Bats use topography and nocturnal updrafts to fly high and fast. <i>Current Biology</i> , 2021 , 31, 1311-1316.e46.3		4
44	The male and female complete mitochondrial genomes of the threatened freshwater pearl mussel <i>Margaritifera margaritifera</i> (Linnaeus, 1758) (Bivalvia: Margaritiferidae). <i>Mitochondrial DNA Part B: Resources</i> , 2019 , 4, 1417-1420	0.5	3

43	Riparian vegetation subsidizes sea lamprey ammocoetes in a nursery area. <i>Aquatic Sciences</i> , 2019 , 81, 1	2.5	3
42	Origin and history of Phoxinus (Cyprinidae) introductions in the Douro Basin (Iberian Peninsula): an update inferred from genetic data. <i>Biological Invasions</i> , 2020 , 22, 2409-2419	2.7	3
41	Effects of intrapopulation phenotypic traits of invasive crayfish on leaf litter processing. <i>Hydrobiologia</i> , 2018 , 819, 67-75	2.4	3
40	New Records of Insect Pest Species Associated with Cashew, <i>Anacardium occidentale</i> L. (Anacardiaceae), in Guinea-Bissau. <i>African Entomology</i> , 2014 , 22, 673-677	0.5	3
39	Assessing Bird Exclusion Effects in a Wetland Crossed by a Railway (Sado Estuary, Portugal) 2017 , 179-195		3
38	The InBIO Barcoding Initiative Database: DNA barcodes of Portuguese Diptera 01. <i>Biodiversity Data Journal</i> , 2020 , 8, e49985	1.8	3
37	Trophic niche overlap between native freshwater mussels (Order: Unionida) and the invasive <i>Corbicula fluminea</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2021 , 31, 2058-2071	2.6	3
36	Impacts of sheep versus cattle livestock systems on birds of Mediterranean grasslands. <i>Scientific Reports</i> , 2021 , 11, 10827	4.9	3
35	Efficient assessment of nocturnal flying insect communities by combining automatic light traps and DNA metabarcoding. <i>Environmental DNA</i> , 2021 , 3, 398-408	7.6	3
34	Combining DNA metabarcoding and ecological networks to inform conservation biocontrol by small vertebrate predators. <i>Ecological Applications</i> , 2021 , 31, e02457	4.9	3
33	Preserving wintering frugivorous birds in agro-ecosystems under land use change: Lessons from intensive and super-intensive olive orchards. <i>Journal of Applied Ecology</i> ,	5.8	3
32	First complete mitochondrial genomes of molossid bats (Chiroptera: Molossidae). <i>Mitochondrial DNA Part B: Resources</i> , 2017 , 2, 152-154	0.5	2
31	Long-term consequences of agricultural policy decisions: How are forests planted under EEC regulation 2080/92 affecting biodiversity 20 years later?. <i>Biological Conservation</i> , 2019 , 236, 393-403	6.2	2
30	Combining geostatistical and biotic interaction model to predict amphibian refuges under crayfish invasion across dendritic stream networks. <i>Diversity and Distributions</i> , 2020 , 26, 699-714	5	2
29	Mismatches between habitat preferences and risk avoidance for birds in intensive Mediterranean farmland. <i>European Journal of Wildlife Research</i> , 2018 , 64, 1	2	2
28	Fish hosts of the freshwater mussel <i>Unio foucauldianus</i> Pallary, 1936. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019 , 29, 2176-2184	2.6	2
27	Development and characterization of highly polymorphic microsatellite loci for the Western Spadefoot toad, <i>Pelobates cultripes</i> . <i>Conservation Genetics</i> , 2009 , 10, 993-996	2.6	2
26	The collection of birds from Mozambique at the Instituto de Investigaçã Científica Tropical of the University of Lisbon (Portugal). <i>ZooKeys</i> , 2017 , 139-152	1.2	2

25	Bird Collisions in a Railway Crossing a Wetland of International Importance (Sado Estuary, Portugal) 2017 , 103-115		2
24	Species traits, patch turnover and successional dynamics: when does intermediate disturbance favour metapopulation occupancy?. <i>BMC Ecology</i> , 2020 , 20, 2	2.7	2
23	From the lab to the river: Determination of ecological hosts of <i>Anodonta anatina</i> . <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2020 , 30, 988-999	2.6	2
22	Effects of an extreme drought on the endangered pearl mussel <i>Margaritifera margaritifera</i> : a before/after assessment. <i>Hydrobiologia</i> , 2021 , 848, 3003-3013	2.4	2
21	Captive breeding of <i>Margaritifera auricularia</i> (Spengler, 1793) and its conservation importance. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 2019 , 29, 1771-1784	2.6	1
20	DNA barcoding of <i>Sialis</i> sp. (Megaloptera) in Portugal: the missing tool to species identification. <i>Aquatic Insects</i> , 2019 , 40, 173-184	0.5	1
19	Monitoring frequency influences the analysis of resting behaviour in a forest carnivore. <i>Ecological Research</i> , 2015 , 30, 537-546	1.9	1
18	Influence of past agricultural fragmentation to the genetic structure of <i>Juniperus oxycedrus</i> in a Mediterranean landscape. <i>Tree Genetics and Genomes</i> , 2015 , 11, 1	2.1	1
17	Spatial modelling of temporal dynamics in stream fish communities under anthropogenic change. <i>Diversity and Distributions</i> , 2021 , 27, 313-326	5	1
16	Hidden in our pockets: building of a DNA barcode library unveils the first record of for Portugal. <i>Biodiversity Data Journal</i> , 2020 , 8, e54479	1.8	1
15	The Orthoptera of Castro Verde Special Protection Area (Southern Portugal): new data and conservation value. <i>ZooKeys</i> , 2017 , 19-48	1.2	1
14	Evolutionary history of the European free-tailed bat, a tropical affinity species spanning across the Mediterranean Basin. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2020 , 58, 499-518	1.9	1
13	and low-cost monitoring of particles falling from freshwater animals: from microplastics to parasites 2020 , 8, coaa088		1
12	Species detection from aquatic eDNA: Assessing the importance of capture methods. <i>Environmental DNA</i> , 2021 , 3, 435-448	7.6	1
11	Alarming decline of freshwater trigger species in western Mediterranean key biodiversity areas. <i>Conservation Biology</i> , 2021 , 35, 1367-1379	6	1
10	Combined per-capita and abundance effects of an invasive species on native invertebrate diversity and a key ecosystem process. <i>Freshwater Biology</i> , 2022 , 67, 828-841	3.1	1
9	Adenovirus emergence in a red squirrel (<i>Sciurus vulgaris</i>) in Iberian Peninsula. <i>Transboundary and Emerging Diseases</i> , 2020 , 67, 2300-2306	4.2	0
8	Assessing changes in stream macroinvertebrate communities across ecological gradients using morphological versus DNA metabarcoding approaches. <i>Science of the Total Environment</i> , 2021 , 797, 149030	10.2	0

7	Predicting climatic threats to an endangered freshwater mussel in Europe: The need to account for fish hosts. <i>Freshwater Biology</i> , 2022 , 67, 842-856	3.1	o
6	Individual variability in space use near power lines by a long-lived territorial raptor.. <i>Ecology and Evolution</i> , 2022 , 12, e8811	2.8	o
5	Contrasting effects of eucalyptus, pine and oak plantations on nest predation risk in Mediterranean grasslands. <i>Forest Ecology and Management</i> , 2022 , 511, 120116	3.9	o
4	Drivers of irrigated olive grove expansion in Mediterranean landscapes and associated biodiversity impacts. <i>Landscape and Urban Planning</i> , 2022 , 225, 104429	7.7	o
3	Pan-European Survey and Database of Environmental Assessment Factors 2013 , 97-119		
2	Biodiversity Trends Associated with SEA and EIA Practices 2013 , 134-153		
1	Direct observations of vertebrate killing and consumption by the endangered Pyrenean desman (<i>Galemys pyrenaicus</i>). <i>Mammalia</i> , 2019 , 83, 479-482	1	