

Jiu-Lin Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1516349/jiu-lin-wang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

9,738
citations

47
h-index

97
g-index

143
ext. papers

11,483
ext. citations

9.7
avg, IF

6.54
L-index

#	Paper	IF	Citations
138	Rechargeable hybrid organic Zn battery (ReHOZnB) with non-flammable electrolyte. <i>Journal of Electroanalytical Chemistry</i> , 2022 , 904, 115949	4.1	5
137	Highly stable lithium metal composite anode with a flexible 3D lithiophilic skeleton. <i>Nano Energy</i> , 2022 , 95, 107013	17.1	0
136	Zn anode sustaining high rate and high loading in organic electrolyte for rechargeable batteries. <i>Energy Storage Materials</i> , 2022 , 46, 523-534	19.4	3
135	Addressing thermodynamic Instability of Zn anode: classical and recent advancements. <i>Energy Storage Materials</i> , 2022 , 44, 206-230	19.4	20
134	A new flame-retardant polymer electrolyte with enhanced Li-ion conductivity for safe lithium-sulfur batteries. <i>Journal of Energy Chemistry</i> , 2022 , 65, 616-622	12	6
133	Electrochemical polymerization of nonflammable electrolyte enabling fast-charging lithium-sulfur battery. <i>Energy Storage Materials</i> , 2022 , 50, 387-394	19.4	4
132	Artificial Alloy/Li3N Double-Layer Enabling Stable High-Capacity Lithium Metal Anodes. <i>ACS Applied Energy Materials</i> , 2021 , 4, 13132-13139	6.1	1
131	Enhanced Cycle Stability of Li _{1.2} Ni _{0.13} Mn _{0.54} Co _{0.13} O ₂ Cathode with Sodium Oxalylidifluoroborate Electrolyte Salt for Hybrid Li-Na Ion Battery. <i>ChemistrySelect</i> , 2021 , 6, 12288-12294 ^{1.8}		
130	A Se-Doped S@CMK3 Composite as a High-Performance Cathode for Magnesium-Sulfur Batteries with Mg ²⁺ /Li ⁺ Hybrid Electrolytes. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 25959-25967	3.8	2
129	A Novel Filler for Gel Polymer Electrolyte with a High Lithium-Ion Transference Number toward Stable Cycling for Lithium-Metal Anodes in Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 48622-48633	9.5	1
128	An Antipulverization and High-Continuity Lithium Metal Anode for High-Energy Lithium Batteries. <i>Advanced Materials</i> , 2021 , e2105029	24	2
127	Dramatic improvement in high-rate capability of LiMnPO ₄ nanosheets via crystallite size regulation. <i>Journal of Alloys and Compounds</i> , 2021 , 162510	5.7	3
126	Inherently flame-retardant solid polymer electrolyte for safety-enhanced lithium metal battery. <i>Chemical Engineering Journal</i> , 2021 , 410, 128415	14.7	14
125	Controlled Synthesis of Porous Carbon Nanostructures with Tunable Closed Mesopores via a Silica-Assisted Coassembly Strategy. <i>CCS Chemistry</i> , 2021 , 3, 1410-1422	7.2	9
124	Sulfurized Polyacrylonitrile Cathode Derived from Intermolecular Cross-Linked Polyacrylonitrile for a Rechargeable Lithium Battery. <i>ACS Applied Energy Materials</i> , 2021 , 4, 5706-5712	6.1	3
123	Coupling-Agent-Coordinated Uniform Polymer Coating on LiNiCoMnO for Improved Electrochemical Performance at Elevated Temperatures. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 26971-26980	9.5	2
122	Sulfurized-Pyrolyzed Polyacrylonitrile Cathode for Magnesium-Sulfur Batteries Containing Mg ²⁺ /Li ⁺ Hybrid Electrolytes. <i>Chemical Engineering Journal</i> , 2021 , 427, 130902	14.7	6

121	Boosting electrochemical kinetics of S cathodes for room temperature Na/S batteries. <i>Matter</i> , 2021 , 4, 1768-1800	12.7	18
120	Silica-nanoresin crosslinked composite polymer electrolyte for ambient-temperature all-solid-state lithium batteries. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 6502-6511	7.8	8
119	A Chlorine-Free Electrolyte Based on Non-nucleophilic Magnesium Bis(diisopropyl)amide and Ionic Liquid for Rechargeable Magnesium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 32957-32967	9.5	5
118	In-situ mechanochemical synthesis of sub-micro Si/Sn@SiO _x -C composite as high-rate anode material for lithium-ion batteries. <i>Electrochimica Acta</i> , 2021 , 384, 138413	6.7	3
117	An Efficient Bulky Mg[B(Otfe) ₄] ₂ Electrolyte and Its Derivatively General Design Strategy for Rechargeable Magnesium Batteries. <i>ACS Energy Letters</i> , 2021 , 6, 3212-3220	20.1	11
116	SnSe /FeSe Nanocubes Capsulated in Nitrogen-Doped Carbon Realizing Stable Sodium-Ion Storage at Ultrahigh Rate.. <i>Small Methods</i> , 2021 , 5, e2100437	12.8	4
115	A crosslinking hydrogel binder for high-sulfur content S@pPAN cathode in rechargeable lithium batteries. <i>Journal of Energy Chemistry</i> , 2021 , 60, 360-367	12	5
114	Recent progress on selenium-based cathode materials for rechargeable magnesium batteries: A mini review. <i>Journal of Materials Science and Technology</i> , 2021 , 91, 168-177	9.1	5
113	Dense and high loading sulfurized pyrolyzed poly (acrylonitrile)(S@pPAN) cathode for rechargeable lithium batteries. <i>Energy Storage Materials</i> , 2020 , 31, 187-194	19.4	12
112	High Molecular Weight Polyacrylonitrile Precursor for S@pPAN Composite Cathode Materials with High Specific Capacity for Rechargeable Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 33702-33709	9.5	11
111	Designing an intrinsically safe organic electrolyte for rechargeable batteries. <i>Energy Storage Materials</i> , 2020 , 31, 382-400	19.4	29
110	Towards practical LiS battery with dense and flexible electrode containing lean electrolyte. <i>Energy Storage Materials</i> , 2020 , 27, 307-315	19.4	42
109	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 7306-7318	16.4	54
108	Metal Organic Framework (MOF)-Derived carbon-encapsulated cuprous sulfide cathode based on displacement reaction for Hybrid Mg ²⁺ /Li ⁺ batteries. <i>Journal of Power Sources</i> , 2020 , 445, 227325	8.9	32
107	Co/Ni Binary-Metal Oxide Coated with Porous Carbon Derived from Metal-Organic Framework as Host of Nano-Sulfur for Lithium-Sulfur Batteries. <i>Batteries and Supercaps</i> , 2020 , 3, 108-116	5.6	27
106	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. <i>Angewandte Chemie</i> , 2020 , 132, 7374-7386	3.6	14
105	Suppressing Dendrite Growth of a Lithium Metal Anode by Modifying Conventional Polypropylene Separators with a Composite Layer. <i>ACS Applied Energy Materials</i> , 2020 , 3, 506-513	6.1	17
104	Effect of copper to Selenium@Microporous carbon cathode for Mg/Se batteries with nucleophilic electrolyte. <i>Electrochimica Acta</i> , 2020 , 330, 135354	6.7	4

103	A superb 3D composite lithium metal anode prepared by in-situ lithiation of sulfurized polyacrylonitrile. <i>Energy Storage Materials</i> , 2020 , 33, 452-459	19.4	7
102	Integrated Composite Polymer Electrolyte Cross-Linked with SiO ₂ -Reinforced Layer for Enhanced Li-Ion Conductivity and Lithium Dendrite Inhibition. <i>ACS Applied Energy Materials</i> , 2020 , 3, 8552-8561	6.1	7
101	Sodium Polyacrylate as a Promising Aqueous Binder of Cathodes for Magnesium-Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 20712-20721	3.8	9
100	Polymer electrolytes for rechargeable lithium metal batteries. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 5469-5487	5.8	11
99	Stable Lithium Metal Anode Enabled by a Lithiophilic and Electron/Ion Conductive Framework. <i>ACS Nano</i> , 2020 , 14, 5618-5627	16.7	43
98	A Porous and Interconnected Polypyrrole Film with High Conductivity and Ion Accessibility as Electrode for Flexible All-Solid-State Supercapacitors. <i>ChemElectroChem</i> , 2019 , 6, 5479-5485	4.3	4
97	Stable Na Metal Anode Enabled by a Reinforced Multistructural SEI Layer. <i>Advanced Functional Materials</i> , 2019 , 29, 1901924	15.6	49
96	Electrolytes for advanced lithium ion batteries using silicon-based anodes. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 9432-9446	13	54
95	Highly Reversible Lithium-Metal Anode and Lithium-Sulfur Batteries Enabled by an Intrinsic Safe Electrolyte. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 33419-33427	9.5	15
94	A novel magnesium electrolyte containing a magnesium bis(diisopropyl)amide-magnesium chloride complex for rechargeable magnesium batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 18295-18303	13	22
93	Building high performance silicon-oxygen and silicon-sulfur battery by in-situ lithiation of fibrous Si/C anode. <i>Journal of Alloys and Compounds</i> , 2019 , 806, 335-342	5.7	5
92	A Highly Reversible Zn Anode with Intrinsically Safe Organic Electrolyte for Long-Cycle-Life Batteries. <i>Advanced Materials</i> , 2019 , 31, e1900668	24	131
91	High Active Magnesium Trifluoromethanesulfonate-Based Electrolytes for Magnesium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 9062-9072	9.5	37
90	Designing Li-protective layer via SOCl ₂ additive for stabilizing lithium-sulfur battery. <i>Energy Storage Materials</i> , 2019 , 18, 222-228	19.4	52
89	Highly Reversible and Rechargeable Safe Zn Batteries Based on a Triethyl Phosphate Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 2760-2764	16.4	206
88	An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 791-795	16.4	100
87	Highly Reversible and Rechargeable Safe Zn Batteries Based on a Triethyl Phosphate Electrolyte. <i>Angewandte Chemie</i> , 2019 , 131, 2786-2790	3.6	39
86	Bicomponent electrolyte additive excelling fluoroethylene carbonate for high performance Si-based anodes and lithiated Si-S batteries. <i>Energy Storage Materials</i> , 2019 , 20, 388-394	19.4	21

85	Safer lithium-sulfur battery based on nonflammable electrolyte with sulfur composite cathode. <i>Chemical Communications</i> , 2018 , 54, 4132-4135	5.8	51
84	Recent progress and perspective on lithium metal anode protection. <i>Energy Storage Materials</i> , 2018 , 14, 199-221	19.4	140
83	Confining small sulfur molecules in peanut shell-derived microporous graphitic carbon for advanced lithium sulfur battery. <i>Electrochimica Acta</i> , 2018 , 273, 127-135	6.7	50
82	Duplex component additive of tris(trimethylsilyl) phosphite-vinylene carbonate for lithium sulfur batteries. <i>Energy Storage Materials</i> , 2018 , 14, 75-81	19.4	26
81	A lithium-ion oxygen battery with a Si anode lithiated in situ by a LiN-containing cathode. <i>Chemical Communications</i> , 2018 , 54, 1069-1072	5.8	18
80	Boosting the Sodiation Capability and Stability of FeP by In Situ Anchoring on the Graphene Conductive Framework. <i>ChemNanoMat</i> , 2018 , 4, 309-315	3.5	16
79	Hybrid Mg ²⁺ /Li ⁺ batteries with Cu ₂ Se cathode based on displacement reaction. <i>Electrochimica Acta</i> , 2018 , 261, 503-512	6.7	30
78	A new ether-based electrolyte for lithium sulfur batteries using a S@pPAN cathode. <i>Chemical Communications</i> , 2018 , 54, 5478-5481	5.8	31
77	Silicon Microparticle Anodes with Self-Healing Multiple Network Binder. <i>Joule</i> , 2018 , 2, 950-961	27.8	196
76	Nano-/Microhierarchical-Structured LiMnFePO Cathode Material for Advanced Lithium Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 43552-43560	9.5	13
75	A conductive selenized polyacrylonitrile cathode in nucleophilic Mg ²⁺ /Li ⁺ hybrid electrolytes for magnesium-selenium batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17075-17085	13	20
74	A compatible carbonate electrolyte with lithium anode for high performance lithium sulfur battery. <i>Electrochimica Acta</i> , 2018 , 282, 555-562	6.7	27
73	An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. <i>Angewandte Chemie</i> , 2018 , 131, 801	3.6	
72	A high performance lithium-ion-sulfur battery with a free-standing carbon matrix supported Li-rich alloy anode. <i>Chemical Science</i> , 2018 , 9, 8829-8835	9.4	24
71	 Carbon Cathode with a High Sulfur Content for Magnesium-Sulfur Batteries with Nucleophilic Electrolytes. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 26764-26776	3.8	37
70	Lithium sulfur batteries with compatible electrolyte both for stable cathode and dendrite-free anode. <i>Energy Storage Materials</i> , 2018 , 15, 299-307	19.4	66
69	AlF-Modified carbon nanofibers as a multifunctional 3D interlayer for stable lithium metal anodes. <i>Chemical Communications</i> , 2018 , 54, 8347-8350	5.8	20
68	A high performance lithium-selenium battery using a microporous carbon confined selenium cathode and a compatible electrolyte. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 9350-9357	13	70

67	Hierarchical porous carbon derived from animal bone as matrix to encapsulated selenium for high performance LiSe battery. <i>Rare Metals</i> , 2017 , 36, 434-441	5.5	7
66	Natural karaya gum as an excellent binder for silicon-based anodes in high-performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 1919-1924	13	71
65	Effects of binders on the electrochemical performance of rechargeable magnesium batteries. <i>Journal of Power Sources</i> , 2017 , 341, 219-229	8.9	27
64	A stable organic-inorganic hybrid layer protected lithium metal anode for long-cycle lithium-oxygen batteries. <i>Journal of Power Sources</i> , 2017 , 366, 265-269	8.9	32
63	Gravimetric and volumetric energy densities of lithium-sulfur batteries. <i>Current Opinion in Electrochemistry</i> , 2017 , 6, 92-99	7.2	68
62	Prelithiation Activates Fe(MoO) Cathode for Rechargeable Hybrid Mg/Li Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 38455-38466	9.5	19
61	Application of a Sulfur Cathode in Nucleophilic Electrolytes for Magnesium/Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A2504-A2512	3.9	45
60	High performance nano-sized LiMn _{1-x} Fe _x PO ₄ cathode materials for advanced lithium-ion batteries. <i>RSC Advances</i> , 2017 , 7, 43708-43715	3.7	5
59	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. <i>Angewandte Chemie</i> , 2016 , 128, 10528-10531	3.6	27
58	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 10372-5	16.4	94
57	Superior rate capability of a sulfur composite cathode in a tris(trimethylsilyl)borate-containing functional electrolyte. <i>Chemical Communications</i> , 2016 , 52, 14430-14433	5.8	15
56	Guar gum as a novel binder for sulfur composite cathodes in rechargeable lithium batteries. <i>Chemical Communications</i> , 2016 , 52, 13479-13482	5.8	52
55	A new ether-based electrolyte for dendrite-free lithium-metal based rechargeable batteries. <i>Scientific Reports</i> , 2016 , 6, 21771	4.9	131
54	Magnesium Borohydride-Based Electrolytes Containing 1-butyl-1-methylpiperidinium bis(trifluoromethyl sulfonyl)imide Ionic Liquid for Rechargeable Magnesium Batteries. <i>Journal of the Electrochemical Society</i> , 2016 , 163, D682-D688	3.9	27
53	Scalable and Cost-Effective Preparation of Hierarchical Porous Silicon with a High Conversion Yield for Superior Lithium-Ion Storage. <i>Energy Technology</i> , 2016 , 4, 593-599	3.5	15
52	Effect of Mg ²⁺ /Li ⁺ mixed electrolytes on a rechargeable hybrid battery with Li ₄ Ti ₅ O ₁₂ cathode and Mg anode. <i>RSC Advances</i> , 2016 , 6, 3231-3234	3.7	41
51	Highly Crystallized Na ₂ O/Fe(CN) ₆ with Suppressed Lattice Defects as Superior Cathode Material for Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 5393-9	9.5	220
50	Polydopamine Wrapping Silicon Cross-linked with Polyacrylic Acid as High-Performance Anode for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 2899-904	9.5	79

49	A new electrolyte with good compatibility to a lithium anode for non-aqueous LiD2 batteries. <i>RSC Advances</i> , 2016 , 6, 47820-47823	3.7	7
48	A High-Performance Rechargeable Mg(2+)/Li(+) Hybrid Battery Using One-Dimensional Mesoporous TiO2(B) Nanoflakes as the Cathode. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 7111-7195	9.5	71
47	Oxidized starch as a superior binder for silicon anodes in lithium-ion batteries. <i>RSC Advances</i> , 2016 , 6, 97084-97088	3.7	26
46	A novel rechargeable battery with a magnesium anode, a titanium dioxide cathode, and a magnesium borohydride/tetraglyme electrolyte. <i>Chemical Communications</i> , 2015 , 51, 2641-4	5.8	101
45	Surface Modification of Li1.2Ni0.13Mn0.54Co0.13O2 by Hydrazine Vapor as Cathode Material for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 15821-9	9.5	47
44	Molybdenum dioxide hollow microspheres for cathode material in rechargeable hybrid battery using magnesium anode. <i>Journal of Solid State Electrochemistry</i> , 2015 , 19, 3347-3353	2.6	29
43	Sulfur-based composite cathode materials for high-energy rechargeable lithium batteries. <i>Advanced Materials</i> , 2015 , 27, 569-75	24	247
42	Highly Reversible Lithium-ions Storage of Molybdenum Dioxide Nanoplates for High Power Lithium-ion Batteries. <i>ChemSusChem</i> , 2015 , 8, 2621-4	8.3	8
41	Nanoporous silicon from low-cost natural clinoptilolite for lithium storage. <i>RSC Advances</i> , 2015 , 5, 56772-56778	3.5	38
40	High concentration magnesium borohydride/tetraglyme electrolyte for rechargeable magnesium batteries. <i>Journal of Power Sources</i> , 2015 , 276, 255-261	8.9	45
39	Lithium metal anodes for rechargeable batteries. <i>Energy and Environmental Science</i> , 2014 , 7, 513-537	35.4	2793
38	Towards a safe lithium-sulfur battery with a flame-inhibiting electrolyte and a sulfur-based composite cathode. <i>Angewandte Chemie - International Edition</i> , 2014 , 53, 10099-104	16.4	137
37	Polyimide encapsulated lithium-rich cathode material for high voltage lithium-ion battery. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 17965-73	9.5	76
36	TPPi as a flame retardant for rechargeable lithium batteries with sulfur composite cathodes. <i>Chemical Communications</i> , 2014 , 50, 7011-3	5.8	42
35	A novel graphene sheet-wrapped Co2(OH)3Cl composite as a long-life anode material for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 16925-16930	13	33
34	Novel dual-salts electrolyte solution for dendrite-free lithium-metal based rechargeable batteries with high cycle reversibility. <i>Journal of Power Sources</i> , 2014 , 271, 291-297	8.9	260
33	Uniform Carbon Coating on Silicon Nanoparticles by Dynamic CVD Process for Electrochemical Lithium Storage. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 12697-12704	3.9	40
32	A polyimide ion-conductive protection layer to suppress side reactions on Li4Ti5O12 electrodes at elevated temperature. <i>RSC Advances</i> , 2014 , 4, 10280-10283	3.7	10

31	Nano/micro-structured Si/CNT/C composite from nano-SiO ₂ for high power lithium ion batteries. <i>Nanoscale</i> , 2014 , 6, 12532-9	7.7	69
30	A solvothermal strategy: one-step in situ synthesis of self-assembled 3D graphene-based composites with enhanced lithium storage capacity. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 9200-9207 ¹³		53
29	A novel thiolate-based electrolyte system for rechargeable magnesium batteries. <i>Electrochimica Acta</i> , 2014 , 121, 258-263	6.7	14
28	Artificial Interface Deriving from Sacrificial Tris(trimethylsilyl)phosphate Additive for Lithium Rich Cathode Materials. <i>Electrochimica Acta</i> , 2014 , 117, 99-104	6.7	63
27	Carbyne polysulfide as a novel cathode material for rechargeable magnesium batteries. <i>Scientific World Journal, The</i> , 2014 , 2014, 107918	2.2	12
26	Towards a Safe Lithium Sulfur Battery with a Flame-Inhibiting Electrolyte and a Sulfur-Based Composite Cathode. <i>Angewandte Chemie</i> , 2014 , 126, 10263-10268	3.6	18
25	Hierarchical sulfur-based cathode materials with long cycle life for rechargeable lithium batteries. <i>ChemSusChem</i> , 2014 , 7, 563-9	8.3	71
24	Facile approach to SiO(x)/Si/C composite anode material from bulk SiO for lithium ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2013 , 15, 14420-6	3.6	51
23	Low-cost SiO-based anode using green binders for lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2013 , 17, 2461-2469	2.6	26
22	Nonflammable electrolyte for rechargeable lithium battery with sulfur based composite cathode materials. <i>Journal of Power Sources</i> , 2013 , 223, 18-22	8.9	41
21	Carbonyl-β-Cyclodextrin as a Novel Binder for Sulfur Composite Cathodes in Rechargeable Lithium Batteries. <i>Advanced Functional Materials</i> , 2013 , 23, 1194-1201	15.6	220
20	Dual-mode sulfur-based cathode materials for rechargeable Li-S batteries. <i>Chemical Communications</i> , 2012 , 48, 7868-70	5.8	46
19	Facile approach to an advanced nanoporous silicon/carbon composite anode material for lithium ion batteries. <i>RSC Advances</i> , 2012 , 2, 5701	3.7	33
18	Polyacrylonitrile/graphene composite as a precursor to a sulfur-based cathode material for high-rate rechargeable Li-S batteries. <i>Energy and Environmental Science</i> , 2012 , 5, 6966	35.4	415
17	Reversible Deposition and Dissolution of Magnesium from Imidazolium-Based Ionic Liquids. <i>International Journal of Electrochemistry</i> , 2012 , 2012, 1-8	2.4	11
16	A novel pyrolyzed polyacrylonitrile-sulfur@MWCNT composite cathode material for high-rate rechargeable lithium/sulfur batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 6807		174
15	Electrochemical intercalation of Mg ²⁺ in 3D hierarchically porous magnesium cobalt silicate and its application as an advanced cathode material in rechargeable magnesium batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12437		48
14	Morphology regulation and carbon coating of LiMnPO ₄ cathode material for enhanced electrochemical performance. <i>Journal of Power Sources</i> , 2011 , 196, 10258-10262	8.9	83

13	Lithium-rich Li _{2.6} Mg _{0.05} alloy as an alternative anode to metallic lithium for rechargeable lithium batteries. <i>Electrochimica Acta</i> , 2011 , 56, 8900-8905	6.7	20
12	MgFeSiO ₄ prepared via a molten salt method as a new cathode material for rechargeable magnesium batteries. <i>Science Bulletin</i> , 2011 , 56, 386-390		48
11	Novel Three-Dimensional Mesoporous Silicon for High Power Lithium-Ion Battery Anode Material. <i>Advanced Energy Materials</i> , 2011 , 1, 1036-1039	21.8	352
10	CNT enhanced sulfur composite cathode material for high rate lithium battery. <i>Electrochemistry Communications</i> , 2011 , 13, 399-402	5.1	152
9	Microporous carbon coated silicon core/shell nanocomposite via in situ polymerization for advanced Li-ion battery anode material. <i>Physical Chemistry Chemical Physics</i> , 2009 , 11, 11101-5	3.6	116
8	Electrochemical Intercalation of Mg ²⁺ in Magnesium Manganese Silicate and Its Application as High-Energy Rechargeable Magnesium Battery Cathode. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 12594-12597	2.8	74
7	Charge/discharge characteristics of sulfur composite electrode at different temperature and current density in rechargeable lithium batteries. <i>Ionics</i> , 2008 , 14, 335-337	2.7	19
6	Room temperature Na/S batteries with sulfur composite cathode materials. <i>Electrochemistry Communications</i> , 2007 , 9, 31-34	5.1	181
5	Charge/discharge characteristics of sulfur composite cathode materials in rechargeable lithium batteries. <i>Electrochimica Acta</i> , 2007 , 52, 7372-7376	6.7	74
4	Additive-containing ionic liquid electrolytes for secondary lithium battery. <i>Journal of Power Sources</i> , 2006 , 160, 621-626	8.9	83
3	Electrochemical characteristics of sulfur composite cathode materials in rechargeable lithium batteries. <i>Journal of Power Sources</i> , 2004 , 138, 271-273	8.9	57
2	Polymer lithium cells with sulfur composites as cathode materials. <i>Electrochimica Acta</i> , 2003 , 48, 1861-1867		125
1	Effect of Synthesis Processes on the Microstructure and Electrochemical Properties of LiMnPO ₄ Cathode Material. <i>Industrial & Engineering Chemistry Research</i> ,	3.9	1