

Marc Alan Rodger

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1516960/marc-alan-rodger-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

228 papers	15,304 citations	63 h-index	122 g-index
254 ext. papers	18,020 ext. citations	9.2 avg, IF	6.12 L-index

#	Paper	IF	Citations
228	Derivation of a Simple Clinical Model to Categorize Patients Probability of Pulmonary Embolism: Increasing the Models Utility with the SimpliRED D-dimer. <i>Thrombosis and Haemostasis</i> , 2000 , 83, 416-420	7	1098
227	Evaluation of D-dimer in the diagnosis of suspected deep-vein thrombosis. <i>New England Journal of Medicine</i> , 2003 , 349, 1227-35	59.2	1018
226	A comparison of aprotinin and lysine analogues in high-risk cardiac surgery. <i>New England Journal of Medicine</i> , 2008 , 358, 2319-31	59.2	883
225	Excluding pulmonary embolism at the bedside without diagnostic imaging: management of patients with suspected pulmonary embolism presenting to the emergency department by using a simple clinical model and d-dimer. <i>Annals of Internal Medicine</i> , 2001 , 135, 98-107	8	851
224	Comparison of low-intensity warfarin therapy with conventional-intensity warfarin therapy for long-term prevention of recurrent venous thromboembolism. <i>New England Journal of Medicine</i> , 2003 , 349, 631-9	59.2	609
223	Computed tomographic pulmonary angiography vs ventilation-perfusion lung scanning in patients with suspected pulmonary embolism: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2743-53	27.4	392
222	Apixaban to Prevent Venous Thromboembolism in Patients with Cancer. <i>New England Journal of Medicine</i> , 2019 , 380, 711-719	59.2	391
221	Identifying unprovoked thromboembolism patients at low risk for recurrence who can discontinue anticoagulant therapy. <i>Cmaj</i> , 2008 , 179, 417-26	3.5	376
220	Compression stockings to prevent post-thrombotic syndrome: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2014 , 383, 880-8	40	322
219	Systematic review: case-fatality rates of recurrent venous thromboembolism and major bleeding events among patients treated for venous thromboembolism. <i>Annals of Internal Medicine</i> , 2010 , 152, 578-89	8	314
218	Subsegmental pulmonary embolism diagnosed by computed tomography: incidence and clinical implications. A systematic review and meta-analysis of the management outcome studies. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1716-22	15.4	254
217	Single-arm study of bridging therapy with low-molecular-weight heparin for patients at risk of arterial embolism who require temporary interruption of warfarin. <i>Circulation</i> , 2004 , 110, 1658-63	16.7	249
216	Guidance for the treatment and prevention of obstetric-associated venous thromboembolism. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 41, 92-128	5.1	214
215	Screening for Occult Cancer in Unprovoked Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2015 , 373, 697-704	59.2	189
214	Aspirin or Rivaroxaban for VTE Prophylaxis after Hip or Knee Arthroplasty. <i>New England Journal of Medicine</i> , 2018 , 378, 699-707	59.2	189
213	American Society of Hematology 2018 guidelines for management of venous thromboembolism: venous thromboembolism in the context of pregnancy. <i>Blood Advances</i> , 2018 , 2, 3317-3359	7.8	188
212	Pulmonary embolism in pregnancy. <i>Lancet, The</i> , 2010 , 375, 500-12	40	186

211	Systematic review: the Trousseau syndrome revisited: should we screen extensively for cancer in patients with venous thromboembolism?. <i>Annals of Internal Medicine</i> , 2008 , 149, 323-33	8	179
210	The association of factor V leiden and prothrombin gene mutation and placenta-mediated pregnancy complications: a systematic review and meta-analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2010 , 7, e1000292	11.6	172
209	Comparison of 10-mg and 5-mg warfarin initiation nomograms together with low-molecular-weight heparin for outpatient treatment of acute venous thromboembolism. A randomized, double-blind, controlled trial. <i>Annals of Internal Medicine</i> , 2003 , 138, 714-9	8	170
208	Dalteparin for the prevention of recurrence of placental-mediated complications of pregnancy in women without thrombophilia: a pilot randomized controlled trial. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 58-64	15.4	169
207	Antepartum dalteparin versus no antepartum dalteparin for the prevention of pregnancy complications in pregnant women with thrombophilia (TIPPS): a multinational open-label randomised trial. <i>Lancet, The</i> , 2014 , 384, 1673-83	40	168
206	Venous thromboembolism and antithrombotic therapy in pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 527-53	1.3	160
205	The effect of low-molecular-weight heparin on cancer survival. A systematic review and meta-analysis of randomized trials. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 729-37	15.4	159
204	Dose escalation of low molecular weight heparin to manage recurrent venous thromboembolic events despite systemic anticoagulation in cancer patients. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 760-5	15.4	156
203	Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. <i>Nature Genetics</i> , 2010 , 42, 692-7	36.3	155
202	Predatory journals: no definition, no defence. <i>Nature</i> , 2019 , 576, 210-212	50.4	147
201	Development of a clinical prediction rule for risk stratification of recurrent venous thromboembolism in patients with cancer-associated venous thromboembolism. <i>Circulation</i> , 2012 , 126, 448-54	16.7	142
200	A pilot study of central venous catheter survival in cancer patients using low-molecular-weight heparin (dalteparin) and warfarin without catheter removal for the treatment of upper extremity deep vein thrombosis (The Catheter Study). <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 1650-3	15.4	134
199	Diagnostic value of the electrocardiogram in suspected pulmonary embolism. <i>American Journal of Cardiology</i> , 2000 , 86, 807-9, A10	3	134
198	Treatment of venous thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 717-28	27.4	133
197	Aspirin versus low-molecular-weight heparin for extended venous thromboembolism prophylaxis after total hip arthroplasty: a randomized trial. <i>Annals of Internal Medicine</i> , 2013 , 158, 800-6	8	131
196	Pulmonary embolism. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18028	51.1	128
195	Low-molecular-weight heparin and recurrent placenta-mediated pregnancy complications: a meta-analysis of individual patient data from randomised controlled trials. <i>Lancet, The</i> , 2016 , 388, 2629-2641	40	127
194	VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 886-892	7	125

193	The association between antiphospholipid antibodies and placenta mediated complications: a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2011 , 128, 77-85	8.2	117
192	Excessive gestational weight gain predicts large for gestational age neonates independent of maternal body mass index. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 538-42	2	114
191	Meta-analysis of low-molecular-weight heparin to prevent recurrent placenta-mediated pregnancy complications. <i>Blood</i> , 2014 , 123, 822-8	2.2	112
190	Validating the HERDOO2 rule to guide treatment duration for women with unprovoked venous thrombosis: multinational prospective cohort management study. <i>BMJ, The</i> , 2017 , 356, j1065	5.9	112
189	Inherited thrombophilia and pregnancy complications revisited. <i>Obstetrics and Gynecology</i> , 2008 , 112, 320-4	4.9	112
188	Functional and Exercise Limitations After a First Episode of Pulmonary Embolism: Results of the ELOPE Prospective Cohort Study. <i>Chest</i> , 2017 , 151, 1058-1068	5.3	111
187	Folic acid supplementation in early second trimester and the risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 45.e1-7	6.4	109
186	A systematic review of the association between factor V Leiden or prothrombin gene variant and intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 694-708	6.4	108
185	Oral vitamin K versus placebo to correct excessive anticoagulation in patients receiving warfarin: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 150, 293-300	8	106
184	Residual vein obstruction to predict the risk of recurrent venous thromboembolism in patients with deep vein thrombosis: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1119-25	15.4	103
183	Outpatient treatment of symptomatic pulmonary embolism: a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2013 , 132, 515-9	8.2	100
182	Risk of post-thrombotic syndrome after subtherapeutic warfarin anticoagulation for a first unprovoked deep vein thrombosis: results from the REVERSE study. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 2039-44	15.4	94
181	A red blood cell agglutination D-dimer test to exclude deep venous thrombosis in pregnancy. <i>Annals of Internal Medicine</i> , 2007 , 147, 165-70	8	94
180	Clinical and safety outcomes associated with treatment of acute venous thromboembolism: a systematic review and meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1122-35	27.4	92
179	Thrombophilia and the risk for hemodialysis vascular access thrombosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1108-14	12.7	88
178	Predicting deep venous thrombosis in pregnancy: out in "LEFT" field?. <i>Annals of Internal Medicine</i> , 2009 , 151, 85-92	8	85
177	Long term risk of symptomatic recurrent venous thromboembolism after discontinuation of anticoagulant treatment for first unprovoked venous thromboembolism event: systematic review and meta-analysis. <i>BMJ, The</i> , 2019 , 366, l4363	5.9	83
176	Diagnostic value of arterial blood gas measurement in suspected pulmonary embolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 162, 2105-8	10.2	79

175	Long-term dalteparin in pregnancy not associated with a decrease in bone mineral density: substudy of a randomized controlled trial. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 1600-6	15.4	78
174	Influence of thrombophilia on risk of recurrent venous thromboembolism while on warfarin: results from a randomized trial. <i>Blood</i> , 2008 , 112, 4432-6	2.2	76
173	Predictors of post-thrombotic syndrome in a population with a first deep vein thrombosis and no primary venous insufficiency. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 474-80	15.4	75
172	Prospective evaluation of a pharmacogenetics-guided warfarin loading and maintenance dose regimen for initiation of therapy. <i>Blood</i> , 2011 , 118, 3163-71	2.2	72
171	Prognostic significance of residual venous obstruction in patients with treated unprovoked deep vein thrombosis: a patient-level meta-analysis. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 172-9	7	70
170	Safety of outpatient treatment in acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 2412-7	15.4	70
169	Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia. <i>PLoS ONE</i> , 2017 , 12, e0175914	3.7	69
168	Anticoagulant interventions in hospitalized patients with COVID-19: A scoping review of randomized controlled trials and call for international collaboration. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2958-2967	15.4	69
167	The natural history of pelvic vein thrombosis on magnetic resonance venography after vaginal delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 356.e1-4	6.4	66
166	The interobserver reliability of pretest probability assessment in patients with suspected pulmonary embolism. <i>Thrombosis Research</i> , 2005 , 116, 101-7	8.2	63
165	D-dimer testing in pregnant patients: towards determining the next 'level' in the diagnosis of deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1004-11	15.4	62
164	Safety of excluding acute pulmonary embolism based on an unlikely clinical probability by the Wells rule and normal D-dimer concentration: a meta-analysis. <i>Thrombosis Research</i> , 2010 , 125, e123-7	8.2	61
163	Validation of a diagnostic approach to exclude recurrent venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 752-9	15.4	56
162	Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 469-78	15.4	53
161	Steady-state end-tidal alveolar dead space fraction and D-dimer: bedside tests to exclude pulmonary embolism. <i>Chest</i> , 2001 , 120, 115-9	5.3	52
160	Clinical and genetic determinants of warfarin pharmacokinetics and pharmacodynamics during treatment initiation. <i>PLoS ONE</i> , 2011 , 6, e27808	3.7	52
159	Tinzaparin use in pregnancy: an international, retrospective study of the safety and efficacy profile. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 159, 293-9	2.4	50
158	A meta-analysis of low-molecular-weight heparin to prevent pregnancy loss in women with inherited thrombophilia. <i>Blood</i> , 2016 , 127, 1650-5	2.2	48

157	Risk of recurrent venous thromboembolism after a first oestrogen-associated episode. Data from the REVERSE cohort study. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 498-503	7	47
156	Does the Pulmonary Embolism Severity Index accurately identify low risk patients eligible for outpatient treatment?. <i>Thrombosis Research</i> , 2012 , 129, 710-4	8.2	46
155	Heparin-induced osteoporosis and pregnancy. <i>Current Opinion in Pulmonary Medicine</i> , 2008 , 14, 403-7	3	45
154	Pregnancy and venous thromboembolism: 'TIPPS' for risk stratification. <i>Hematology American Society of Hematology Education Program</i> , 2014 , 2014, 387-92	3.1	44
153	Inter-observer reliability of measures to assess the post-thrombotic syndrome. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 164-6	7	44
152	A prospective study of Rivaroxaban for central venous catheter associated upper extremity deep vein thrombosis in cancer patients (Catheter 2). <i>Thrombosis Research</i> , 2018 , 162, 88-92	8.2	43
151	Inflammation markers and their trajectories after deep vein thrombosis in relation to risk of post-thrombotic syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 398-408	15.4	43
150	Use of elastic compression stockings after deep venous thrombosis: a comparison of practices and perceptions of thrombosis physicians and patients. <i>Journal of Thrombosis and Haemostasis</i> , 2003 , 1, 500-6	15.4	40
149	Safety of withholding anticoagulation in pregnant women with suspected deep vein thrombosis following negative serial compression ultrasound and iliac vein imaging. <i>Cmaj</i> , 2013 , 185, E194-200	3.5	38
148	Pelvic magnetic resonance venography reveals high rate of pelvic vein thrombosis after cesarean section. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 436-7	6.4	37
147	Graduated compression stockings to treat acute leg pain associated with proximal DVT. A randomised controlled trial. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 1137-41	7	36
146	Non-OO blood type influences the risk of recurrent venous thromboembolism. A cohort study. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 1172-9	7	36
145	Baseline imaging after therapy for unprovoked venous thromboembolism: a randomized controlled comparison of baseline imaging for diagnosis of suspected recurrence. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2406-10	15.4	35
144	VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. A systematic review of management outcome studies. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 886-92	7	35
143	Comparison of the Villalta post-thrombotic syndrome score in the ipsilateral vs. contralateral leg after a first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1036-42	15.4	34
142	Low-molecular-weight heparin to prevent recurrent venous thromboembolism in pregnancy: Rationale and design of the Highlow study, a randomised trial of two doses. <i>Thrombosis Research</i> , 2016 , 144, 62-8	8.2	33
141	Guidance for the diagnosis of pulmonary embolism during pregnancy: Consensus and controversies. <i>Thrombosis Research</i> , 2017 , 157, 23-28	8.2	32
140	The management of a sub-segmental pulmonary embolism: a cross-sectional survey of Canadian thrombosis physicians. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1412-5	15.4	32

139	Residual vein obstruction as a predictor for recurrent thromboembolic events after a first unprovoked episode: data from the REVERSE cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1126-32	15.4	31
138	Diagnosis of pulmonary embolism. <i>Thrombosis Research</i> , 2001 , 103, V225-38	8.2	30
137	Net clinical benefit of hospitalization versus outpatient management of patients with acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 685-694	15.4	29
136	Oral vitamin K effectively treats international normalised ratio (INR) values in excess of 10. Results of a prospective cohort study. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 118-21	7	29
135	Significance of IGFBP-4 in the development of fetal growth restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1429-39	5.6	29
134	Unprovoked venous thromboembolism: Short term or indefinite anticoagulation? Balancing long-term risk and benefit. <i>Blood Reviews</i> , 2010 , 24, 171-8	11.1	29
133	The effect of dalteparin on coagulation activation during pregnancy in women with thrombophilia. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 163-171	7	29
132	Patients with a first symptomatic unprovoked deep vein thrombosis are at higher risk of recurrent venous thromboembolism than patients with a first unprovoked pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1926-32	15.4	28
131	Development of a clinical prediction model for the postthrombotic syndrome in a prospective cohort of patients with proximal deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 262-270	15.4	28
130	LMWH to prevent placenta-mediated pregnancy complications: an update. <i>British Journal of Haematology</i> , 2015 , 168, 619-38	4.5	27
129	Predicting the risk of recurrent venous thromboembolism in patients with cancer: A prospective cohort study. <i>Thrombosis Research</i> , 2018 , 163, 41-46	8.2	27
128	The prevalence of antibodies to the platelet factor 4-heparin complex and association with access thrombosis in patients on chronic hemodialysis. <i>Thrombosis Research</i> , 2007 , 120, 215-20	8.2	27
127	Haematological problems in obstetrics. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2015 , 29, 671-84	4.6	26
126	Long-term risk of venous thrombosis after stopping anticoagulants for a first unprovoked event: A multi-national cohort. <i>Thrombosis Research</i> , 2016 , 143, 152-8	8.2	25
125	Risk of venous thromboembolism in pregnant women with essential thrombocythemia: a systematic review and meta-analysis. <i>Blood</i> , 2017 , 129, 934-939	2.2	23
124	Evidence base for the management of venous thromboembolism in pregnancy. <i>Hematology American Society of Hematology Education Program</i> , 2010 , 2010, 173-80	3.1	23
123	Increased mortality in hemodialysis patients having specific antibodies to the platelet factor 4-heparin complex. <i>Kidney International</i> , 2008 , 73, 213-9	9.9	22
122	The outpatient treatment of deep vein thrombosis delivers cost savings to patients and their families, compared to inpatient therapy. <i>Thrombosis Research</i> , 2003 , 112, 13-8	8.2	22

121	Clinical decision rules and D-Dimer in venous thromboembolism: current controversies and future research priorities. <i>Thrombosis Research</i> , 2014 , 134, 763-8	8.2	21
120	The Ottawa and Kingston (Oak) Birth Cohort: development and achievements. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 1124-33	1.3	21
119	Folic Acid Supplementation in Pregnancy and the Risk of Pre-Eclampsia-A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0149818	3.7	21
118	Major bleeding during secondary prevention of venous thromboembolism in patients who have completed anticoagulation: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 344-8	15.4	20
117	Prediction of the warfarin maintenance dose after completion of the 10 mg initiation nomogram: do we really need genotyping?. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 90-4	15.4	20
116	Do thrombophilias cause placenta-mediated pregnancy complications?. <i>Seminars in Thrombosis and Hemostasis</i> , 2007 , 33, 597-603	5.3	20
115	Low-molecular-weight heparin for prevention of placenta-mediated pregnancy complications: protocol for a systematic review and individual patient data meta-analysis (AFFIRM). <i>Systematic Reviews</i> , 2014 , 3, 69	3	19
114	Low-molecular-weight heparin to prevent postpartum venous thromboembolism. A pilot randomised placebo-controlled trial. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 212-6	7	18
113	Anticoagulant prophylaxis for placenta mediated pregnancy complications. <i>Thrombosis Research</i> , 2011 , 127 Suppl 3, S76-80	8.2	18
112	Important publication missing key information. <i>Blood</i> , 2004 , 104, 3413; author reply 3413-4	2.2	18
111	"HERDOO2" clinical decision rule to guide duration of anticoagulation in women with unprovoked venous thromboembolism. Can I use any d-Dimer?. <i>Thrombosis Research</i> , 2018 , 169, 82-86	8.2	17
110	Excluding pulmonary embolism at the bedside with low pre-test probability and D-dimer: safety and clinical utility of 4 methods to assign pre-test probability. <i>Thrombosis Research</i> , 2006 , 117, 469-74	8.2	17
109	Residual pulmonary embolism as a predictor for recurrence after a first unprovoked episode: Results from the REVERSE cohort study. <i>Thrombosis Research</i> , 2018 , 162, 104-109	8.2	17
108	Treatment of Superficial Vein Thrombosis: A Systematic Review and Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 479-489	7	16
107	Perioperative and peripartum prevention of venous thromboembolism in patients with hereditary antithrombin deficiency using recombinant antithrombin therapy. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 444-50	1	16
106	The ACE D/D genotype is protective against the development of idiopathic deep vein thrombosis and pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2003 , 90, 829-34	7	16
105	Diagnosis of pulmonary embolism: when is imaging needed?. <i>Clinics in Chest Medicine</i> , 2003 , 24, 13-28	5.3	16
104	Anticoagulants to prevent recurrent placenta-mediated pregnancy complications: Is it time to put the needles away?. <i>Thrombosis Research</i> , 2017 , 151 Suppl 1, S38-S42	8.2	13

103	Family history of venous thromboembolism (VTE) as a predictor for recurrent VTE in unprovoked VTE patients. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 200-3	15.4	13
102	An update on thrombophilia and placenta mediated pregnancy complications: what should we tell our patients?. <i>Thrombosis Research</i> , 2013 , 131 Suppl 1, S25-7	8.2	13
101	Low molecular weight heparin to prevent postpartum venous thromboembolism: A pilot study to assess the feasibility of a randomized, open-label trial. <i>Thrombosis Research</i> , 2016 , 142, 17-20	8.2	13
100	Shifting from inpatient to outpatient treatment of deep vein thrombosis in a tertiary care center: a cost-minimization analysis. <i>Pharmacotherapy</i> , 2003 , 23, 301-9	5.8	12
99	A novel approach to needs assessment in curriculum development: going beyond consensus methods. <i>Medical Teacher</i> , 2014 , 36, 422-9	3	11
98	Intermediate doses of low-molecular-weight heparin for the long-term treatment of pregnancy thromboembolism. A systematic review. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 559-61	7	11
97	Tinzaparin versus dalteparin for periprocedure prophylaxis of thromboembolic events in hemodialysis patients: a randomized trial. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 427-34	7.4	11
96	Prothrombin G20210A mutation and lower extremity peripheral arterial disease: a systematic review and meta-analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015 , 50, 232-40	2.3	10
95	Interobserver reliability of compression ultrasound for residual thrombosis after first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1775-82	15.4	10
94	Diagnosis and treatment of venous thromboembolism in pregnancy. <i>Best Practice and Research in Clinical Haematology</i> , 2003 , 16, 279-96	4.2	10
93	Serum and red-blood-cell folate demonstrate differential associations with BMI in pregnant women. <i>Public Health Nutrition</i> , 2016 , 19, 2572-9	3.3	10
92	The role of maternal homocysteine concentration in placenta-mediated complications: findings from the Ottawa and Kingston birth cohort. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 75	3.2	9
91	Serum lipoprotein (a) levels in patients with first unprovoked venous thromboembolism is not associated with subsequent risk of recurrent VTE. <i>Thrombosis Research</i> , 2010 , 126, 222-6	8.2	9
90	Anticoagulants to prevent placenta-mediated pregnancy complications: a review of current evidence. <i>Current Opinion in Hematology</i> , 2009 , 16, 386-90	3.3	9
89	A multicenter prospective study of risk factors and treatment of unusual site thrombosis. <i>Thrombosis Research</i> , 2016 , 144, 100-5	8.2	9
88	Fatal recurrent VTE after anticoagulant treatment for unprovoked VTE: a systematic review. <i>European Respiratory Review</i> , 2018 , 27,	9.8	9
87	Clinical decision rules in venous thromboembolism. <i>Best Practice and Research in Clinical Haematology</i> , 2012 , 25, 303-17	4.2	8
86	Cognitive and behavioural effects of genetic testing for thrombophilia. <i>Journal of Genetic Counseling</i> , 2008 , 17, 288-96	2.5	8

85	Who should get long-term anticoagulant therapy for venous thromboembolism and with what? <i>Blood Advances</i> , 2018 , 2, 3081-3087	7.8	8
84	The effect of dalteparin on coagulation activation during pregnancy in women with thrombophilia. A randomized trial. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 163-71	7	8
83	Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation : A Multicenter Prospective Cohort Study. <i>Annals of Internal Medicine</i> , 2021 ,	8	7
82	Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism : A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2021 , 174, 1420-1429	8	7
81	Definition of bleeding events in studies evaluating prophylactic antithrombotic therapy in pregnant women: A systematic review and a proposal from the ISTH SSC. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1979-1988	15.4	6
80	Management of suspected and confirmed recurrent venous thrombosis while on anticoagulant therapy. What next?. <i>Thrombosis Research</i> , 2019 , 180, 105-109	8.2	6
79	Effect of 2000 μ /day of vitamin K1 on the variability of anticoagulation control in patients on warfarin: a randomized controlled trial. <i>Thrombosis Research</i> , 2013 , 132, 329-35	8.2	6
78	Psychological impact of thrombophilia testing in asymptomatic family members. <i>Thrombosis Research</i> , 2011 , 128, 530-5	8.2	6
77	Lessons from ximelagatran: issues for future studies evaluating new oral direct thrombin inhibitors for venous thromboembolism prophylaxis in orthopedic surgery. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009 , 15, 316-26	3.3	6
76	Should we screen patients with unprovoked venous thromboembolism for occult cancers? A pilot study. <i>Blood Coagulation and Fibrinolysis</i> , 2010 , 21, 709-10	1	6
75	Normal functional protein S activity does not exclude protein S deficiency. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003 , 33, 202-5		6
74	Illustrated State-of-the-Art Capsules of the ISTH 2019 Congress in Melbourne, Australia. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019 , 3, 431-497	5.1	5
73	"Post-Pulmonary Embolism Syndrome" after a First Episode of PE: Results of the E.L.O.P.E. Study. <i>Blood</i> , 2015 , 126, 650-650	2.2	5
72	N-terminal of prohormone brain natriuretic peptide predicts functional limitation one year following pulmonary embolism: Results from the ELOPE study. <i>Thrombosis Research</i> , 2017 , 153, 47-49	8.2	4
71	Are Anti- α Glycoprotein 1 Antibodies Associated with Placenta-Mediated Pregnancy Complications? A Nested Case-Control Study. <i>American Journal of Perinatology</i> , 2018 , 35, 1093-1099	3.3	4
70	Initial strides for invent-VTE: Towards global collaboration to accelerate clinical research in venous thromboembolism. <i>Thrombosis Research</i> , 2018 , 163, 128-131	8.2	4
69	Pulmonary embolism in pregnancy [Authors' reply. <i>Lancet, The</i> , 2010 , 375, 1778-1779	4.0	4
68	A pilot study to assess the feasibility of a multicenter cluster randomized trial for the management of asymptomatic persons with a thrombophilia. <i>Journal of Genetic Counseling</i> , 2009 , 18, 475-82	2.5	4

67	The factor XIII Val34Leu polymorphism: is it protective against idiopathic venous thromboembolism?. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 533-8	1	4
66	Double Blind Randomized Control Trial of Postoperative Low Molecular Weight Heparin Bridging Therapy for Patients Who Are at High Risk for Arterial Thromboembolism (PERIOP 2). <i>Blood</i> , 2018 , 132, 424-424	2.2	4
65	Extended Follow-up of the Multi-Center Multi-National Prospective Cohort Study That Derived the Men Continue and HERDOO2 Clinical Decision Rule Which Identifies Low Risk Patients Who May Be Able to Discontinue Oral Anticoagulants (Oac) 5-7 Months After Treatment for Unprovoked Venous Thromboembolism (VTE).. <i>Blood</i> , 2009 , 114, 451-451	2.2	4
64	Serial Trough Anti-Xa Levels to Assess Low Molecular Weight Heparin Accumulation in Patients with Chronic Kidney Disease: Analysis of Crcl . <i>Blood</i> , 2016 , 128, 90-90	2.2	4
63	Who should get long-term anticoagulant therapy for venous thromboembolism and with what?. <i>Hematology American Society of Hematology Education Program</i> , 2018 , 2018, 426-431	3.1	4
62	Pulmonary Complications of Pregnancy: Venous Thromboembolism. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2017 , 38, 135-147	3.9	3
61	Activated protein C as disease-modifying therapy in antenatal preeclampsia: An open-label, single arm safety and efficacy trial. <i>Pregnancy Hypertension</i> , 2018 , 13, 121-126	2.6	3
60	The importance of post thrombotic syndrome as an outcome after deep venous thrombosis: A survey of Canadian thrombosis clinicians. <i>Thrombosis Research</i> , 2017 , 159, 13-15	8.2	3
59	Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1378-9	15.4	3
58	A Prospective Cohort Study of Upper Extremity Deep Vein Thrombosis. <i>Blood</i> , 2015 , 126, 893-893	2.2	3
57	Using behavioral theory and shared decision-making to understand clinical trial recruitment: interviews with trial recruiters. <i>Trials</i> , 2021 , 22, 298	2.8	3
56	International Society on Thrombosis and Haemostasis core curriculum project: core competencies in clinical thrombosis and hemostasis: comment. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 1316-7	15.4	3
55	Cancer Screening After Unprovoked Venous Thromboembolism: A Teachable Moment. <i>JAMA Internal Medicine</i> , 2016 , 176, 739-40	11.5	3
54	Effectiveness of a computerized decision support system for anticoagulation management in hemodialysis patients: A before-after study. <i>Hemodialysis International</i> , 2016 , 20, 530-536	1.7	3
53	Residual pulmonary vascular obstruction and recurrence after acute pulmonary embolism: protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018 , 8, e023939	3	3
52	A survey of thrombosis experts evaluating practices and opinions regarding venous thromboprophylaxis in patients with active cancer hospitalized with an acute medical illness. <i>Thrombosis Journal</i> , 2015 , 13, 10	5.6	2
51	Stopping anticoagulation in a woman with unprovoked venous thromboembolism. <i>Cmaj</i> , 2017 , 189, E1112-E1114	15.4	2
50	Association between remote major venous thromboembolism risk factors and the risk of recurrence after a first unprovoked episode. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 1977-1980	15.4	2

49	Recurrent pregnancy loss: drop the heparin needles <i>Blood</i> , 2015 , 125, 2179-80	2.2	2
48	Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1536-7	15.4	2
47	Meta-analysis to assess the quality of international normalized ratio control and associated outcomes in venous thromboembolism patients. <i>Thrombosis Research</i> , 2014 , 134, 1358	8.2	2
46	Low prevalence of JAK2 V617F mutation in patients with first unprovoked venous thromboembolism. <i>British Journal of Haematology</i> , 2011 , 155, 511-3	4.5	2
45	Overview of current venous thromboembolism protocols in hip reconstruction. <i>Orthopedic Clinics of North America</i> , 2009 , 40, 427-36	3.5	2
44	Risk stratification for recurrent venous thromboembolism in unprovoked venous thromboembolism patients. <i>Acta Chirurgica Belgica</i> , 2007 , 107, 636-40	0.9	2
43	Computerized Tomographic Pulmonary Angiography Compared with Ventilation-Perfusion Lung Scanning as Initial Diagnostic Modality for Patients with Suspected Pulmonary Embolism: A Randomized Controlled Trial.. <i>Blood</i> , 2005 , 106, 1619-1619	2.2	2
42	A Systematic Review and Meta-Analysis of Proportions of Thrombosis and Bleeding in Patients Receiving Venous Thromboembolism (VTE) Prophylaxis After Orthopedic Surgery (OS). An Update.. <i>Blood</i> , 2009 , 114, 3125-3125	2.2	2
41	The Association Between Anti-beta2 Glycoprotein 1 Antibodies and Adverse Pregnancy Outcomes.. <i>Blood</i> , 2009 , 114, 4003-4003	2.2	2
40	Development of A Clinical Prediction Rule for Risk Stratification of Recurrent Venous Thromboembolism In Patients with Cancer-Associated Venous Thromboembolism. <i>Blood</i> , 2010 , 116, 475-475	2.2	2
39	Prediction of Bleeding Risk in Patients on Extended Oral Anticoagulation for Venous Thromboembolism. <i>Blood</i> , 2016 , 128, 139-139	2.2	2
38	Post-Thrombotic Syndrome and Functional Disability in Patients with Upper Extremity Deep Vein Thrombosis: A Prospective Cohort Study. <i>Blood</i> , 2016 , 128, 417-417	2.2	2
37	Safety of using direct oral anticoagulants in the diagnostic workup of outpatients with suspicion of acute venous thromboembolism. <i>Haematologica</i> , 2020 , 105, e307-e309	6.6	2
36	Is it time to try or to trial statins to prevent recurrent venous thromboembolism?. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1204-6	15.4	1
35	Steady-State End-Tidal Alveolar Dead Space Measure and D-dimer. <i>Chest</i> , 2002 , 121, 1373-1374	5.3	1
34	A Pilot Study of Central Venous Catheter Survival in Cancer Patients Using Low Molecular Weight Heparin (Dalteparin) for the Treatment of Deep Vein Thrombosis of the Upper Extremity (UEDVT).. <i>Blood</i> , 2006 , 108, 878-878	2.2	1
33	A Randomized, Controlled Two-Center Pilot Trial of a 6-Month Exercise Training Program to Treat the Post-Thrombotic Syndrome: The EXPO Pilot Trial.. <i>Blood</i> , 2009 , 114, 3984-3984	2.2	1
32	Dyspnea, Quality of Life and Walking Capacity during 1 Year Follow-up after a First Episode of Pulmonary Embolism: Results of the E.L.O.P.E. Study. <i>Blood</i> , 2015 , 126, 750-750	2.2	1

31	The Risk of Venous Thromboembolism in Pregnant Women with Essential Thrombocythemia: A Systematic Review and Meta-Analysis. <i>Blood</i> , 2016 , 128, 2595-2595	2.2	1
30	Subsegmental Pulmonary Embolism Diagnosed by Computed Tomography: Incidence and Clinical Implications. A Systematic Review and Meta-Analysis of the Management Outcome Studies.. <i>Blood</i> , 2009 , 114, 4002-4002	2.2	1
29	Web Exclusive. Annals for Hospitalists Inpatient Notes - Can I Withdraw Anticoagulants in This Patient With Prior Venous Thromboembolism?. <i>Annals of Internal Medicine</i> , 2020 , 172, HO2-HO3	8	1
28	Inter-observer reliability of the HERDOO2 clinical decision rule. <i>Thrombosis Research</i> , 2016 , 141, 136-8	8.2	1
27	Long-term risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2801-2813	15.4	1
26	Ambulatory vital signs in the workup of pulmonary embolism using a standardized 3-minute walk test. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 270-8	0.6	0
25	Dalteparin for pregnant women with thrombophilia - authors' reply. <i>Lancet, The</i> , 2015 , 385, 690	40	0
24	The determinants of maternal homocysteine in pregnancy: findings from the Ottawa and Kingston Birth Cohort. <i>Public Health Nutrition</i> , 2020 , 23, 3170-3180	3.3	0
23	Low Molecular Weight Heparin for Prevention of Placenta-Mediated Pregnancy Complications: An Individual Patient Data Meta-Analysis. <i>Blood</i> , 2015 , 126, 890-890	2.2	0
22	Outcomes of Pulmonary Embolism In Surgical Patients: A Retrospective Cohort Study. <i>Blood</i> , 2010 , 116, 3180-3180	2.2	0
21	Folic Acid Supplementation in Early Pregnancy, Homocysteine Concentration, and Risk of Gestational Diabetes Mellitus.. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2022 , 44, 196-199	1.3	0
20	The influence of maternal and paternal education on birth outcomes: an analysis of the Ottawa and Kingston (Oak) birth cohort.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-8	2	0
19	Prevention of early-onset pre-eclampsia - Authors' reply. <i>Lancet, The</i> , 2017 , 389, 1515	40	
18	Author's reply to Middeldorp and Iorio. <i>BMJ, The</i> , 2017 , 357, j2079	5.9	
17	High Incidence of Pelvic Deep Vein Thrombosis Detected by Magnetic Resonance Venography Post-Caesarean Section.. <i>Blood</i> , 2004 , 104, 2600-2600	2.2	
16	Clinical Outcomes in Patients Receiving Venous Thromboembolism (VTE) Prophylaxis after Orthopedic Surgery (OS). A Systematic Review and Meta-Analysis of Proportions.. <i>Blood</i> , 2006 , 108, 626-626	2.2	
15	The Effect of Dalteparin on Coagulation Activation during Pregnancy in Women with Thrombophilia: A Randomised Trial.. <i>Blood</i> , 2006 , 108, 874-874	2.2	
14	Current Models for Predicting Warfarin Maintenance Dose Do Not Work in an Ambulatory Venous Thromboembolism Patient Population.. <i>Blood</i> , 2007 , 110, 302-302	2.2	

- 13 Brain Natriuretic Peptide, Troponin and D-Dimer Levels in Relation to Long-Term Functional Outcome after a First Episode of Pulmonary Embolism: Results from the E.L.O.P.E. Study. *Blood*, **2015**, 126, 649-649 2.2
- 12 Do Genetic Contributors to Warfarin Responsiveness or Common Thrombophilias Influence the Risk of Major Bleeding in Patients on Extended Duration Vitamin K Antagonist (VKA) for Venous Thromboembolic Disease?. *Blood*, **2016**, 128, 272-272 2.2
- 11 Case Fatality Rates of Recurrent Venous Thromboembolism during and Following Anticoagulation Therapy. *Blood*, **2008**, 112, 3032-3032 2.2
- 10 The Association Between Antiphospholipid Antibodies and Adverse Pregnancy Outcomes: A Metaanalysis.. *Blood*, **2008**, 112, 1819-1819 2.2
- 9 Clinical Outcomes with the LMWH, Tinzaparin (Innohep®) in Pregnancy. An International Retrospective Audit... *Blood*, **2009**, 114, 487-487 2.2
- 8 Tinzaparin Versus Dalteparin for Peri-Procedure Thromboembolic Prophylaxis in Patients with Dialysis Dependent Renal Disease.. *Blood*, **2009**, 114, 3136-3136 2.2
- 7 Outcome of Saddle Pulmonary Embolism: A Nested Case-Control Study.. *Blood*, **2010**, 116, 1102-1102 2.2
- 6 Validation of A Clinical Prediction Rule for Risk Stratification of Recurrent Venous Thromboembolism In Patients with Cancer-Associated Venous Thromboembolism. *Blood*, **2010**, 116, 4209-4209 2.2
- 5 Comparison of the Villalta Post Thrombotic Syndrome (PTS) Score in the Ipsilateral Versus Contralateral Leg After a First Unprovoked Deep Vein Thrombosis (DVT): Results From the REVERSE Study. *Blood*, **2011**, 118, 1236-1236 2.2
- 4 Predictors of long-term cancer diagnosis after an unprovoked thromboembolic event: A post-hoc analysis of the REVERSE cohort study. *Thrombosis Research*, **2020**, 185, 132-134 8.2
- 3 Successful treatment of vaccine-induced prothrombotic immune thrombocytopenia (VIPIT): COMMENT from Roberge, et al. *Journal of Thrombosis and Haemostasis*, **2021**, 19, 2091-2092 15.4
- 2 Association between prophylactic low-molecular-weight heparin use in pregnancy and macrosomia: analysis of the Ottawa and Kingston birth cohort. *Journal of Thrombosis and Haemostasis*, **2019**, 17, 345-349 15.4
- 1 Challenging anticoagulation cases: Acute extensive portal vein thrombosis in a patient without cirrhosis - Evidence-based management of a rare clinical entity. *Thrombosis Research*, **2021**, 206, 133-136 8.2