

Marc Alan Rodger

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1516960/marc-alan-rodger-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 228 papers | 15,304 citations | 63 h-index | 122 g-index |
| 254 ext. papers | 18,020 ext. citations | 9.2 avg, IF | 6.12 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 228 | Folic Acid Supplementation in Early Pregnancy, Homocysteine Concentration, and Risk of Gestational Diabetes Mellitus.. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2022 , 44, 196-199 | 1.3 | 0 |
| 227 | The influence of maternal and paternal education on birth outcomes: an analysis of the Ottawa and Kingston (Oak) birth cohort.. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2022 , 1-8 | 2 | 0 |
| 226 | Risk for Recurrent Venous Thromboembolism in Patients With Subsegmental Pulmonary Embolism Managed Without Anticoagulation : A Multicenter Prospective Cohort Study. <i>Annals of Internal Medicine</i> , 2021 , | 8 | 7 |
| 225 | Using behavioral theory and shared decision-making to understand clinical trial recruitment: interviews with trial recruiters. <i>Trials</i> , 2021 , 22, 298 | 2.8 | 3 |
| 224 | Successful treatment of vaccine-induced prothrombotic immune thrombocytopenia (VIPIT): COMMENT from Roberge, et al. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2091-2092 | 15.4 | |
| 223 | Long-term risk of recurrent venous thromboembolism among patients receiving extended oral anticoagulant therapy for first unprovoked venous thromboembolism: A systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2021 , 19, 2801-2813 | 15.4 | 1 |
| 222 | Long-Term Risk for Major Bleeding During Extended Oral Anticoagulant Therapy for First Unprovoked Venous Thromboembolism : A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2021 , 174, 1420-1429 | 8 | 7 |
| 221 | Challenging anticoagulation cases: Acute extensive portal vein thrombosis in a patient without cirrhosis - Evidence-based management of a rare clinical entity. <i>Thrombosis Research</i> , 2021 , 206, 133-136 | 8.2 | |
| 220 | The determinants of maternal homocysteine in pregnancy: findings from the Ottawa and Kingston Birth Cohort. <i>Public Health Nutrition</i> , 2020 , 23, 3170-3180 | 3.3 | 0 |
| 219 | Predictors of long-term cancer diagnosis after an unprovoked thromboembolic event: A post-hoc analysis of the REVERSE cohort study. <i>Thrombosis Research</i> , 2020 , 185, 132-134 | 8.2 | |
| 218 | Web Exclusive. Annals for Hospitalists Inpatient Notes - Can I Withdraw Anticoagulants in This Patient With Prior Venous Thromboembolism?. <i>Annals of Internal Medicine</i> , 2020 , 172, HO2-HO3 | 8 | 1 |
| 217 | Anticoagulant interventions in hospitalized patients with COVID-19: A scoping review of randomized controlled trials and call for international collaboration. <i>Journal of Thrombosis and Haemostasis</i> , 2020 , 18, 2958-2967 | 15.4 | 69 |
| 216 | Safety of using direct oral anticoagulants in the diagnostic workup of outpatients with suspicion of acute venous thromboembolism. <i>Haematologica</i> , 2020 , 105, e307-e309 | 6.6 | 2 |
| 215 | Treatment of Superficial Vein Thrombosis: A Systematic Review and Meta-Analysis. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 479-489 | 7 | 16 |
| 214 | The role of maternal homocysteine concentration in placenta-mediated complications: findings from the Ottawa and Kingston birth cohort. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 75 | 3.2 | 9 |
| 213 | Definition of bleeding events in studies evaluating prophylactic antithrombotic therapy in pregnant women: A systematic review and a proposal from the ISTH SSC. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 1979-1988 | 15.4 | 6 |
| 212 | Long term risk of symptomatic recurrent venous thromboembolism after discontinuation of anticoagulant treatment for first unprovoked venous thromboembolism event: systematic review and meta-analysis. <i>BMJ, The</i> , 2019 , 366, l4363 | 5.9 | 83 |

| | | | |
|-----|---|------|-----|
| 211 | Management of suspected and confirmed recurrent venous thrombosis while on anticoagulant therapy. What next?. <i>Thrombosis Research</i> , 2019 , 180, 105-109 | 8.2 | 6 |
| 210 | Illustrated State-of-the-Art Capsules of the ISTH 2019 Congress in Melbourne, Australia. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2019 , 3, 431-497 | 5.1 | 5 |
| 209 | Predatory journals: no definition, no defence. <i>Nature</i> , 2019 , 576, 210-212 | 50.4 | 147 |
| 208 | Association between prophylactic low-molecular-weight heparin use in pregnancy and macrosomia: analysis of the Ottawa and Kingston birth cohort. <i>Journal of Thrombosis and Haemostasis</i> , 2019 , 17, 345-349 | 15.4 | 154 |
| 207 | Apixaban to Prevent Venous Thromboembolism in Patients with Cancer. <i>New England Journal of Medicine</i> , 2019 , 380, 711-719 | 59.2 | 391 |
| 206 | Aspirin or Rivaroxaban for VTE Prophylaxis after Hip or Knee Arthroplasty. <i>New England Journal of Medicine</i> , 2018 , 378, 699-707 | 59.2 | 189 |
| 205 | Are Anti- α Glycoprotein 1 Antibodies Associated with Placenta-Mediated Pregnancy Complications? A Nested Case-Control Study. <i>American Journal of Perinatology</i> , 2018 , 35, 1093-1099 | 3.3 | 4 |
| 204 | Predicting the risk of recurrent venous thromboembolism in patients with cancer: A prospective cohort study. <i>Thrombosis Research</i> , 2018 , 163, 41-46 | 8.2 | 27 |
| 203 | Initial strides for invent-VTE: Towards global collaboration to accelerate clinical research in venous thromboembolism. <i>Thrombosis Research</i> , 2018 , 163, 128-131 | 8.2 | 4 |
| 202 | A prospective study of Rivaroxaban for central venous catheter associated upper extremity deep vein thrombosis in cancer patients (Catheter 2). <i>Thrombosis Research</i> , 2018 , 162, 88-92 | 8.2 | 43 |
| 201 | "HERDOO2" clinical decision rule to guide duration of anticoagulation in women with unprovoked venous thromboembolism. Can I use any d-Dimer?. <i>Thrombosis Research</i> , 2018 , 169, 82-86 | 8.2 | 17 |
| 200 | Activated protein C as disease-modifying therapy in antenatal preeclampsia: An open-label, single arm safety and efficacy trial. <i>Pregnancy Hypertension</i> , 2018 , 13, 121-126 | 2.6 | 3 |
| 199 | Double Blind Randomized Control Trial of Postoperative Low Molecular Weight Heparin Bridging Therapy for Patients Who Are at High Risk for Arterial Thromboembolism (PERIOP 2). <i>Blood</i> , 2018 , 132, 424-424 | 2.2 | 4 |
| 198 | Residual pulmonary embolism as a predictor for recurrence after a first unprovoked episode: Results from the REVERSE cohort study. <i>Thrombosis Research</i> , 2018 , 162, 104-109 | 8.2 | 17 |
| 197 | Development of a clinical prediction model for the postthrombotic syndrome in a prospective cohort of patients with proximal deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2018 , 16, 262-270 | 15.4 | 28 |
| 196 | American Society of Hematology 2018 guidelines for management of venous thromboembolism: venous thromboembolism in the context of pregnancy. <i>Blood Advances</i> , 2018 , 2, 3317-3359 | 7.8 | 188 |
| 195 | Fatal recurrent VTE after anticoagulant treatment for unprovoked VTE: a systematic review. <i>European Respiratory Review</i> , 2018 , 27, | 9.8 | 9 |
| 194 | Residual pulmonary vascular obstruction and recurrence after acute pulmonary embolism: protocol for a systematic review and meta-analysis of individual participant data. <i>BMJ Open</i> , 2018 , 8, e023939 | 3 | 3 |

| | | | |
|-----|---|------|-----|
| 193 | Who should get long-term anticoagulant therapy for venous thromboembolism and with what?. <i>Hematology American Society of Hematology Education Program</i> , 2018 , 2018, 426-431 | 3.1 | 4 |
| 192 | Who should get long-term anticoagulant therapy for venous thromboembolism and with what?. <i>Blood Advances</i> , 2018 , 2, 3081-3087 | 7.8 | 8 |
| 191 | Pulmonary embolism. <i>Nature Reviews Disease Primers</i> , 2018 , 4, 18028 | 51.1 | 128 |
| 190 | Risk of venous thromboembolism in pregnant women with essential thrombocythemia: a systematic review and meta-analysis. <i>Blood</i> , 2017 , 129, 934-939 | 2.2 | 23 |
| 189 | Net clinical benefit of hospitalization versus outpatient management of patients with acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 685-694 | 15.4 | 29 |
| 188 | Anticoagulants to prevent recurrent placenta-mediated pregnancy complications: Is it time to put the needles away?. <i>Thrombosis Research</i> , 2017 , 151 Suppl 1, S38-S42 | 8.2 | 13 |
| 187 | Prevention of early-onset pre-eclampsia - Authors' reply. <i>Lancet, The</i> , 2017 , 389, 1515 | 4.0 | |
| 186 | Author's reply to Middeldorp and Iorio. <i>BMJ, The</i> , 2017 , 357, j2079 | 5.9 | |
| 185 | Pulmonary Complications of Pregnancy: Venous Thromboembolism. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2017 , 38, 135-147 | 3.9 | 3 |
| 184 | N-terminal of prohormone brain natriuretic peptide predicts functional limitation one year following pulmonary embolism: Results from the ELOPE study. <i>Thrombosis Research</i> , 2017 , 153, 47-49 | 8.2 | 4 |
| 183 | Functional and Exercise Limitations After a First Episode of Pulmonary Embolism: Results of the ELOPE Prospective Cohort Study. <i>Chest</i> , 2017 , 151, 1058-1068 | 5.3 | 111 |
| 182 | Comparison of risk factors and outcomes of gestational hypertension and pre-eclampsia. <i>PLoS ONE</i> , 2017 , 12, e0175914 | 3.7 | 69 |
| 181 | The importance of post thrombotic syndrome as an outcome after deep venous thrombosis: A survey of Canadian thrombosis clinicians. <i>Thrombosis Research</i> , 2017 , 159, 13-15 | 8.2 | 3 |
| 180 | Stopping anticoagulation in a woman with unprovoked venous thromboembolism. <i>Cmaj</i> , 2017 , 189, E1112-E1114 | 3.5 | 114 |
| 179 | Association between remote major venous thromboembolism risk factors and the risk of recurrence after a first unprovoked episode. <i>Journal of Thrombosis and Haemostasis</i> , 2017 , 15, 1977-1980 | 15.4 | 2 |
| 178 | Guidance for the diagnosis of pulmonary embolism during pregnancy: Consensus and controversies. <i>Thrombosis Research</i> , 2017 , 157, 23-28 | 8.2 | 32 |
| 177 | Validating the HERDOO2 rule to guide treatment duration for women with unprovoked venous thrombosis: multinational prospective cohort management study. <i>BMJ, The</i> , 2017 , 356, j1065 | 5.9 | 112 |
| 176 | Low-molecular-weight heparin to prevent recurrent venous thromboembolism in pregnancy: Rationale and design of the Highlow study, a randomised trial of two doses. <i>Thrombosis Research</i> , 2016 , 144, 62-8 | 8.2 | 33 |

| | | | |
|-----|--|------|-----|
| 175 | Guidance for the treatment and prevention of obstetric-associated venous thromboembolism. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 41, 92-128 | 5.1 | 214 |
| 174 | Prediction of Bleeding Risk in Patients on Extended Oral Anticoagulation for Venous Thromboembolism. <i>Blood</i> , 2016 , 128, 139-139 | 2.2 | 2 |
| 173 | The Risk of Venous Thromboembolism in Pregnant Women with Essential Thrombocythemia: A Systematic Review and Meta-Analysis. <i>Blood</i> , 2016 , 128, 2595-2595 | 2.2 | 1 |
| 172 | Post-Thrombotic Syndrome and Functional Disability in Patients with Upper Extremity Deep Vein Thrombosis: A Prospective Cohort Study. <i>Blood</i> , 2016 , 128, 417-417 | 2.2 | 2 |
| 171 | Serial Trough Anti-Xa Levels to Assess Low Molecular Weight Heparin Accumulation in Patients with Chronic Kidney Disease: Analysis of Crcl . <i>Blood</i> , 2016 , 128, 90-90 | 2.2 | 4 |
| 170 | Folic Acid Supplementation in Pregnancy and the Risk of Pre-Eclampsia-A Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0149818 | 3.7 | 21 |
| 169 | Do Genetic Contributors to Warfarin Responsiveness or Common Thrombophilias Influence the Risk of Major Bleeding in Patients on Extended Duration Vitamin K Antagonist (VKA) for Venous Thromboembolic Disease?. <i>Blood</i> , 2016 , 128, 272-272 | 2.2 | |
| 168 | International Society on Thrombosis and Haemostasis core curriculum project: core competencies in clinical thrombosis and hemostasis: comment. <i>Journal of Thrombosis and Haemostasis</i> , 2016 , 14, 1316-7 | 15.4 | 3 |
| 167 | Serum and red-blood-cell folate demonstrate differential associations with BMI in pregnant women. <i>Public Health Nutrition</i> , 2016 , 19, 2572-9 | 3.3 | 10 |
| 166 | A multicenter prospective study of risk factors and treatment of unusual site thrombosis. <i>Thrombosis Research</i> , 2016 , 144, 100-5 | 8.2 | 9 |
| 165 | Long-term risk of venous thrombosis after stopping anticoagulants for a first unprovoked event: A multi-national cohort. <i>Thrombosis Research</i> , 2016 , 143, 152-8 | 8.2 | 25 |
| 164 | Inter-observer reliability of the HERDOO2 clinical decision rule. <i>Thrombosis Research</i> , 2016 , 141, 136-8 | 8.2 | 1 |
| 163 | Cancer Screening After Unprovoked Venous Thromboembolism: A Teachable Moment. <i>JAMA Internal Medicine</i> , 2016 , 176, 739-40 | 11.5 | 3 |
| 162 | Low molecular weight heparin to prevent postpartum venous thromboembolism: A pilot study to assess the feasibility of a randomized, open-label trial. <i>Thrombosis Research</i> , 2016 , 142, 17-20 | 8.2 | 13 |
| 161 | A meta-analysis of low-molecular-weight heparin to prevent pregnancy loss in women with inherited thrombophilia. <i>Blood</i> , 2016 , 127, 1650-5 | 2.2 | 48 |
| 160 | Low-molecular-weight heparin and recurrent placenta-mediated pregnancy complications: a meta-analysis of individual patient data from randomised controlled trials. <i>Lancet, The</i> , 2016 , 388, 2629-2641 | 40.1 | 127 |
| 159 | Effectiveness of a computerized decision support system for anticoagulation management in hemodialysis patients: A before-after study. <i>Hemodialysis International</i> , 2016 , 20, 530-536 | 1.7 | 3 |
| 158 | Haematological problems in obstetrics. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2015 , 29, 671-84 | 4.6 | 26 |

| | | | |
|-----|--|------|-----|
| 157 | Ambulatory vital signs in the workup of pulmonary embolism using a standardized 3-minute walk test. <i>Canadian Journal of Emergency Medicine</i> , 2015 , 17, 270-8 | 0.6 | 0 |
| 156 | Screening for Occult Cancer in Unprovoked Venous Thromboembolism. <i>New England Journal of Medicine</i> , 2015 , 373, 697-704 | 59.2 | 189 |
| 155 | Dalteparin for pregnant women with thrombophilia - authors' reply. <i>Lancet, The</i> , 2015 , 385, 690 | 40 | 0 |
| 154 | A survey of thrombosis experts evaluating practices and opinions regarding venous thromboprophylaxis in patients with active cancer hospitalized with an acute medical illness. <i>Thrombosis Journal</i> , 2015 , 13, 10 | 5.6 | 2 |
| 153 | Prothrombin G20210A mutation and lower extremity peripheral arterial disease: a systematic review and meta-analysis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2015 , 50, 232-40 | 2.3 | 10 |
| 152 | LMWH to prevent placenta-mediated pregnancy complications: an update. <i>British Journal of Haematology</i> , 2015 , 168, 619-38 | 4.5 | 27 |
| 151 | Recurrent pregnancy loss: drop the heparin needles <i>Blood</i> , 2015 , 125, 2179-80 | 2.2 | 2 |
| 150 | Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 1536-7 | 15.4 | 2 |
| 149 | Low-molecular-weight heparin to prevent postpartum venous thromboembolism. A pilot randomised placebo-controlled trial. <i>Thrombosis and Haemostasis</i> , 2015 , 113, 212-6 | 7 | 18 |
| 148 | Inflammation markers and their trajectories after deep vein thrombosis in relation to risk of post-thrombotic syndrome. <i>Journal of Thrombosis and Haemostasis</i> , 2015 , 13, 398-408 | 15.4 | 43 |
| 147 | "Post-Pulmonary Embolism Syndrome" after a First Episode of PE: Results of the E.L.O.P.E. Study. <i>Blood</i> , 2015 , 126, 650-650 | 2.2 | 5 |
| 146 | Dyspnea, Quality of Life and Walking Capacity during 1 Year Follow-up after a First Episode of Pulmonary Embolism: Results of the E.L.O.P.E. Study. <i>Blood</i> , 2015 , 126, 750-750 | 2.2 | 1 |
| 145 | A Prospective Cohort Study of Upper Extremity Deep Vein Thrombosis. <i>Blood</i> , 2015 , 126, 893-893 | 2.2 | 3 |
| 144 | Low Molecular Weight Heparin for Prevention of Placenta-Mediated Pregnancy Complications: An Individual Patient Data Meta-Analysis. <i>Blood</i> , 2015 , 126, 890-890 | 2.2 | 0 |
| 143 | Brain Natriuretic Peptide, Troponin and D-Dimer Levels in Relation to Long-Term Functional Outcome after a First Episode of Pulmonary Embolism: Results from the E.L.O.P.E. Study. <i>Blood</i> , 2015 , 126, 649-649 | 2.2 | |
| 142 | Meta-analysis of low-molecular-weight heparin to prevent recurrent placenta-mediated pregnancy complications. <i>Blood</i> , 2014 , 123, 822-8 | 2.2 | 112 |
| 141 | Treatment of venous thromboembolism. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 717-28 | 27.4 | 133 |
| 140 | Compression stockings to prevent post-thrombotic syndrome: a randomised placebo-controlled trial. <i>Lancet, The</i> , 2014 , 383, 880-8 | 40 | 322 |

| | | | |
|-----|--|------|-----|
| 139 | Is it time to try or to trial statins to prevent recurrent venous thromboembolism?. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1204-6 | 15.4 | 1 |
| 138 | Antepartum dalteparin versus no antepartum dalteparin for the prevention of pregnancy complications in pregnant women with thrombophilia (TIPPS): a multinational open-label randomised trial. <i>Lancet, The</i> , 2014 , 384, 1673-83 | 40 | 168 |
| 137 | Low-molecular-weight heparin for prevention of placenta-mediated pregnancy complications: protocol for a systematic review and individual patient data meta-analysis (AFFIRM). <i>Systematic Reviews</i> , 2014 , 3, 69 | 3 | 19 |
| 136 | Major bleeding during secondary prevention of venous thromboembolism in patients who have completed anticoagulation: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 344-8 | 15.4 | 20 |
| 135 | Clinical decision rules and D-Dimer in venous thromboembolism: current controversies and future research priorities. <i>Thrombosis Research</i> , 2014 , 134, 763-8 | 8.2 | 21 |
| 134 | A novel approach to needs assessment in curriculum development: going beyond consensus methods. <i>Medical Teacher</i> , 2014 , 36, 422-9 | 3 | 11 |
| 133 | Prognostic significance of residual venous obstruction in patients with treated unprovoked deep vein thrombosis: a patient-level meta-analysis. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 172-9 | 7 | 70 |
| 132 | Intermediate doses of low-molecular-weight heparin for the long-term treatment of pregnancy thromboembolism. A systematic review. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 559-61 | 7 | 11 |
| 131 | Venous thromboembolism and antithrombotic therapy in pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 527-53 | 1.3 | 160 |
| 130 | Graduated compression stockings to treat acute leg pain associated with proximal DVT. A randomised controlled trial. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 1137-41 | 7 | 36 |
| 129 | Pregnancy and venous thromboembolism: 'TIPPS' for risk stratification. <i>Hematology American Society of Hematology Education Program</i> , 2014 , 2014, 387-92 | 3.1 | 44 |
| 128 | Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 469-78 | 15.4 | 53 |
| 127 | Meta-analysis to assess the quality of international normalized ratio control and associated outcomes in venous thromboembolism patients. <i>Thrombosis Research</i> , 2014 , 134, 1358 | 8.2 | 2 |
| 126 | Is thrombophilia associated with placenta-mediated pregnancy complications? A prospective cohort study: reply. <i>Journal of Thrombosis and Haemostasis</i> , 2014 , 12, 1378-9 | 15.4 | 3 |
| 125 | Perioperative and peripartum prevention of venous thromboembolism in patients with hereditary antithrombin deficiency using recombinant antithrombin therapy. <i>Blood Coagulation and Fibrinolysis</i> , 2014 , 25, 444-50 | 1 | 16 |
| 124 | Clinical and safety outcomes associated with treatment of acute venous thromboembolism: a systematic review and meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1122-35 | 27.4 | 92 |
| 123 | Effect of 200µ/day of vitamin K1 on the variability of anticoagulation control in patients on warfarin: a randomized controlled trial. <i>Thrombosis Research</i> , 2013 , 132, 329-35 | 8.2 | 6 |
| 122 | Family history of venous thromboembolism (VTE) as a predictor for recurrent VTE in unprovoked VTE patients. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 200-3 | 15.4 | 13 |

| | | | |
|-----|--|------|-----|
| 121 | An update on thrombophilia and placenta mediated pregnancy complications: what should we tell our patients?. <i>Thrombosis Research</i> , 2013 , 131 Suppl 1, S25-7 | 8.2 | 13 |
| 120 | Outpatient treatment of symptomatic pulmonary embolism: a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2013 , 132, 515-9 | 8.2 | 100 |
| 119 | Safety of withholding anticoagulation in pregnant women with suspected deep vein thrombosis following negative serial compression ultrasound and iliac vein imaging. <i>Cmaj</i> , 2013 , 185, E194-200 | 3.5 | 38 |
| 118 | Predictors of post-thrombotic syndrome in a population with a first deep vein thrombosis and no primary venous insufficiency. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 474-80 | 15.4 | 75 |
| 117 | Non-OO blood type influences the risk of recurrent venous thromboembolism. A cohort study. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 1172-9 | 7 | 36 |
| 116 | Aspirin versus low-molecular-weight heparin for extended venous thromboembolism prophylaxis after total hip arthroplasty: a randomized trial. <i>Annals of Internal Medicine</i> , 2013 , 158, 800-6 | 8 | 131 |
| 115 | Comparison of the Villalta post-thrombotic syndrome score in the ipsilateral vs. contralateral leg after a first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1036-42 | 15.4 | 34 |
| 114 | Interobserver reliability of compression ultrasound for residual thrombosis after first unprovoked deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 1775-82 | 15.4 | 10 |
| 113 | Risk of post-thrombotic syndrome after subtherapeutic warfarin anticoagulation for a first unprovoked deep vein thrombosis: results from the REVERSE study. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 2039-44 | 15.4 | 94 |
| 112 | Tinzaparin versus dalteparin for periprocedure prophylaxis of thromboembolic events in hemodialysis patients: a randomized trial. <i>American Journal of Kidney Diseases</i> , 2012 , 60, 427-34 | 7.4 | 11 |
| 111 | Does the Pulmonary Embolism Severity Index accurately identify low risk patients eligible for outpatient treatment?. <i>Thrombosis Research</i> , 2012 , 129, 710-4 | 8.2 | 46 |
| 110 | Excessive gestational weight gain predicts large for gestational age neonates independent of maternal body mass index. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 538-42 | 2 | 114 |
| 109 | Clinical decision rules in venous thromboembolism. <i>Best Practice and Research in Clinical Haematology</i> , 2012 , 25, 303-17 | 4.2 | 8 |
| 108 | The natural history of pelvic vein thrombosis on magnetic resonance venography after vaginal delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 356.e1-4 | 6.4 | 66 |
| 107 | Development of a clinical prediction rule for risk stratification of recurrent venous thromboembolism in patients with cancer-associated venous thromboembolism. <i>Circulation</i> , 2012 , 126, 448-54 | 16.7 | 142 |
| 106 | Significance of IGFBP-4 in the development of fetal growth restriction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E1429-39 | 5.6 | 29 |
| 105 | Prospective evaluation of a pharmacogenetics-guided warfarin loading and maintenance dose regimen for initiation of therapy. <i>Blood</i> , 2011 , 118, 3163-71 | 2.2 | 72 |
| 104 | Tinzaparin use in pregnancy: an international, retrospective study of the safety and efficacy profile. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 159, 293-9 | 2.4 | 50 |

| | | | |
|-----|--|------|-----|
| 103 | The association between antiphospholipid antibodies and placenta mediated complications: a systematic review and meta-analysis. <i>Thrombosis Research</i> , 2011 , 128, 77-85 | 8.2 | 117 |
| 102 | Psychological impact of thrombophilia testing in asymptomatic family members. <i>Thrombosis Research</i> , 2011 , 128, 530-5 | 8.2 | 6 |
| 101 | Anticoagulant prophylaxis for placenta mediated pregnancy complications. <i>Thrombosis Research</i> , 2011 , 127 Suppl 3, S76-80 | 8.2 | 18 |
| 100 | The Ottawa and Kingston (Oak) Birth Cohort: development and achievements. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 1124-33 | 1.3 | 21 |
| 99 | Low prevalence of JAK2 V617F mutation in patients with first unprovoked venous thromboembolism. <i>British Journal of Haematology</i> , 2011 , 155, 511-3 | 4.5 | 2 |
| 98 | Residual vein obstruction as a predictor for recurrent thromboembolic events after a first unprovoked episode: data from the REVERSE cohort study. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1126-32 | 15.4 | 31 |
| 97 | Residual vein obstruction to predict the risk of recurrent venous thromboembolism in patients with deep vein thrombosis: a systematic review and meta-analysis. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1119-25 | 15.4 | 103 |
| 96 | The management of a sub-segmental pulmonary embolism: a cross-sectional survey of Canadian thrombosis physicians. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 1412-5 | 15.4 | 32 |
| 95 | Baseline imaging after therapy for unprovoked venous thromboembolism: a randomized controlled comparison of baseline imaging for diagnosis of suspected recurrence. <i>Journal of Thrombosis and Haemostasis</i> , 2011 , 9, 2406-10 | 15.4 | 35 |
| 94 | Clinical and genetic determinants of warfarin pharmacokinetics and pharmacodynamics during treatment initiation. <i>PLoS ONE</i> , 2011 , 6, e27808 | 3.7 | 52 |
| 93 | Comparison of the Villalta Post Thrombotic Syndrome (PTS) Score in the Ipsilateral Versus Contralateral Leg After a First Unprovoked Deep Vein Thrombosis (DVT): Results From the REVERSE Study. <i>Blood</i> , 2011 , 118, 1236-1236 | 2.2 | |
| 92 | Genome-wide association study identifies a sequence variant within the DAB2IP gene conferring susceptibility to abdominal aortic aneurysm. <i>Nature Genetics</i> , 2010 , 42, 692-7 | 36.3 | 155 |
| 91 | Risk of recurrent venous thromboembolism after a first oestrogen-associated episode. Data from the REVERSE cohort study. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 498-503 | 7 | 47 |
| 90 | Oral vitamin K effectively treats international normalised ratio (INR) values in excess of 10. Results of a prospective cohort study. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 118-21 | 7 | 29 |
| 89 | Evidence base for the management of venous thromboembolism in pregnancy. <i>Hematology American Society of Hematology Education Program</i> , 2010 , 2010, 173-80 | 3.1 | 23 |
| 88 | The association of factor V leiden and prothrombin gene mutation and placenta-mediated pregnancy complications: a systematic review and meta-analysis of prospective cohort studies. <i>PLoS Medicine</i> , 2010 , 7, e1000292 | 11.6 | 172 |
| 87 | Safety of excluding acute pulmonary embolism based on an unlikely clinical probability by the Wells rule and normal D-dimer concentration: a meta-analysis. <i>Thrombosis Research</i> , 2010 , 125, e123-7 | 8.2 | 61 |
| 86 | Serum lipoprotein (a) levels in patients with first unprovoked venous thromboembolism is not associated with subsequent risk of recurrent VTE. <i>Thrombosis Research</i> , 2010 , 126, 222-6 | 8.2 | 9 |

| | | | |
|----|--|------|-----|
| 85 | Pulmonary embolism in pregnancy. <i>Lancet, The</i> , 2010 , 375, 500-12 | 40 | 186 |
| 84 | Pulmonary embolism in pregnancy [Authors' reply. <i>Lancet, The</i> , 2010 , 375, 1778-1779 | 40 | 4 |
| 83 | Should we screen patients with unprovoked venous thromboembolism for occult cancers? A pilot study. <i>Blood Coagulation and Fibrinolysis</i> , 2010 , 21, 709-10 | 1 | 6 |
| 82 | Systematic review: case-fatality rates of recurrent venous thromboembolism and major bleeding events among patients treated for venous thromboembolism. <i>Annals of Internal Medicine</i> , 2010 , 152, 578-89 | 8 | 314 |
| 81 | Unprovoked venous thromboembolism: Short term or indefinite anticoagulation? Balancing long-term risk and benefit. <i>Blood Reviews</i> , 2010 , 24, 171-8 | 11.1 | 29 |
| 80 | Prediction of the warfarin maintenance dose after completion of the 10 mg initiation nomogram: do we really need genotyping?. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 90-4 | 15.4 | 20 |
| 79 | D-dimer testing in pregnant patients: towards determining the next 'level' in the diagnosis of deep vein thrombosis. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1004-11 | 15.4 | 62 |
| 78 | Subsegmental pulmonary embolism diagnosed by computed tomography: incidence and clinical implications. A systematic review and meta-analysis of the management outcome studies. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1716-22 | 15.4 | 254 |
| 77 | Patients with a first symptomatic unprovoked deep vein thrombosis are at higher risk of recurrent venous thromboembolism than patients with a first unprovoked pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 1926-32 | 15.4 | 28 |
| 76 | Safety of outpatient treatment in acute pulmonary embolism. <i>Journal of Thrombosis and Haemostasis</i> , 2010 , 8, 2412-7 | 15.4 | 70 |
| 75 | Development of A Clinical Prediction Rule for Risk Stratification of Recurrent Venous Thromboembolism In Patients with Cancer-Associated Venous Thromboembolism. <i>Blood</i> , 2010 , 116, 475-475 | 2.2 | 2 |
| 74 | Outcome of Saddle Pulmonary Embolism: A Nested Case-Control Study.. <i>Blood</i> , 2010 , 116, 1102-1102 | 2.2 | |
| 73 | Validation of A Clinical Prediction Rule for Risk Stratification of Recurrent Venous Thromboembolism In Patients with Cancer-Associated Venous Thromboembolism. <i>Blood</i> , 2010 , 116, 4209-4209 | 2.2 | |
| 72 | Outcomes of Pulmonary Embolism In Surgical Patients: A Retrospective Cohort Study. <i>Blood</i> , 2010 , 116, 3180-3180 | 2.2 | 0 |
| 71 | VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 886-892 | 7 | 125 |
| 70 | Lessons from ximelagatran: issues for future studies evaluating new oral direct thrombin inhibitors for venous thromboembolism prophylaxis in orthopedic surgery. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009 , 15, 316-26 | 3.3 | 6 |
| 69 | A pilot study to assess the feasibility of a multicenter cluster randomized trial for the management of asymptomatic persons with a thrombophilia. <i>Journal of Genetic Counseling</i> , 2009 , 18, 475-82 | 2.5 | 4 |
| 68 | Dalteparin for the prevention of recurrence of placental-mediated complications of pregnancy in women without thrombophilia: a pilot randomized controlled trial. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 58-64 | 15.4 | 169 |

| | | | |
|----|--|------|-----|
| 67 | Validation of a diagnostic approach to exclude recurrent venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 752-9 | 15.4 | 56 |
| 66 | Dose escalation of low molecular weight heparin to manage recurrent venous thromboembolic events despite systemic anticoagulation in cancer patients. <i>Journal of Thrombosis and Haemostasis</i> , 2009 , 7, 760-5 | 15.4 | 156 |
| 65 | Overview of current venous thromboembolism protocols in hip reconstruction. <i>Orthopedic Clinics of North America</i> , 2009 , 40, 427-36 | 3.5 | 2 |
| 64 | Anticoagulants to prevent placenta-mediated pregnancy complications: a review of current evidence. <i>Current Opinion in Hematology</i> , 2009 , 16, 386-90 | 3.3 | 9 |
| 63 | Predicting deep venous thrombosis in pregnancy: out in "LEFT" field?. <i>Annals of Internal Medicine</i> , 2009 , 151, 85-92 | 8 | 85 |
| 62 | Oral vitamin K versus placebo to correct excessive anticoagulation in patients receiving warfarin: a randomized trial. <i>Annals of Internal Medicine</i> , 2009 , 150, 293-300 | 8 | 106 |
| 61 | A Systematic Review and Meta-Analysis of Proportions of Thrombosis and Bleeding in Patients Receiving Venous Thromboembolism (VTE) Prophylaxis After Orthopedic Surgery (OS). An Update.. <i>Blood</i> , 2009 , 114, 3125-3125 | 2.2 | 2 |
| 60 | A Randomized, Controlled Two-Center Pilot Trial of a 6-Month Exercise Training Program to Treat the Post-Thrombotic Syndrome: The EXPO Pilot Trial.. <i>Blood</i> , 2009 , 114, 3984-3984 | 2.2 | 1 |
| 59 | The Association Between Anti-beta2 Glycoprotein 1 Antibodies and Adverse Pregnancy Outcomes.. <i>Blood</i> , 2009 , 114, 4003-4003 | 2.2 | 2 |
| 58 | Extended Follow-up of the Multi-Center Multi-National Prospective Cohort Study That Derived the Men Continue and HERDOO2 Clinical Decision Rule Which Identifies Low Risk Patients Who May Be Able to Discontinue Oral Anticoagulants (Oac) 5-7 Months After Treatment for Unprovoked Venous Thromboembolism (VTE).. <i>Blood</i> , 2009 , 114, 451-451 | 2.2 | 4 |
| 57 | Clinical Outcomes with the LMWH, Tinzaparin (Innohep®) in Pregnancy. An International Retrospective Audit... <i>Blood</i> , 2009 , 114, 487-487 | 2.2 | |
| 56 | Tinzaparin Versus Dalteparin for Peri-Procedure Thromboembolic Prophylaxis in Patients with Dialysis Dependent Renal Disease.. <i>Blood</i> , 2009 , 114, 3136-3136 | 2.2 | |
| 55 | Subsegmental Pulmonary Embolism Diagnosed by Computed Tomography: Incidence and Clinical Implications. A Systematic Review and Meta-Analysis of the Management Outcome Studies.. <i>Blood</i> , 2009 , 114, 4002-4002 | 2.2 | 1 |
| 54 | VIDAS D-dimer in combination with clinical pre-test probability to rule out pulmonary embolism. A systematic review of management outcome studies. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 886-92 | 7 | 35 |
| 53 | A comparison of aprotinin and lysine analogues in high-risk cardiac surgery. <i>New England Journal of Medicine</i> , 2008 , 358, 2319-31 | 59.2 | 883 |
| 52 | Identifying unprovoked thromboembolism patients at low risk for recurrence who can discontinue anticoagulant therapy. <i>Cmaj</i> , 2008 , 179, 417-26 | 3.5 | 376 |
| 51 | Increased mortality in hemodialysis patients having specific antibodies to the platelet factor 4-heparin complex. <i>Kidney International</i> , 2008 , 73, 213-9 | 9.9 | 22 |
| 50 | Influence of thrombophilia on risk of recurrent venous thromboembolism while on warfarin: results from a randomized trial. <i>Blood</i> , 2008 , 112, 4432-6 | 2.2 | 76 |

| | | | |
|----|---|------|-----|
| 49 | Systematic review: the Trousseau syndrome revisited: should we screen extensively for cancer in patients with venous thromboembolism?. <i>Annals of Internal Medicine</i> , 2008 , 149, 323-33 | 8 | 179 |
| 48 | Heparin-induced osteoporosis and pregnancy. <i>Current Opinion in Pulmonary Medicine</i> , 2008 , 14, 403-7 | 3 | 45 |
| 47 | Inherited thrombophilia and pregnancy complications revisited. <i>Obstetrics and Gynecology</i> , 2008 , 112, 320-4 | 4.9 | 112 |
| 46 | Inter-observer reliability of measures to assess the post-thrombotic syndrome. <i>Thrombosis and Haemostasis</i> , 2008 , 100, 164-6 | 7 | 44 |
| 45 | Cognitive and behavioural effects of genetic testing for thrombophilia. <i>Journal of Genetic Counseling</i> , 2008 , 17, 288-96 | 2.5 | 8 |
| 44 | Folic acid supplementation in early second trimester and the risk of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 45.e1-7 | 6.4 | 109 |
| 43 | Case Fatality Rates of Recurrent Venous Thromboembolism during and Following Anticoagulation Therapy. <i>Blood</i> , 2008 , 112, 3032-3032 | 2.2 | |
| 42 | The Association Between Antiphospholipid Antibodies and Adverse Pregnancy Outcomes: A Metaanalysis.. <i>Blood</i> , 2008 , 112, 1819-1819 | 2.2 | |
| 41 | The effect of dalteparin on coagulation activation during pregnancy in women with thrombophilia. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 163-171 | 7 | 29 |
| 40 | The effect of low-molecular-weight heparin on cancer survival. A systematic review and meta-analysis of randomized trials. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 729-37 | 15.4 | 159 |
| 39 | A pilot study of central venous catheter survival in cancer patients using low-molecular-weight heparin (dalteparin) and warfarin without catheter removal for the treatment of upper extremity deep vein thrombosis (The Catheter Study). <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 1650-3 | 15.4 | 134 |
| 38 | Long-term dalteparin in pregnancy not associated with a decrease in bone mineral density: substudy of a randomized controlled trial. <i>Journal of Thrombosis and Haemostasis</i> , 2007 , 5, 1600-6 | 15.4 | 78 |
| 37 | Do thrombophilias cause placenta-mediated pregnancy complications?. <i>Seminars in Thrombosis and Hemostasis</i> , 2007 , 33, 597-603 | 5.3 | 20 |
| 36 | Computed tomographic pulmonary angiography vs ventilation-perfusion lung scanning in patients with suspected pulmonary embolism: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 298, 2743-53 | 27.4 | 392 |
| 35 | A red blood cell agglutination D-dimer test to exclude deep venous thrombosis in pregnancy. <i>Annals of Internal Medicine</i> , 2007 , 147, 165-70 | 8 | 94 |
| 34 | Risk stratification for recurrent venous thromboembolism in unprovoked venous thromboembolism patients. <i>Acta Chirurgica Belgica</i> , 2007 , 107, 636-40 | 0.9 | 2 |
| 33 | The prevalence of antibodies to the platelet factor 4 -heparin complex and association with access thrombosis in patients on chronic hemodialysis. <i>Thrombosis Research</i> , 2007 , 120, 215-20 | 8.2 | 27 |
| 32 | Current Models for Predicting Warfarin Maintenance Dose Do Not Work in an Ambulatory Venous Thromboembolism Patient Population.. <i>Blood</i> , 2007 , 110, 302-302 | 2.2 | |

| | | | |
|----|---|------|-----|
| 31 | The effect of dalteparin on coagulation activation during pregnancy in women with thrombophilia. A randomized trial. <i>Thrombosis and Haemostasis</i> , 2007 , 98, 163-71 | 7 | 8 |
| 30 | Excluding pulmonary embolism at the bedside with low pre-test probability and D-dimer: safety and clinical utility of 4 methods to assign pre-test probability. <i>Thrombosis Research</i> , 2006 , 117, 469-74 | 8.2 | 17 |
| 29 | The factor XIII Val34Leu polymorphism: is it protective against idiopathic venous thromboembolism?. <i>Blood Coagulation and Fibrinolysis</i> , 2006 , 17, 533-8 | 1 | 4 |
| 28 | Pelvic magnetic resonance venography reveals high rate of pelvic vein thrombosis after cesarean section. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 436-7 | 6.4 | 37 |
| 27 | A Pilot Study of Central Venous Catheter Survival in Cancer Patients Using Low Molecular Weight Heparin (Dalteparin) for the Treatment of Deep Vein Thrombosis of the Upper Extremity (UEDVT).. <i>Blood</i> , 2006 , 108, 878-878 | 2.2 | 1 |
| 26 | Clinical Outcomes in Patients Receiving Venous Thromboembolism (VTE) Prophylaxis after Orthopedic Surgery (OS). A Systematic Review and Meta-Analysis of Proportions.. <i>Blood</i> , 2006 , 108, 626-626 | 2.2 | 26 |
| 25 | The Effect of Dalteparin on Coagulation Activation during Pregnancy in Women with Thrombophilia: A Randomised Trial.. <i>Blood</i> , 2006 , 108, 874-874 | 2.2 | |
| 24 | The interobserver reliability of pretest probability assessment in patients with suspected pulmonary embolism. <i>Thrombosis Research</i> , 2005 , 116, 101-7 | 8.2 | 63 |
| 23 | A systematic review of the association between factor V Leiden or prothrombin gene variant and intrauterine growth restriction. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 192, 694-708 | 6.4 | 108 |
| 22 | Thrombophilia and the risk for hemodialysis vascular access thrombosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 1108-14 | 12.7 | 88 |
| 21 | Computerized Tomographic Pulmonary Angiography Compared with Ventilation-Perfusion Lung Scanning as Initial Diagnostic Modality for Patients with Suspected Pulmonary Embolism: A Randomized Controlled Trial.. <i>Blood</i> , 2005 , 106, 1619-1619 | 2.2 | 2 |
| 20 | Single-arm study of bridging therapy with low-molecular-weight heparin for patients at risk of arterial embolism who require temporary interruption of warfarin. <i>Circulation</i> , 2004 , 110, 1658-63 | 16.7 | 249 |
| 19 | Important publication missing key information. <i>Blood</i> , 2004 , 104, 3413; author reply 3413-4 | 2.2 | 18 |
| 18 | High Incidence of Pelvic Deep Vein Thrombosis Detected by Magnetic Resonance Venography Post-Caesarean Section.. <i>Blood</i> , 2004 , 104, 2600-2600 | 2.2 | |
| 17 | Comparison of 10-mg and 5-mg warfarin initiation nomograms together with low-molecular-weight heparin for outpatient treatment of acute venous thromboembolism. A randomized, double-blind, controlled trial. <i>Annals of Internal Medicine</i> , 2003 , 138, 714-9 | 8 | 170 |
| 16 | Normal functional protein S activity does not exclude protein S deficiency. <i>Pathophysiology of Haemostasis and Thrombosis: International Journal on Haemostasis and Thrombosis Research</i> , 2003 , 33, 202-5 | | 6 |
| 15 | The ACE D/D genotype is protective against the development of idiopathic deep vein thrombosis and pulmonary embolism. <i>Thrombosis and Haemostasis</i> , 2003 , 90, 829-34 | 7 | 16 |
| 14 | Shifting from inpatient to outpatient treatment of deep vein thrombosis in a tertiary care center: a cost-minimization analysis. <i>Pharmacotherapy</i> , 2003 , 23, 301-9 | 5.8 | 12 |

| | | | |
|----|--|------|------|
| 13 | Use of elastic compression stockings after deep venous thrombosis: a comparison of practices and perceptions of thrombosis physicians and patients. <i>Journal of Thrombosis and Haemostasis</i> , 2003 , 1, 500-6 | 15.4 | 40 |
| 12 | Diagnosis of pulmonary embolism: when is imaging needed?. <i>Clinics in Chest Medicine</i> , 2003 , 24, 13-28 | 5.3 | 16 |
| 11 | Evaluation of D-dimer in the diagnosis of suspected deep-vein thrombosis. <i>New England Journal of Medicine</i> , 2003 , 349, 1227-35 | 59.2 | 1018 |
| 10 | Diagnosis and treatment of venous thromboembolism in pregnancy. <i>Best Practice and Research in Clinical Haematology</i> , 2003 , 16, 279-96 | 4.2 | 10 |
| 9 | The outpatient treatment of deep vein thrombosis delivers cost savings to patients and their families, compared to inpatient therapy. <i>Thrombosis Research</i> , 2003 , 112, 13-8 | 8.2 | 22 |
| 8 | Comparison of low-intensity warfarin therapy with conventional-intensity warfarin therapy for long-term prevention of recurrent venous thromboembolism. <i>New England Journal of Medicine</i> , 2003 , 349, 631-9 | 59.2 | 609 |
| 7 | Steady-State End-Tidal Alveolar Dead Space Measure and D-dimer. <i>Chest</i> , 2002 , 121, 1373-1374 | 5.3 | 1 |
| 6 | Excluding pulmonary embolism at the bedside without diagnostic imaging: management of patients with suspected pulmonary embolism presenting to the emergency department by using a simple clinical model and d-dimer. <i>Annals of Internal Medicine</i> , 2001 , 135, 98-107 | 8 | 851 |
| 5 | Steady-state end-tidal alveolar dead space fraction and D-dimer: bedside tests to exclude pulmonary embolism. <i>Chest</i> , 2001 , 120, 115-9 | 5.3 | 52 |
| 4 | Diagnosis of pulmonary embolism. <i>Thrombosis Research</i> , 2001 , 103, V225-38 | 8.2 | 30 |
| 3 | Diagnostic value of the electrocardiogram in suspected pulmonary embolism. <i>American Journal of Cardiology</i> , 2000 , 86, 807-9, A10 | 3 | 134 |
| 2 | Derivation of a Simple Clinical Model to Categorize Patients Probability of Pulmonary Embolism: Increasing the Models Utility with the SimpliRED D-dimer. <i>Thrombosis and Haemostasis</i> , 2000 , 83, 416-420 | 7 | 1098 |
| 1 | Diagnostic value of arterial blood gas measurement in suspected pulmonary embolism. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2000 , 162, 2105-8 | 10.2 | 79 |