## Maria ngeles Martin

## List of Publications by Citations

Source: https://exaly.com/author-pdf/1520281/maria-angeles-martin-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36 3,545 101 55 h-index g-index citations papers 105 4,044 5.2 5.57 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
101	Quercetin induces apoptosis via caspase activation, regulation of Bcl-2, and inhibition of PI-3-kinase/Akt and ERK pathways in a human hepatoma cell line (HepG2). <i>Journal of Nutrition</i> , <b>2006</b> , 136, 2715-21	4.1	242
100	Quercetin modulates Nrf2 and glutathione-related defenses in HepG2 cells: Involvement of p38. <i>Chemico-Biological Interactions</i> , <b>2012</b> , 195, 154-64	5	119
99	Cocoa flavonoids up-regulate antioxidant enzyme activity via the ERK1/2 pathway to protect against oxidative stress-induced apoptosis in HepG2 cells. <i>Journal of Nutritional Biochemistry</i> , <b>2010</b> , 21, 196-205	6.3	112
98	Cocoa flavonoids attenuate high glucose-induced insulin signalling blockade and modulate glucose uptake and production in human HepG2 cells. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 64, 10-9	4.7	107
97	Cocoa flavonoids improve insulin signalling and modulate glucose production via AKT and AMPK in HepG2 cells. <i>Molecular Nutrition and Food Research</i> , <b>2013</b> , 57, 974-85	5.9	105
96	Hydroxytyrosol induces antioxidant/detoxificant enzymes and Nrf2 translocation via extracellular regulated kinases and phosphatidylinositol-3-kinase/protein kinase B pathways in HepG2 cells. <i>Molecular Nutrition and Food Research</i> , <b>2010</b> , 54, 956-66	5.9	102
95	Molecular mechanisms of (-)-epicatechin and chlorogenic acid on the regulation of the apoptotic and survival/proliferation pathways in a human hepatoma cell line. <i>Journal of Agricultural and Food Chemistry</i> , <b>2007</b> , 55, 2020-7	5.7	101
94	Procyanidin B2 and a cocoa polyphenolic extract inhibit acrylamide-induced apoptosis in human Caco-2 cells by preventing oxidative stress and activation of JNK pathway. <i>Journal of Nutritional Biochemistry</i> , <b>2011</b> , 22, 1186-94	6.3	98
93	Procyanidin B2 induces Nrf2 translocation and glutathione S-transferase P1 expression via ERKs and p38-MAPK pathways and protect human colonic cells against oxidative stress. <i>European Journal of Nutrition</i> , <b>2012</b> , 51, 881-92	5.2	96
92	Epicatechin induces NF-kappaB, activator protein-1 (AP-1) and nuclear transcription factor erythroid 2p45-related factor-2 (Nrf2) via phosphatidylinositol-3-kinase/protein kinase B (PI3K/AKT) and extracellular regulated kinase (ERK) signalling in HepG2 cells. <i>British Journal of</i>	3.6	94
91	Nutrition, <b>2010</b> , 103, 168-79 Protection of human HepG2 cells against oxidative stress by cocoa phenolic extract. <i>Journal of Agricultural and Food Chemistry</i> , <b>2008</b> , 56, 7765-72	5.7	92
90	Quercetin modulates NF-kappa B and AP-1/JNK pathways to induce cell death in human hepatoma cells. <i>Nutrition and Cancer</i> , <b>2010</b> , 62, 390-401	2.8	78
89	Cocoa flavonoid epicatechin protects pancreatic beta cell viability and function against oxidative stress. <i>Molecular Nutrition and Food Research</i> , <b>2014</b> , 58, 447-56	5.9	77
88	Potential for preventive effects of cocoa and cocoa polyphenols in cancer. <i>Food and Chemical Toxicology</i> , <b>2013</b> , 56, 336-51	4.7	71
87	Cocoa flavonoids protect hepatic cells against high-glucose-induced oxidative stress: relevance of MAPKs. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 597-609	5.9	70
86	Comparative effects of dietary flavanols on antioxidant defences and their response to oxidant-induced stress on Caco2 cells. <i>European Journal of Nutrition</i> , <b>2011</b> , 50, 313-22	5.2	65
85	Protein tyrosine phosphatase 1B modulates GSK3/Nrf2 and IGFIR signaling pathways in acetaminophen-induced hepatotoxicity. <i>Cell Death and Disease</i> , <b>2013</b> , 4, e626	9.8	63

84	Antidiabetic actions of cocoa flavanols. <i>Molecular Nutrition and Food Research</i> , <b>2016</b> , 60, 1756-69	5.9	60	
83	Effect of Cocoa and Its Flavonoids on Biomarkers of Inflammation: Studies of Cell Culture, Animals and Humans. <i>Nutrients</i> , <b>2016</b> , 8, 212	6.7	59	
82	Cocoa polyphenols prevent inflammation in the colon of azoxymethane-treated rats and in TNF-Estimulated Caco-2 cells. <i>British Journal of Nutrition</i> , <b>2013</b> , 110, 206-15	3.6	56	
81	Microbial phenolic metabolites improve glucose-stimulated insulin secretion and protect pancreatic beta cells against tert-butyl hydroperoxide-induced toxicity via ERKs and PKC pathways. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 66, 245-53	4.7	55	
8o	Quercetin attenuates TNF-induced inflammation in hepatic cells by inhibiting the NF- <b>B</b> pathway. <i>Nutrition and Cancer</i> , <b>2012</b> , 64, 588-98	2.8	52	
79	Phloroglucinol: antioxidant properties and effects on cellular oxidative markers in human HepG2 cell line. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 2886-93	4.7	51	
78	Olive oil hydroxytyrosol reduces toxicity evoked by acrylamide in human Caco-2 cells by preventing oxidative stress. <i>Toxicology</i> , <b>2011</b> , 288, 43-8	4.4	50	
77	Protection of human HepG2 cells against oxidative stress by the flavonoid epicatechin. <i>Phytotherapy Research</i> , <b>2010</b> , 24, 503-9	6.7	46	
76	Cocoa-rich diet attenuates beta cell mass loss and function in young Zucker diabetic fatty rats by preventing oxidative stress and beta cell apoptosis. <i>Molecular Nutrition and Food Research</i> , <b>2015</b> , 59, 820-4	5.9	45	
75	Dietary flavanols exert different effects on antioxidant defenses and apoptosis/proliferation in Caco-2 and SW480 colon cancer cells. <i>Toxicology in Vitro</i> , <b>2011</b> , 25, 1771-81	3.6	44	
74	Selenium methylselenocysteine protects human hepatoma HepG2 cells against oxidative stress induced by tert-butyl hydroperoxide. <i>Analytical and Bioanalytical Chemistry</i> , <b>2007</b> , 389, 2167-78	4.4	43	
73	Cocoa-rich diet ameliorates hepatic insulin resistance by modulating insulin signaling and glucose homeostasis in Zucker diabetic fatty rats. <i>Journal of Nutritional Biochemistry</i> , <b>2015</b> , 26, 704-12	6.3	42	
72	A Superior All-Natural Antioxidant Biomaterial from Spent Coffee Grounds for Polymer Stabilization, Cell Protection, and Food Lipid Preservation. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2016</b> , 4, 1169-1179	8.3	42	
71	Cocoa polyphenols in oxidative stress: Potential health implications. <i>Journal of Functional Foods</i> , <b>2016</b> , 27, 570-588	5.1	40	
70	Cocoa phenolic extract protects pancreatic beta cells against oxidative stress. <i>Nutrients</i> , <b>2013</b> , 5, 2955-	<b>68</b> .7	40	
69	Biscuit melanoidins of different molecular masses protect human HepG2 cells against oxidative stress. <i>Journal of Agricultural and Food Chemistry</i> , <b>2009</b> , 57, 7250-8	5.7	39	
68	A diet rich in cocoa attenuates N-nitrosodiethylamine-induced liver injury in rats. <i>Food and Chemical Toxicology</i> , <b>2009</b> , 47, 2499-506	4.7	39	
67	Protective effects of tea, red wine and cocoa in diabetes. Evidences from human studies. <i>Food and Chemical Toxicology</i> , <b>2017</b> , 109, 302-314	4.7	36	

66	Cocoa-rich diet prevents azoxymethane-induced colonic preneoplastic lesions in rats by restraining oxidative stress and cell proliferation and inducing apoptosis. <i>Molecular Nutrition and Food Research</i> , <b>2011</b> , 55, 1895-9	5.9	36
65	Insights on the health benefits of the bioactive compounds of coffee silverskin extract. <i>Journal of Functional Foods</i> , <b>2016</b> , 25, 197-207	5.1	33
64	Type 2 diabetes - a matter of failing beta-cell neogenesis? Clues from the GK rat model. <i>Diabetes, Obesity and Metabolism</i> , <b>2007</b> , 9 Suppl 2, 187-95	6.7	33
63	Chemical characterization and chemo-protective activity of cranberry phenolic powders in a model cell culture. Response of the antioxidant defenses and regulation of signaling pathways. <i>Food Research International</i> , <b>2015</b> , 71, 68-82	7	32
62	Colonic metabolites from flavanols stimulate nitric oxide production in human endothelial cells and protect against oxidative stress-induced toxicity and endothelial dysfunction. <i>Food and Chemical Toxicology</i> , <b>2018</b> , 115, 88-97	4.7	32
61	Time-course regulation of survival pathways by epicatechin on HepG2 cells. <i>Journal of Nutritional Biochemistry</i> , <b>2009</b> , 20, 115-24	6.3	32
60	A Cell Culture Model for the Assessment of the Chemopreventive Potential of Dietary Compounds <i>Current Nutrition and Food Science</i> , <b>2009</b> , 5, 56-64	0.7	29
59	Time-course regulation of quercetin on cell survival/proliferation pathways in human hepatoma cells. <i>Molecular Nutrition and Food Research</i> , <b>2008</b> , 52, 457-64	5.9	28
58	Glucagon-like peptide-1 improves beta-cell antioxidant capacity via extracellular regulated kinases pathway and Nrf2 translocation. <i>Free Radical Biology and Medicine</i> , <b>2016</b> , 95, 16-26	7.8	27
57	Effect of phlorotannin-rich extracts of Ascophyllum nodosum and Himanthalia elongata (Phaeophyceae) on cellular oxidative markers in human HepG2 cells. <i>Journal of Applied Phycology</i> , <b>2013</b> , 25, 1-11	3.2	27
56	Effects of Cocoa Antioxidants in Type 2 Diabetes Mellitus. <i>Antioxidants</i> , <b>2017</b> , 6,	7.1	27
55	Cocoa intake ameliorates hepatic oxidative stress in young Zucker diabetic fatty rats. <i>Food Research International</i> , <b>2015</b> , 69, 194-201	7	27
54	Epicatechin gallate induces cell death via p53 activation and stimulation of p38 and JNK in human colon cancer SW480 cells. <i>Nutrition and Cancer</i> , <b>2013</b> , 65, 718-28	2.8	26
53	Regulation of IGF-I and -II by insulin in primary cultures of fetal rat hepatocytes. <i>Endocrinology</i> , <b>2001</b> , 142, 5089-96	4.8	26
52	High Antioxidant Action and Prebiotic Activity of Hydrolyzed Spent Coffee Grounds (HSCG) in a Simulated Digestion-Fermentation Model: Toward the Development of a Novel Food Supplement. <i>Journal of Agricultural and Food Chemistry</i> , <b>2017</b> , 65, 6452-6459	5.7	25
51	Cocoa diet modulates gut microbiota composition and improves intestinal health in Zucker diabetic rats. <i>Food Research International</i> , <b>2020</b> , 132, 109058	7	25
50	(-)-Epicatechin and the Colonic 2,3-Dihydroxybenzoic Acid Metabolite Regulate Glucose Uptake, Glucose Production, and Improve Insulin Signaling in Renal NRK-52E Cells. <i>Molecular Nutrition and Food Research</i> , <b>2018</b> , 62, 1700470	5.9	25
49	Coffee silverskin extract improves glucose-stimulated insulin secretion and protects against streptozotocin-induced damage in pancreatic INS-1E beta cells. <i>Food Research International</i> , <b>2016</b> , 89, 1015-1022	7	24

## (2007-2016)

48	Preventive Effects of Cocoa and Cocoa Antioxidants in Colon Cancer. <i>Diseases (Basel, Switzerland)</i> , <b>2016</b> , 4,	4.4	24	
47	Protein-caloric food restriction affects insulin-like growth factor system in fetal Wistar rat. <i>Endocrinology</i> , <b>2005</b> , 146, 1364-71	4.8	22	
46	Maternal food restriction enhances insulin-induced GLUT-4 translocation and insulin signaling pathway in skeletal muscle from suckling rats. <i>Endocrinology</i> , <b>2005</b> , 146, 3368-78	4.8	21	
45	Regulation of insulin-like growth factor-I and -II by glucose in primary cultures of fetal rat hepatocytes. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 24633-40	5.4	21	
44	Health beneficial effects of cocoa phenolic compounds: a mini-review. <i>Current Opinion in Food Science</i> , <b>2017</b> , 14, 20-25	9.8	20	
43	Effect of thyroxine administration on the IGF/IGF binding protein system in neonatal and adult thyroidectomized rats. <i>Journal of Endocrinology</i> , <b>2001</b> , 169, 111-22	4.7	19	
42	Cocoa Flavanols Protect Human Endothelial Cells from Oxidative Stress. <i>Plant Foods for Human Nutrition</i> , <b>2020</b> , 75, 161-168	3.9	18	
41	Effects of chronic undernutrition on glucose uptake and glucose transporter proteins in rat heart. <i>Endocrinology</i> , <b>2002</b> , 143, 4295-303	4.8	18	
40	Protein calorie restriction has opposite effects on glucose metabolism and insulin gene expression in fetal and adult rat endocrine pancreas. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2004</b> , 286, E542-50	6	16	
39	Cocoa and cocoa flavanol epicatechin improve hepatic lipid metabolism in in vivo and in vitro models. Role of PKC[] <i>Journal of Functional Foods</i> , <b>2015</b> , 17, 761-773	5.1	15	
38	Protective effects of (-)-epicatechin and the colonic metabolite 3,4-dihydroxyphenylacetic acid against glucotoxicity-induced insulin signalling blockade and altered glucose uptake and production in renal tubular NRK-52E cells. <i>Food and Chemical Toxicology</i> , <b>2018</b> , 120, 119-128	4.7	15	
37	Nitroderivatives of olive oil phenols protect HepG2 cells against oxidative stress. <i>Food and Chemical Toxicology</i> , <b>2012</b> , 50, 3752-8	4.7	15	
36	Impact of Dietary Flavanols on Microbiota, Immunity and Inflammation in Metabolic Diseases. <i>Nutrients</i> , <b>2021</b> , 13,	6.7	15	
35	Impact of diet on gut microbiota. <i>Current Opinion in Food Science</i> , <b>2021</b> , 37, 83-90	9.8	14	
34	(DEpicatechin and the colonic metabolite 3,4-dihydroxyphenylacetic acid protect renal proximal tubular cell against high glucose-induced oxidative stress by modulating NOX-4/SIRT-1 signalling. <i>Journal of Functional Foods</i> , <b>2018</b> , 46, 19-28	5.1	13	
33	Cocoa flavanols show beneficial effects in cultured pancreatic beta cells and liver cells to prevent the onset of type 2 diabetes. <i>Food Research International</i> , <b>2014</b> , 63, 400-408	7	13	
32	Insulin secretion in adult rats that had experienced different underfeeding patterns during their development. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>1997</b> , 272, E634-40	6	13	
31	Increased IRS-2 content and activation of IGF-I pathway contribute to enhance beta-cell mass in fetuses from undernourished pregnant rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2007</b> , 292, E187-95	6	13	

30	Impact of cocoa flavanols on human health. Food and Chemical Toxicology, 2021, 151, 112121	4.7	13
29	Cocoa intake attenuates renal injury in Zucker Diabetic fatty rats by improving glucose homeostasis. <i>Food and Chemical Toxicology</i> , <b>2019</b> , 127, 101-109	4.7	12
28	Protective Effect of Silybum marianum and Silibinin on Endothelial Cells Submitted to High Glucose Concentration. <i>Planta Medica</i> , <b>2017</b> , 83, 97-103	3.1	12
27	Synthesis and bioactivity profile of 5-s-lipoylhydroxytyrosol-based multidefense antioxidants with a sizeable (poly)sulfide chain. <i>Journal of Agricultural and Food Chemistry</i> , <b>2013</b> , 61, 1710-7	5.7	12
26	Interaction between malnutrition and ovarian hormones on the systemic IGF-I axis. <i>European Journal of Endocrinology</i> , <b>2002</b> , 147, 417-24	6.5	12
25	Effect of Cocoa and Cocoa Products on Cognitive Performance in Young Adults. <i>Nutrients</i> , <b>2020</b> , 12,	6.7	11
24	Contrasted Impact of Maternal Rat Food Restriction on the Fetal Endocrine Pancreas		11
23	Influence of hypothyroidism on circulating concentrations and liver expression of IGF-binding proteins mRNA from neonatal and adult rats. <i>Journal of Endocrinology</i> , <b>2002</b> , 172, 363-73	4.7	10
22	Cocoa ameliorates renal injury in Zucker diabetic fatty rats by preventing oxidative stress, apoptosis and inactivation of autophagy. <i>Food and Function</i> , <b>2019</b> , 10, 7926-7939	6.1	10
21	Elevated pulmonary arterial pressure in Zucker diabetic fatty rats. <i>PLoS ONE</i> , <b>2019</b> , 14, e0211281	3.7	9
20	Undernutrition does not alter the activation of beta-cell neogenesis and replication in adult rats after partial pancreatectomy. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2006</b> , 291, E913-21	6	8
19	Effects of refeeding of undernourished and insulin treatment of diabetic neonatal rats on IGF and IGFBP. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>1996</b> , 271, E223-31	6	8
18	Regulation of IGF-I and -II by Insulin in Primary Cultures of Fetal Rat Hepatocytes		8
17	Dietary Flavonoids and Insulin Signaling in Diabetes and Obesity. <i>Cells</i> , <b>2021</b> , 10,	7.9	8
16	Maternal undernutrition increases pancreatic IGF-2 and partially suppresses the physiological wave of {beta}-cell apoptosis during the neonatal period. <i>Journal of Molecular Endocrinology</i> , <b>2010</b> , 44, 25-36	4.5	7
15	Vochysia rufa Stem Bark Extract Protects Endothelial Cells against High Glucose Damage. <i>Medicines</i> (Basel, Switzerland), <b>2017</b> , 4,	4.1	6
14	Protective effects of papaya extracts on tert-butyl hydroperoxide mediated oxidative injury to human liver cells (An in-vitro study). <i>Free Radicals and Antioxidants</i> , <b>2012</b> , 2, 10-19	1.7	6
13	Influence of type II 5Sdeiodinase on TSH content in diabetic rats. <i>Journal of Physiology and Biochemistry</i> , <b>2001</b> , 57, 221-30	5	6

## LIST OF PUBLICATIONS

12	Effects of experimental diabetes on renal IGF/IGFBP system during neonatal period in the rat. <i>American Journal of Physiology - Renal Physiology</i> , <b>2000</b> , 279, F1067-76	4.3	6
11	Different role of insulin in GLUT-1 and -4 regulation in heart and skeletal muscle during perinatal hypothyroidism. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , <b>2001</b> , 281, E1073-81	6	6
10	Liver mRNA expression of IGF-I and IGFBPs in adult undernourished diabetic rats. <i>Life Sciences</i> , <b>1999</b> , 64, 2255-71	6.8	5
9	(-)-Epicatechin and the colonic metabolite 2,3-dihydroxybenzoic acid protect against high glucose and lipopolysaccharide-induced inflammation in renal proximal tubular cells through NOX-4/p38 signalling. <i>Food and Function</i> , <b>2020</b> , 11, 8811-8824	6.1	4
8	Dietary Cocoa Prevents Aortic Remodeling and Vascular Oxidative Stress in Diabetic Rats. <i>Molecular Nutrition and Food Research</i> , <b>2019</b> , 63, e1900044	5.9	3
7	Cytoprotective Effect of Coffee Melanoidins <b>2015</b> , 921-929		1
6	Preventive effect of cocoa flavanols against glucotoxicity-induced vascular inflammation in the arteria of diabetic rats and on the inflammatory process in TNF-Estimulated endothelial cells. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 146, 111824	4.7	1
6	arteria of diabetic rats and on the inflammatory process in TNF-Estimulated endothelial cells. Food	4.7	1 0
	arteria of diabetic rats and on the inflammatory process in TNF-Estimulated endothelial cells. <i>Food and Chemical Toxicology</i> , <b>2020</b> , 146, 111824  Signal Transduction Pathways Involved in the Chemo-Preventive Effect of Dietary Antioxidants:	.,	

- 2 Cocoa Flavonoids and Insulin Signaling **2016**, 183-196
- Antioxidative stress actions of cocoa in colonic cancer: Revisited **2021**, 337-348