

# Shaaker Hajati

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1521648/publications.pdf>

Version: 2024-02-01

96  
papers

6,342  
citations

41344

49  
h-index

66911

78  
g-index

98  
all docs

98  
docs citations

98  
times ranked

5838  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasonically assisted hydrothermal synthesis of activated carbon@HKUST-1-MOF hybrid for efficient simultaneous ultrasound-assisted removal of ternary organic dyes and antibacterial investigation: Taguchi optimization. <i>Ultrasonics Sonochemistry</i> , 2016, 31, 383-393.	8.2	267
2	Modeling of quaternary dyes adsorption onto ZnO@NR@AC artificial neural network: Analysis by derivative spectrophotometry. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 34, 186-197.	5.8	240
3	Sonochemical-assisted synthesis of CuO/Cu <sub>2</sub> O/Cu nanoparticles as efficient photocatalyst for simultaneous degradation of pollutant dyes in rotating packed bed reactor: LED illumination and central composite design optimization. <i>Ultrasonics Sonochemistry</i> , 2018, 40, 601-610.	8.2	202
4	Facile Synthesis of Mixed Metal@Organic Frameworks: Electrode Materials for Supercapacitors with Excellent Areal Capacitance and Operational Stability. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 23063-23073.	8.0	199
5	Simultaneous ultrasound-assisted ternary adsorption of dyes onto copper-doped zinc sulfide nanoparticles loaded on activated carbon: Optimization by response surface methodology. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 145, 203-212.	3.9	182
6	Synthesis of magnetic <sup>13</sup> Fe <sub>2</sub> O <sub>3</sub> -based nanomaterial for ultrasonic assisted dyes adsorption: Modeling and optimization. <i>Ultrasonics Sonochemistry</i> , 2016, 32, 418-431.	8.2	174
7	Screening and optimization of highly effective ultrasound-assisted simultaneous adsorption of cationic dyes onto Mn-doped Fe <sub>3</sub> O <sub>4</sub> -nanoparticle-loaded activated carbon. <i>Ultrasonics Sonochemistry</i> , 2017, 34, 1-12.	8.2	165
8	Highly efficient simultaneous ultrasonic assisted adsorption of brilliant green and eosin B onto ZnS nanoparticles loaded activated carbon: Artificial neural network modeling and central composite design optimization. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 153, 257-267.	3.9	160
9	Application of central composite design for simultaneous removal of methylene blue and Pb <sup>2+</sup> ions by walnut wood activated carbon. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 135, 479-490.	3.9	149
10	Photocatalytic degradation of binary mixture of toxic dyes by HKUST-1 MOF and HKUST-1-SBA-15 in a rotating packed bed reactor under blue LED illumination: central composite design optimization. <i>RSC Advances</i> , 2016, 6, 17204-17214.	3.6	140
11	Ultrasound-assisted binary adsorption of dyes onto Mn@CuS/ZnS-NC-AC as a novel adsorbent: Application of chemometrics for optimization and modeling. <i>Journal of Industrial and Engineering Chemistry</i> , 2017, 54, 377-388.	5.8	137
12	Rapid removal of Auramine-O and Methylene blue by ZnS:Cu nanoparticles loaded on activated carbon: A response surface methodology approach. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2015, 53, 80-91.	5.3	136
13	Enhanced simultaneous removal of malachite green and safranin O by ZnO nanorod-loaded activated carbon: modeling, optimization and adsorption isotherms. <i>New Journal of Chemistry</i> , 2015, 39, 7998-8005.	2.8	130
14	Ternary dye adsorption onto MnO <sub>2</sub> nanoparticle-loaded activated carbon: derivative spectrophotometry and modeling. <i>RSC Advances</i> , 2015, 5, 72300-72320.	3.6	129
15	Achieving enhanced blue-light-driven photocatalysis using nanosword-like VO <sub>2</sub> /CuWO <sub>4</sub> type II n heterojunction. <i>Chemical Engineering Journal</i> , 2018, 339, 189-203.	12.7	123
16	Preparation of nanomaterials for the ultrasound-enhanced removal of Pb <sup>2+</sup> ions and malachite green dye: Chemometric optimization and modeling. <i>Ultrasonics Sonochemistry</i> , 2017, 34, 677-691.	8.2	121
17	Performance of CuS nanoparticle loaded on activated carbon in the adsorption of methylene blue and bromophenol blue dyes in binary aqueous solutions: Using ultrasound power and optimization by central composite design. <i>Journal of Molecular Liquids</i> , 2016, 219, 667-676.	4.9	118
18	Central composite design and genetic algorithm applied for the optimization of ultrasonic-assisted removal of malachite green by ZnO Nanorod-loaded activated carbon. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 167, 157-164.	3.9	114

#	ARTICLE	IF	CITATIONS
19	Sonochemical assisted hydrothermal synthesis of ZnO: Cr nanoparticles loaded activated carbon for simultaneous ultrasound-assisted adsorption of ternary toxic organic dye: Derivative spectrophotometric, optimization, kinetic and isotherm study. <i>Ultrasonics Sonochemistry</i> , 2016, 32, 119-131.	8.2	110
20	Ultrasound-assisted removal of Al <sup>3+</sup> ions and Alizarin red S by activated carbon engrafted with Ag nanoparticles: central composite design and genetic algorithm optimization. <i>RSC Advances</i> , 2015, 5, 59522-59532.	3.6	109
21	BiPO <sub>4</sub> /Bi <sub>2</sub> S <sub>3</sub> -HKUST-1-MOF as a novel blue light-driven photocatalyst for simultaneous degradation of toluidine blue and auramine-O dyes in a new rotating packed bed reactor: optimization and comparison to a conventional reactor. <i>RSC Advances</i> , 2016, 6, 63667-63680.	3.6	103
22	<i>Saccharomyces cerevisiae</i> for the biosorption of basic dyes from binary component systems and the high order derivative spectrophotometric method for simultaneous analysis of Brilliant green and Methylene blue. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 227-233.	5.8	96
23	Preparation and characterization of MWCNTs functionalized by N-(3-nitrobenzylidene)-N <sup>ε</sup> -trimethoxysilylpropyl-ethane-1,2-diamine for the removal of aluminum(III) ions via complexation with eriochrome cyanine R: spectrophotometric detection and optimization. <i>RSC Advances</i> , 2015, 5, 61060-61069.	3.6	94
24	Ag <sub>3</sub> PO <sub>4</sub> /AgBr/Ag-HKUST-1-MOF composites as novel blue LED light active photocatalyst for enhanced degradation of ternary mixture of dyes in a rotating packed bed reactor. <i>Chemical Engineering and Processing: Process Intensification</i> , 2017, 114, 24-38.	3.6	94
25	Synthesis of nickel sulfide nanoparticles loaded on activated carbon as a novel adsorbent for the competitive removal of Methylene blue and Safranin-O. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2014, 123, 402-409.	3.9	93
26	A simple ultrasensitive electrochemical sensor for simultaneous determination of gallic acid and uric acid in human urine and fruit juices based on zirconia-choline chloride-gold nanoparticles-modified carbon paste electrode. <i>Biosensors and Bioelectronics</i> , 2018, 114, 30-36.	10.1	93
27	Local, cheap and nontoxic activated carbon as efficient adsorbent for the simultaneous removal of cadmium ions and malachite green: Optimization by surface response methodology. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 21, 760-767.	5.8	91
28	Modeling and optimization of simultaneous removal of ternary dyes onto copper sulfide nanoparticles loaded on activated carbon using second-derivative spectrophotometry. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 65, 212-224.	5.3	91
29	CoxZn <sub>1-x</sub> ZIF-derived binary Co <sub>3</sub> O <sub>4</sub> /ZnO wrapped by 3D reduced graphene oxide for asymmetric supercapacitor: Comparison of pure and heat-treated bimetallic MOF. <i>Ceramics International</i> , 2017, 43, 14413-14425.	4.8	91
30	New ion-imprinted polymer-functionalized mesoporous SBA-15 for selective separation and preconcentration of Cr(III) ions: modeling and optimization. <i>RSC Advances</i> , 2015, 5, 105789-105799.	3.6	90
31	Synthesis of ZnO-nanorod-based materials for antibacterial, antifungal activities, DNA cleavage and efficient ultrasound-assisted dyes adsorption. <i>Ecotoxicology and Environmental Safety</i> , 2017, 142, 330-337.	6.0	84
32	Simultaneous removal of methylene blue and Pb <sup>2+</sup> ions using ruthenium nanoparticle-loaded activated carbon: response surface methodology. <i>RSC Advances</i> , 2015, 5, 83427-83435.	3.6	83
33	Rapid adsorption of ternary dye pollutants onto copper (I) oxide nanoparticle loaded on activated carbon: Experimental optimization via response surface methodology. <i>Journal of Environmental Chemical Engineering</i> , 2016, 4, 1769-1779.	6.7	82
34	Application of chitosan-citric acid nanoparticles for removal of chromium (VI). <i>International Journal of Biological Macromolecules</i> , 2015, 80, 431-444.	7.5	79
35	Photo-Sensitive PbS <sub>2</sub> /I <sub>6</sub> crystal incorporated polydopamine biointerface coated on nanoporous TiO <sub>2</sub> as an efficient signal-on photoelectrochemical bioassay for ultrasensitive detection of Cr(VI) ions. <i>Biosensors and Bioelectronics</i> , 2019, 132, 105-114.	10.1	76
36	L-phenylalanine-imprinted polydopamine-coated CdS/CdSe n-n type II heterojunction as an ultrasensitive photoelectrochemical biosensor for the PKU monitoring. <i>Biosensors and Bioelectronics</i> , 2020, 165, 112346.	10.1	76

#	ARTICLE	IF	CITATIONS
37	Novel nanorose-like Ce(III)-doped and undoped Cu(II)-biphenyl-4,4-dicarboxylic acid (Cu(II)-BPDCA) MOSs as visible light photocatalysts: synthesis, characterization, photodegradation of toxic dyes and optimization. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 11278-11287.	2.8	73
38	Random forest model for the ultrasonic-assisted removal of chrysoidine G by copper sulfide nanoparticles loaded on activated carbon; response surface methodology approach. <i>RSC Advances</i> , 2015, 5, 59335-59343.	3.6	72
39	Preparation and characterization of an AC@Fe <sub>3</sub> O <sub>4</sub> @Au hybrid for the simultaneous removal of Cd <sup>2+</sup> , Pb <sup>2+</sup> , Cr <sup>3+</sup> and Ni <sup>2+</sup> ions from aqueous solution via complexation with 2-((2,4-dichloro-benzylidene)-amino)-benzenethiol: Taguchi optimization. <i>RSC Advances</i> , 2016, 6, 19780-19791.	3.6	67
40	Equilibrium, kinetic and isotherm of some metal ion biosorption. <i>Journal of Industrial and Engineering Chemistry</i> , 2013, 19, 987-992.	5.8	66
41	Controlled thermolysis of MIL-101(Fe, Cr) for synthesis of Fe <sub>x</sub> O <sub>y</sub> /porous carbon as negative electrode and Cr <sub>2</sub> O <sub>3</sub> /porous carbon as positive electrode of supercapacitor. <i>Applied Surface Science</i> , 2019, 469, 192-203.	6.1	62
42	Competitive adsorption of Direct Yellow 12 and Reactive Orange 12 on ZnS:Mn nanoparticles loaded on activated carbon as novel adsorbent. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 564-571.	5.8	58
43	Experimental design for simultaneous analysis of malachite green and methylene blue; derivative spectrophotometry and principal component-artificial neural network. <i>RSC Advances</i> , 2015, 5, 38939-38947.	3.6	58
44	Cobalt terephthalate MOF-templated synthesis of porous nano-crystalline Co <sub>3</sub> O <sub>4</sub> by the new indirect solid state thermolysis as cathode material of asymmetric supercapacitor. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2017, 94, 158-166.	2.7	58
45	Ti-Based Solid-State Imprinted-Cu <sub>2</sub> O/CuInSe <sub>2</sub> Heterojunction Photoelectrochemical platform for Highly Selective Dopamine Monitoring. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 128824.	7.8	58
46	Ionic liquid-based ordered mesoporous organosilica-supported copper as a novel and efficient nanocatalyst for the one-pot synthesis of Biginelli products. <i>Microporous and Mesoporous Materials</i> , 2015, 204, 269-275.	4.4	54
47	Synthesis of regenerable Zn(OH) <sub>2</sub> nanoparticle-loaded activated carbon for the ultrasound-assisted removal of malachite green: optimization, isotherm and kinetics. <i>RSC Advances</i> , 2015, 5, 79119-79128.	3.6	53
48	Characterization of Au nano-cluster formation on and diffusion in polystyrene using XPS peak shape analysis. <i>Surface Science</i> , 2007, 601, 3261-3267.	1.9	50
49	Noise reduction procedures applied to XPS imaging of depth distribution of atoms on the nanoscale. <i>Surface Science</i> , 2008, 602, 3064-3070.	1.9	50
50	Highly selective few-ppm NO gas-sensing based on necklace-like nanofibers of ZnO/CdO n-n type I heterojunction. <i>Sensors and Actuators B: Chemical</i> , 2019, 297, 126774.	7.8	50
51	Fabrication of hybrid supercapacitor based on rod-like HKUST-1@polyaniline as cathode and reduced graphene oxide as anode. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018, 99, 16-23.	2.7	49
52	Sensitive, selective and rapid ammonia-sensing by gold nanoparticle-sensitized V <sub>2</sub> O <sub>5</sub> /CuWO <sub>4</sub> heterojunctions for exhaled breath analysis. <i>Applied Surface Science</i> , 2020, 501, 144270.	6.1	49
53	Nano-sized molecularly imprinted polymer for selective ultrasound-assisted microextraction of pesticide Carbaryl from water samples: Spectrophotometric determination. <i>Journal of Colloid and Interface Science</i> , 2017, 498, 313-322.	9.4	47
54	Validity of Yubero-Tougaard theory to quantitatively determine the dielectric properties of surface nanofilms. <i>Physical Review B</i> , 2008, 77, .	3.2	46

#	ARTICLE	IF	CITATIONS
55	Preparation of Iodide Selective Carbon Paste Electrode with Modified Carbon Nanotubes by Potentiometric Method and Effect of CuS@NPs on Its Response. <i>Electroanalysis</i> , 2015, 27, 1516-1522.	2.9	46
56	Application of high order derivative spectrophotometry to resolve the spectra overlap between BG and MB for the simultaneous determination of them: Ruthenium nanoparticle loaded activated carbon as adsorbent. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 2421-2427.	5.8	45
57	XPS for non-destructive depth profiling and 3D imaging of surface nanostructures. <i>Analytical and Bioanalytical Chemistry</i> , 2010, 396, 2741-2755.	3.7	42
58	A novel polyvinyl chloride-membrane optical sensor for the determination of Cu <sup>2+</sup> ion based on synthesized (N <sup>1</sup> E,N <sup>2</sup> E)-N <sup>1</sup> ,N <sup>2</sup> -bis(pyridine-2-ylmethylene)oxalohydrazide: Experimental design and optimization. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 138, 878-884.	3.9	37
59	Removal of methyl orange by multiwall carbon nanotube accelerated by ultrasound devise: Optimized experimental design. <i>Advanced Powder Technology</i> , 2015, 26, 1087-1093.	4.1	36
60	Highly selective MXene/V <sub>2</sub> O <sub>5</sub> /CuWO <sub>4</sub> -based ultra-sensitive room temperature ammonia sensor. <i>Journal of Hazardous Materials</i> , 2021, 416, 126196.	12.4	36
61	Molecular Imprinted Poly(2,5-benzimidazole)-Modified VO <sub>2</sub> @CuWO <sub>4</sub> Homotype Heterojunction for Photoelectrochemical Dopamine Sensing. <i>Analytical Chemistry</i> , 2022, 94, 6781-6790.	6.5	35
62	Design and construction of ZIF(8 and 67) supported Fe <sub>3</sub> O <sub>4</sub> composite as advanced materials of high performance supercapacitor. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2021, 126, 114442.	2.7	32
63	XPS imaging of depth profiles and amount of substance based on Tougaard's algorithm. <i>Surface Science</i> , 2006, 600, 3015-3021.	1.9	29
64	A novel PVC-membrane optical sensor for high sensitive and selective determination of Cu <sup>2+</sup> ion based on synthesized (E)-N <sup>1</sup> -(pyridin-2-ylmethylene)isonicotin-ohydrazide. <i>Journal of Molecular Liquids</i> , 2014, 199, 483-488.	4.9	29
65	Efficient adsorption of Europhtal onto activated carbon modified with ligands (1E,2E)-1,2-bis(pyridin-4-ylmethylene)hydrazine (M) and (1E,2E)-1,2-bis(pyridin-3-ylmethylene)hydrazine (SCH-4); response surface methodology. <i>RSC Advances</i> , 2015, 5, 42376-42387.	3.6	26
66	Removal of methylene blue from aqueous solution by walnut carbon: optimization using response surface methodology. <i>Desalination and Water Treatment</i> , 2016, 57, 3179-3193.	1.0	25
67	Nondestructive quantitative XPS imaging of depth distribution of atoms on the nanoscale. <i>Surface and Interface Analysis</i> , 2008, 40, 688-691.	1.8	23
68	Simultaneous extraction and preconcentration of Cu <sup>2+</sup> , Ni <sup>2+</sup> and Zn <sup>2+</sup> ions using Ag nanoparticle-loaded activated carbon: Response surface methodology. <i>Advanced Powder Technology</i> , 2016, 27, 426-435.	4.1	23
69	In-situ growth of ultrathin Ni <sub>6</sub> MnO <sub>8</sub> nanosheets on nickel foam as a binder-free positive electrode for asymmetric supercapacitor: Effects of alkaline aqueous and redox additive electrolytes. <i>Journal of Molecular Liquids</i> , 2017, 244, 269-278.	4.9	23
70	One-pot electrochemical growth of sponge-like polyaniline-intercalated phosphorous-doped graphene oxide on nickel foam as binder-free electrode material of supercapacitor. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2018, 100, 45-53.	2.7	23
71	SnO <sub>2</sub> nanoparticle-loaded activated carbon for simultaneous removal of Acid Yellow 41 and Sunset Yellow; derivative spectrophotometric, artificial neural network and optimization approach. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 150, 1002-1012.	3.9	21
72	A new silver (I) ions optical sensor based on nanoporous thin films of sol-gel by rose bengal dye. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 20-29.	7.8	21

#	ARTICLE	IF	CITATIONS
73	High-rate supercapacitor based on NiCo-MOF-derived porous NiCoP for efficient energy storage. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 13117-13128.	2.2	19
74	Synthesis and characterization of antibacterial chromium iron oxide nanoparticle-loaded activated carbon for ultrasound-assisted wastewater treatment. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3981.	3.5	18
75	S-scheme NIR-edge Ag <sub>3</sub> CuS <sub>2</sub> /VO <sub>2</sub> heterostructure for photo-oxidation/reduction of methylene blue/Cr(VI). <i>Applied Surface Science</i> , 2022, 590, 153118.	6.1	18
76	Reducing thermal contact resistance using nanocoating. <i>Applied Thermal Engineering</i> , 2014, 70, 641-646.	6.0	16
77	Non-Destructive Depth Profiling by XPS Peak Shape Analysis. <i>Journal of Surface Analysis (Online)</i> , 2009, 15, 220-224.	0.1	15
78	Synthesis and electrochemical properties of Mg-doped chromium-based metal organic framework/reduced graphene oxide composite for supercapacitor application. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 8421-8430.	2.2	14
79	Colorimetric determination of F-, Br- and I- ions by Ehrlich's bio-reagent oxidation over enzyme mimic like gold nanoparticles: Peroxidase-like activity and multivariate optimization. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 226, 117606.	3.9	14
80	Reflection electron energy loss spectroscopy as efficient technique for the determination of optical properties of polystyrene intermixed with gold nanoparticles. <i>Applied Surface Science</i> , 2017, 392, 697-700.	6.1	13
81	Hierarchical Fe <sub>2</sub> O <sub>3</sub> /Na <sub>2</sub> WO <sub>4</sub> Nanofibers Supported on Conductive Carbon Cloth as a High-Performance Supercapacitor. <i>Energy &amp; Fuels</i> , 2021, 35, 11551-11562.	5.1	13
82	Schiff Base Impregnated Plasticized Polyvinyl Chloride Optical Sensor for Selective and Efficient Detection of Copper (II) Ion: Central Composite Design. <i>IEEE Sensors Journal</i> , 2015, 15, 6604-6610.	4.7	11
83	Simultaneous removal of Cu <sup>2+</sup> and Cr <sup>3+</sup> ions from aqueous solution based on Complexation with Eriochrome cyanine-R and derivative spectrophotometric method. <i>Applied Organometallic Chemistry</i> , 2018, 32, e3918.	3.5	11
84	Impact of silver incorporation on cobalt rich 3-D porous carbon arising from solid state thermolysis of ZIF-67 as a pseudocapacitor electrode: Improvement of diffusion-controlled charge storage. <i>Solid State Ionics</i> , 2021, 368, 115697.	2.7	10
85	Determination of electronic properties of nanostructures using reflection electron energy loss spectroscopy: Nano-metalized polymer as case study. <i>Applied Surface Science</i> , 2016, 377, 44-47.	6.1	9
86	Surfactant-directed one-pot preparation of novel Ti-containing mesomaterial with improved catalytic activity and reusability. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4471.	3.5	9
87	Comparative studies on electrochemical energy storage of NiFe-S nanoflake and NiFe-OH towards aqueous supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 4499-4510.	2.2	8
88	Improvement in the performance of a zinc ion-selective potentiometric sensor using modified core/shell Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticles. <i>RSC Advances</i> , 2015, 5, 105925-105933.	3.6	7
89	Electrophoretic deposition of mixed copper oxide/GO as cathode and N-doped GO as anode for electrochemical energy storage. <i>Electrochimica Acta</i> , 2018, 268, 392-402.	5.2	7
90	Ru-containing magnetic yolk-shell structured nanocomposite: a powerful, recoverable and highly durable nanocatalyst. <i>RSC Advances</i> , 2021, 11, 10243-10252.	3.6	6

#	ARTICLE	IF	CITATIONS
91	Three-Dimensional X-Ray Photoelectron Tomography on the Nanoscale: Limits of Data Processing by Principal Component Analysis. <i>Microscopy and Microanalysis</i> , 2013, 19, 751-760.	0.4	5
92	Photocatalytic degradation of disulfine blue using titanium dioxide nanoparticles under ultraviolet light irradiation: A response surface methodology approach. <i>Environmental Progress and Sustainable Energy</i> , 2016, 35, 1657-1663.	2.3	5
93	Morphology control of Ni doped rod like MIL-88A derived FeS <sub>2</sub> embedded in nitrogen-rich carbon as an efficient electrocatalyst for the oxygen reduction reaction. <i>Journal of Molecular Structure</i> , 2021, 1237, 130329.	3.6	5
94	Synthesis of rod-like ternary Cu(Cd)-In-S and quaternary Cu-Cd-In-S by controlled ion exchange of MIL-68(In) derived indium sulfide for high energy-storage capacitor. <i>Synthetic Metals</i> , 2021, 278, 116815.	3.9	5
95	Co-electrophoretic deposition of Mn <sub>2</sub> O <sub>3</sub> /activated carbon on CuO nanowire array growth on copper foam as a binder-free electrode for high-performance supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 27268-27278.	2.2	4
96	Investigation on the dielectric properties of titanium-loaded ionic liquid-based nano-organosilica as a novel material. <i>Advanced Powder Technology</i> , 2018, 29, 813-817.	4.1	1