

Pengbo Wan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1522628/publications.pdf>

Version: 2024-02-01

59
papers

9,076
citations

57752
44
h-index

133244
59
g-index

61
all docs

61
docs citations

61
times ranked

9861
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Flexible multiresponse-actuated nacre-like MXene nanocomposite for wearable human-machine interfacing. <i>Matter</i> , 2022, 5, 3417-3431. | 10.0 | 34 |
| 2 | Healable, Degradable, and Conductive MXene Nanocomposite Hydrogel for Multifunctional Epidermal Sensors. <i>ACS Nano</i> , 2021, 15, 7765-7773. | 14.6 | 259 |
| 3 | Flexible MXene-Based Composites for Wearable Devices. <i>Advanced Functional Materials</i> , 2021, 31, 2009524. | 14.9 | 280 |
| 4 | Environment Tolerant Conductive Nanocomposite Organohydrogels as Flexible Strain Sensors and Power Sources for Sustainable Electronics. <i>Advanced Functional Materials</i> , 2021, 31, 2101696. | 14.9 | 179 |
| 5 | Breathable $\text{Ti}_3\text{C}_2\text{T}_x$ MXene/Protein Nanocomposites for Ultrasensitive Medical Pressure Sensor with Degradability in Solvents. <i>ACS Nano</i> , 2021, 15, 9746-9758. | 14.6 | 198 |
| 6 | Bioinspired stiff yet tough healable nanocomposites: From molecular design to structural processing. <i>Matter</i> , 2021, 4, 2108-2111. | 10.0 | 3 |
| 7 | MXene hydrogel for wearable electronics. <i>Matter</i> , 2021, 4, 2655-2658. | 10.0 | 82 |
| 8 | A wearable, self-adhesive, long-lastingly moist and healable epidermal sensor assembled from conductive MXene nanocomposites. <i>Journal of Materials Chemistry C</i> , 2020, 8, 1788-1795. | 5.5 | 91 |
| 9 | Multiresponsive MXene ($\text{Ti}_3\text{C}_2\text{T}_x$)-Decorated Textiles for Wearable Thermal Management and Human Motion Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 34226-34234. | 8.0 | 106 |
| 10 | Wearable MXene nanocomposites-based strain sensor with tile-like stacked hierarchical microstructure for broad-range ultrasensitive sensing. <i>Nano Energy</i> , 2020, 78, 105187. | 16.0 | 140 |
| 11 | Polymer nanocomposite meshes for flexible electronic devices. <i>Progress in Polymer Science</i> , 2020, 107, 101279. | 24.7 | 119 |
| 12 | A wearable breathable pressure sensor from metal-organic framework derived nanocomposites for highly sensitive broad-range healthcare monitoring. <i>Nano Energy</i> , 2020, 70, 104560. | 16.0 | 118 |
| 13 | Conductive MXene Nanocomposite Organohydrogel for Flexible, Healable, Low-Temperature Tolerant Strain Sensors. <i>Advanced Functional Materials</i> , 2019, 29, 1904507. | 14.9 | 560 |
| 14 | Wearable, Antifreezing, and Healable Epidermal Sensor Assembled from Long-Lasting Moist Conductive Nanocomposite Organohydrogel. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 41701-41709. | 8.0 | 94 |
| 15 | Flexible 3D Porous MXene Foam for High-Performance Lithium-Ion Batteries. <i>Small</i> , 2019, 15, e1904293. | 10.0 | 204 |
| 16 | Ultrathin and Flexible CNTs/MXene/Cellulose Nanofibrils Composite Paper for Electromagnetic Interference Shielding. <i>Nano-Micro Letters</i> , 2019, 11, 72. | 27.0 | 276 |
| 17 | Anisotropic Polyaniline/SWCNT Composite Films Prepared by in Situ Electropolymerization on Highly Oriented Polyethylene for High-Efficiency Ammonia Sensor. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 38169-38176. | 8.0 | 30 |
| 18 | A Wearable Transient Pressure Sensor Made with MXene Nanosheets for Sensitive Broad-Range Human-Machine Interfacing. <i>Nano Letters</i> , 2019, 19, 1143-1150. | 9.1 | 538 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Flexible Breathable Nanomesh Electronic Devices for On-Demand Therapy. <i>Advanced Functional Materials</i> , 2019, 29, 1902127. | 14.9 | 108 |
| 20 | Polyvinyl Alcohol-Stabilized Liquid Metal Hydrogel for Wearable Transient Epidermal Sensors. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 47358-47364. | 8.0 | 148 |
| 21 | Multifunctional cellulose-based hydrogels for biomedical applications. <i>Journal of Materials Chemistry B</i> , 2019, 7, 1541-1562. | 5.8 | 172 |
| 22 | A Flexible Stretchable Hydrogel Electrolyte for Healable All-in-One Configured Supercapacitors. <i>Small</i> , 2018, 14, e1704497. | 10.0 | 230 |
| 23 | Mussel-Inspired Cellulose Nanocomposite Tough Hydrogels with Synergistic Self-Healing, Adhesive, and Strain-Sensitive Properties. <i>Chemistry of Materials</i> , 2018, 30, 3110-3121. | 6.7 | 627 |
| 24 | A Flexible Wearable Pressure Sensor with Bioinspired Microcrack and Interlocking for Full-Range Human-Machine Interfacing. <i>Small</i> , 2018, 14, e1803018. | 10.0 | 156 |
| 25 | Healable Transparent Electronic Devices. <i>Advanced Functional Materials</i> , 2017, 27, 1606339. | 14.9 | 118 |
| 26 | Flexible Transparent Supercapacitors Based on Hierarchical Nanocomposite Films. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 17865-17871. | 8.0 | 80 |
| 27 | A flexible transparent colorimetric wrist strap sensor. <i>Nanoscale</i> , 2017, 9, 869-874. | 5.6 | 104 |
| 28 | Flexible polyaniline/carbon nanotube nanocomposite film-based electronic gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2017, 244, 47-53. | 7.8 | 149 |
| 29 | Stretchable Electronic Sensors of Nanocomposite Network Films for Ultrasensitive Chemical Vapor Sensing. <i>Small</i> , 2017, 13, 1701697. | 10.0 | 70 |
| 30 | Wearable, Healable, and Adhesive Epidermal Sensors Assembled from Mussel-Inspired Conductive Hybrid Hydrogel Framework. <i>Advanced Functional Materials</i> , 2017, 27, 1703852. | 14.9 | 617 |
| 31 | Ultrasensitive Wearable Soft Strain Sensors of Conductive, Self-healing, and Elastic Hydrogels with Synergistic "Soft and Hard"-Hybrid Networks. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 25559-25570. | 8.0 | 437 |
| 32 | Sulfophenyl-Functionalized Reduced Graphene Oxide Networks on Electrospun 3D Scaffold for Ultrasensitive NO ₂ Gas Sensor. <i>Sensors</i> , 2017, 17, 2954. | 3.8 | 18 |
| 33 | Flexible Transparent Electronic Gas Sensors. <i>Small</i> , 2016, 12, 3748-3756. | 10.0 | 234 |
| 34 | Probing the seeded protocol for high-concentration preparation of silver nanowires. <i>Nano Research</i> , 2016, 9, 1532-1542. | 10.4 | 25 |
| 35 | Hierarchical graphene-polyaniline nanocomposite films for high-performance flexible electronic gas sensors. <i>Nanoscale</i> , 2016, 8, 12073-12080. | 5.6 | 132 |
| 36 | Hierarchical mesoporous NiO nanoarrays with ultrahigh capacitance for aqueous hybrid supercapacitor. <i>Nano Energy</i> , 2016, 30, 831-839. | 16.0 | 183 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Flexible Room-Temperature Gas Sensors of Nanocomposite Network-Coated Papers. <i>ChemistrySelect</i> , 2016, 1, 2816-2820. | 1.5 | 10 |
| 38 | Wall-like hierarchical metal oxide nanosheet arrays grown on carbon cloth for excellent supercapacitor electrodes. <i>Nanoscale</i> , 2016, 8, 13273-13279. | 5.6 | 144 |
| 39 | High-Performance Water Electrolysis System with Double Nanostructured Superaerophobic Electrodes. <i>Small</i> , 2016, 12, 2492-2498. | 10.0 | 113 |
| 40 | Flexible Transparent Films Based on Nanocomposite Networks of Polyaniline and Carbon Nanotubes for High-Performance Gas Sensing. <i>Small</i> , 2015, 11, 5409-5415. | 10.0 | 225 |
| 41 | Healable, Transparent, Room-Temperature Electronic Sensors Based on Carbon Nanotube Network-Coated Polyelectrolyte Multilayers. <i>Small</i> , 2015, 11, 5807-5813. | 10.0 | 151 |
| 42 | Under-Water Superaerophobic Pine-Shaped Pt Nanoarray Electrode for Ultrahigh-Performance Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2015, 25, 1737-1744. | 14.9 | 397 |
| 43 | A metallic CoS ₂ nanopyramid array grown on 3D carbon fiber paper as an excellent electrocatalyst for hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2015, 3, 6306-6310. | 10.3 | 145 |
| 44 | Amorphous Co-doped MoS ₂ nanosheet coated metallic CoS ₂ nanocubes as an excellent electrocatalyst for hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15020-15023. | 10.3 | 159 |
| 45 | Transparent Conducting Films of Hierarchically Nanostructured Polyaniline Networks on Flexible Substrates for High-Performance Gas Sensors. <i>Small</i> , 2015, 11, 306-310. | 10.0 | 133 |
| 46 | Bioelectrocatalysis: Graphene Carrier for Magneto-Controllable Bioelectrocatalysis (<i>Small</i> 4/2014). <i>Small</i> , 2014, 10, 646-646. | 10.0 | 0 |
| 47 | Stimuli-Responsive Supramolecular Interfaces for Controllable Bioelectrocatalysis. <i>ChemElectroChem</i> , 2014, 1, 1602-1612. | 3.4 | 32 |
| 48 | Graphene Carrier for Magneto-Controllable Bioelectrocatalysis. <i>Small</i> , 2014, 10, 647-652. | 10.0 | 20 |
| 49 | Highly Crystallized Cubic Catterite CoS ₂ for Electrochemically Hydrogen Evolution over Wide pH Range from 0 to 14. <i>Electrochimica Acta</i> , 2014, 148, 170-174. | 5.2 | 80 |
| 50 | A 3D Nanoporous Ni-Mo Electrocatalyst with Negligible Overpotential for Alkaline Hydrogen Evolution. <i>ChemElectroChem</i> , 2014, 1, 1089-1089. | 3.4 | 1 |
| 51 | Solvothermal synthesis of FeCo nanoparticles for magneto-controllable biocatalysis. <i>RSC Advances</i> , 2014, 4, 11136-11141. | 3.6 | 9 |
| 52 | A 3D Nanoporous Ni-Mo Electrocatalyst with Negligible Overpotential for Alkaline Hydrogen Evolution. <i>ChemElectroChem</i> , 2014, 1, 1138-1144. | 3.4 | 113 |
| 53 | Highly stable Ag-Au nanoplates and nanoframes for two-photon luminescence. <i>RSC Advances</i> , 2014, 4, 35263. | 3.6 | 14 |
| 54 | Host-guest chemistry at interface for photoswitchable bioelectrocatalysis. <i>Chemical Communications</i> , 2011, 47, 5994. | 4.1 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Combining Host-Guest Systems with Nonfouling Material for the Fabrication of a Biosurface: Toward Nearly Complete and Reversible Resistance of Cytochrome c. Langmuir, 2010, 26, 12515-12517. | 3.5 | 22 |
| 56 | Fabrication of Reactivated Biointerface for Dual-Controlled Reversible Immobilization of Cytochrome c. Advanced Materials, 2009, 21, 4362-4365. | 21.0 | 64 |
| 57 | Facile Reversible UV-Controlled and Fast Transition from Emulsion to Gel by Using a Photoresponsive Polymer with a Malachite Green Group. Langmuir, 2009, 25, 10134-10138. | 3.5 | 29 |
| 58 | Self-Assembled Monolayers of a Malachite Green Derivative: Surfaces with pH- and UV-Responsive Wetting Properties. Advanced Materials, 2008, 20, 1972-1977. | 21.0 | 80 |
| 59 | Tuning surface wettability through photocontrolled reversible molecular shuttle. Chemical Communications, 2008, , 5710. | 4.1 | 172 |