

Thomas Becker

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1522940/thomas-becker-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255 papers	6,387 citations	44 h-index	70 g-index
347 ext. papers	7,495 ext. citations	4.1 avg, IF	5.43 L-index

#	Paper	IF	Citations
255	The effectiveness of supported employment for people with severe mental illness: a randomised controlled trial. <i>Lancet, The</i> , 2007 , 370, 1146-52	4.0	423
254	Social networks and mental health service utilisation--a literature review. <i>International Journal of Social Psychiatry</i> , 1998 , 44, 248-66	8.5	203
253	Effect of feedback of treatment outcome in specialist mental healthcare: meta-analysis. <i>British Journal of Psychiatry</i> , 2009 , 195, 15-22	5.4	179
252	The impact of supported employment and working on clinical and social functioning: results of an international study of individual placement and support. <i>Schizophrenia Bulletin</i> , 2009 , 35, 949-58	1.3	166
251	Predictors of employment for people with severe mental illness: results of an international six-centre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 192, 224-31	5.4	150
250	The personal impact of schizophrenia in Europe. <i>Schizophrenia Research</i> , 2004 , 69, 125-32	3.6	147
249	Adherence therapy for people with schizophrenia. European multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 508-14	5.4	132
248	Quality of life in patients with schizophrenia in five European countries: the EPSILON study. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 283-92	6.5	127
247	Discharge planning in mental health care: a systematic review of the recent literature. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 1-9	6.5	122
246	Limits of meta-analysis: methylphenidate in the treatment of adult attention-deficit hyperactivity disorder. <i>Journal of Psychopharmacology</i> , 2009 , 23, 733-44	4.6	107
245	Depression in Parkinson's disease: brainstem midline alteration on transcranial sonography and magnetic resonance imaging. <i>Journal of Neurology</i> , 1999 , 246, 1186-93	5.5	98
244	Reduced echogenicity of brainstem raphe specific to unipolar depression: a transcranial color-coded real-time sonography study. <i>Biological Psychiatry</i> , 1995 , 38, 180-4	7.9	94
243	Do arachnoid cysts grow? A retrospective CT volumetric study. <i>Neuroradiology</i> , 1991 , 33, 341-5	3.2	94
242	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 42-54	6.5	89
241	Parkinson's disease and depression: evidence for an alteration of the basal limbic system detected by transcranial sonography. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 63, 590-6	5.5	83
240	Effects of implementation of psychiatric guidelines on provider performance and patient outcome: systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 420-33	6.5	78
239	Psychopathological long-term outcome of schizophrenia -- a review. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 173-82	6.5	76

238	Satisfaction with mental health services among people with schizophrenia in five European sites: results from the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 229-45	1.3	74
237	Agomelatine efficacy and acceptability revisited: systematic review and meta-analysis of published and unpublished randomised trials. <i>British Journal of Psychiatry</i> , 2013 , 203, 179-87	5.4	71
236	Peer support in mental health services. <i>Current Opinion in Psychiatry</i> , 2014 , 27, 276-81	4.9	70
235	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 355-62	2.2	70
234	The European perspective of psychiatric reform. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 8-14	6.5	70
233	Mental health care in Germany: current state and trends. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 92-103	5.1	68
232	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 370-9	6.5	68
231	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005 , 75, 107-17	3.6	67
230	People with schizophrenia in five countries: conceptual similarities and intercultural differences in family caregiving. <i>Schizophrenia Bulletin</i> , 2003 , 29, 573-86	1.3	66
229	Schizoaffective disorder--an ongoing challenge for psychiatric nosology. <i>European Psychiatry</i> , 2011 , 26, 159-65	6	65
228	Sex-specific differences in side effects of psychotropic drugs: genes or gender?. <i>Pharmacogenomics</i> , 2009 , 10, 1511-26	2.6	65
227	Health behavior in psychiatric in-patients compared with a German general population sample. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 242-8	6.5	65
226	The EPSILON study of schizophrenia in five European countries. Design and methodology for standardising outcome measures and comparing patterns of care and service costs. <i>British Journal of Psychiatry</i> , 1999 , 175, 514-21	5.4	63
225	Social networks and service use among representative cases of psychosis in south London. <i>British Journal of Psychiatry</i> , 1997 , 171, 15-9	5.4	62
224	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 287-90	2.2	62
223	Psychiatric services for people with severe mental illness across western Europe: what can be generalized from current knowledge about differences in provision, costs and outcomes of mental health care?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 9-16	6.5	61
222	Working with mental health problems: clients' experiences of IPS, vocational rehabilitation and employment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 961-70	4.5	60
221	Echogenicity of the brainstem raphe in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 1994 , 55, 75-84	2.9	59

220	Links between social network and quality of life: an epidemiologically representative study of psychotic patients in south London. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 1998 , 33, 229-304	4.5	58
219	Supported employment: cost-effectiveness across six European sites. <i>World Psychiatry</i> , 2013 , 12, 60-8	14.4	57
218	Basal limbic system alteration in major depression: a hypothesis supported by transcranial sonography and MRI findings. <i>International Journal of Neuropsychopharmacology</i> , 2001 , 4, 21-31	5.8	57
217	Larger topographical variance and decreased duration of brain electric microstates in depression. <i>Journal of Neural Transmission</i> , 1995 , 99, 213-22	4.3	56
216	Confirmation of reduced temporal limbic structure volume on magnetic resonance imaging in male patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 67, 135-43	2.9	54
215	Sex differences in the subjective tolerability of antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 521-6	1.7	51
214	A systematic review of duloxetine and venlafaxine in major depression, including unpublished data. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 247-65	6.5	50
213	Translation and cross-cultural adaptation of outcome measurements for schizophrenia. EPSILON Study 2. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s8-14	5.4	50
212	Community mental health teams: evidence or belief?. <i>British Journal of Psychiatry</i> , 1999 , 175, 508-13	5.4	48
211	The cross-sectional GRAS sample: a comprehensive phenotypical data collection of schizophrenic patients. <i>BMC Psychiatry</i> , 2010 , 10, 91	4.2	41
210	Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 69-79	5.1	39
209	Long-term effects of involuntary hospitalization on medication adherence, treatment engagement and perception of coercion. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1787-96	4.5	39
208	Neuroleptic malignant syndrome after clozapine plus carbamazepine. <i>Lancet, The</i> , 1988 , 2, 1500	4.0	38
207	Re-evaluation of the efficacy and tolerability of venlafaxine vs SSRI: meta-analysis. <i>Psychopharmacology</i> , 2008 , 196, 511-20; discussion 521-2	4.7	37
206	Impact of community mental health services on users'Social networks. PRISM Psychosis Study. 7. <i>British Journal of Psychiatry</i> , 1998 , 173, 404-8	5.4	36
205	Effects of polypharmacy on outcome in patients with schizophrenia in routine psychiatric treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 372-81	6.5	35
204	Provision of services for people with schizophrenia in five European regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 465-74	4.5	35
203	Is computerized tomography ventricular abnormality related to cycloid psychosis?. <i>Biological Psychiatry</i> , 1996 , 40, 1255-66	7.9	34

202	The evidence-practice gap in specialist mental healthcare: systematic review and meta-analysis of guideline implementation studies. <i>British Journal of Psychiatry</i> , 2017 , 210, 24-30	5.4	33
201	Actigraphic daytime activity is reduced in patients with cognitive impairment and apathy. <i>European Psychiatry</i> , 2013 , 28, 94-7	6	33
200	Psychiatric reform in Italy--how does it work in Piedmont?. <i>British Journal of Psychiatry</i> , 1985 , 147, 254-60	5.4	33
199	Therapeutic relationships in vocational rehabilitation: predicting good relationships for people with psychosis. <i>Psychiatry Research</i> , 2011 , 187, 68-73	9.9	32
198	The relationships between employment, clinical status, and psychiatric hospitalisation in patients with schizophrenia receiving either IPS or a conventional vocational rehabilitation programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1381-9	4.5	31
197	EPA guidance on the quality of mental health services. <i>European Psychiatry</i> , 2012 , 27, 87-113	6	31
196	SF-36 scales, and simple sums of scales, were reliable quality-of-life summaries for patients with schizophrenia. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 588-96	5.7	31
195	Psychiatric reform in Germany. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 104, 27-34	6.5	31
194	Main determinants of Global Assessment of Functioning score in schizophrenia: a European multicenter study. <i>Comprehensive Psychiatry</i> , 2005 , 46, 440-6	7.3	30
193	Needs-oriented discharge planning and monitoring for high utilisers of psychiatric services (NODPAM): design and methods. <i>BMC Health Services Research</i> , 2008 , 8, 152	2.9	29
192	Examining the cost effectiveness of interventions to promote the physical health of people with mental health problems: a systematic review. <i>BMC Public Health</i> , 2013 , 13, 787	4.1	28
191	Clinical decision making and outcome in routine care for people with severe mental illness (CEDAR): study protocol. <i>BMC Psychiatry</i> , 2010 , 10, 90	4.2	28
190	Needs and quality of life among patients with schizophrenia in five European centres: what is the impact of global functioning scores?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 628-34	4.5	28
189	Aims, outcome measures, study sites and patient sample. EPSILON Study 1. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s1-7	5.4	28
188	Schizophrenia, human rights and access to health care: A systematic search and review of judgements by the European Court of Human Rights. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 168-174	8.5	28
187	Postoperative neuroimaging of high-grade gliomas: comparison of transcranial sonography, magnetic resonance imaging, and computed tomography. <i>Neurosurgery</i> , 1999 , 44, 469-77; discussion 477-8	3.2	27
186	Needs-oriented discharge planning for high utilisers of psychiatric services: multicentre randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 181-92	5.1	26
185	MRI T2 relaxation times of brain regions in schizophrenic patients and control subjects. <i>Psychiatry Research - Neuroimaging</i> , 1997 , 75, 173-82	2.9	26

184	Macro-economic indicators and labour force participation of people with schizophrenia. <i>Journal of Mental Health</i> , 2007 , 16, 211-222	2.7	26
183	European network for promoting the physical health of residents in psychiatric and social care facilities (HELPS): background, aims and methods. <i>BMC Public Health</i> , 2009 , 9, 315	4.1	25
182	Evolving service interventions in Nunhead and Norwood. PRISM Psychosis Study. 2. <i>British Journal of Psychiatry</i> , 1998 , 173, 371-5	5.4	25
181	EPA guidance on how to improve the image of psychiatry and of the psychiatrist. <i>European Psychiatry</i> , 2015 , 30, 423-30	6	24
180	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 89-102	3.5	24
179	Treatment of schizoaffective disorder - a challenge for evidence-based psychiatry. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 22-32	6.5	24
178	Adherence to medication and quality of life in people with schizophrenia: results of a European multicenter study. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 746-52	1.8	24
177	Reform of psychiatric services in Germany: hospital staffing directive and commissioning of community care. <i>Psychiatric Bulletin</i> , 2004 , 28, 218-221		23
176	Implementation of a schizophrenia practice guideline: clinical results. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1299-306	4.6	23
175	Comparison of patient and clinician perspectives in the assessment of antipsychotic medication adherence. <i>Psychopathology</i> , 2009 , 42, 311-7	3.4	22
174	MRI findings in medial temporal lobe structures in schizophrenia. <i>European Neuropsychopharmacology</i> , 1990 , 1, 83-6	1.2	22
173	Implementation of treatment guidelines for specialist mental health care. <i>Cochrane Database of Systematic Reviews</i> , 2014 , CD009780		21
172	Course of adherence to medication and quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2009 , 165, 224-33	9.9	21
171	A longitudinal analysis of the impact of social and clinical characteristics on the costs of schizophrenia treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 351-60	6.5	21
170	Directed forgetting in schizophrenia: prefrontal memory and inhibition deficits. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 251-7	5.1	21
169	Cranial MRI and CT in patients with left atrial myxoma. <i>Neuroradiology</i> , 1992 , 34, 57-61	3.2	21
168	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings: The PsyCourse Study. <i>JAMA Psychiatry</i> , 2020 , 77, 523-533	14.5	21
167	Adherence styles of schizophrenia patients identified by a latent class analysis of the Medication Adherence Rating Scale (MARS): a six-month follow-up study. <i>Psychiatry Research</i> , 2012 , 200, 83-8	9.9	20

166	Needs for care of patients with schizophrenia and the consequences for their informal caregivers- results from the EPSILON multi centre study on schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 251-8	4.5	20
165	Implementation of treatment guidelines for specialist mental health care. <i>The Cochrane Library</i> , 2016 , 12, CD009780	5.2	20
164	The impact of non-adherence to medication in patients with schizophrenia on health, social care and societal costs. Analysis of the QUATRO study. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 61-70	5.1	19
163	Mental health services for parents affected by mental illness. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 362-8	4.9	19
162	Subtyping schizophrenia: A comparison of positive/negative and system-specific approaches. <i>Comprehensive Psychiatry</i> , 2015 , 61, 115-21	7.3	18
161	Rehospitalization risk of former voluntary and involuntary patients with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1719-27	4.5	18
160	Effect of medication-related factors on adherence in people with schizophrenia: a European multi-centre study. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 251-9		18
159	Musical hallucinations associated with post-thyroidectomy hypoparathyroidism and symmetric basal ganglia calcifications. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995 , 58, 763-4	5.5	17
158	Post partum blues: depressive disease or pseudoneurasthenic syndrome. <i>Journal of Affective Disorders</i> , 1992 , 25, 47-52	6.6	17
157	S3 guideline on psychosocial therapies in severe mental illness: evidence and recommendations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 173-88	5.1	16
156	Outcome management in in-patient psychiatric care. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 308-19	6.5	16
155	Therapeutic relationships: their specificity in predicting outcomes for people with psychosis using clinical and vocational services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 1187-93	4.5	16
154	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
153	Physical illness in psychiatric inpatients: comparison of patients with and without substance use disorders. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 757-64	8.5	15
152	Prefrontal cognitive deficits in patients with schizophrenia treated with atypical or conventional antipsychotics. <i>European Psychiatry</i> , 2005 , 20, 70-3	6	15
151	Subjective views of motherhood in women with mental illness from a sociological perspective. <i>Journal of Mental Health</i> , 2006 , 15, 449-460	2.7	15
150	Clinical and biochemical effects of the selective phosphodiesterase inhibitor rolipram in depressed inpatients controlled by determination of plasma level. <i>Pharmacopsychiatry</i> , 1988 , 21, 378-9	2	13
149	Neurological long-term follow-up in left atrial myxoma: are late complications frequent or rare?. <i>Journal of Neurology</i> , 1992 , 239, 170-4	5.5	12

148	Factor structure of the Bern Psychopathology Scale in a sample of patients with schizophrenia spectrum disorders. <i>European Psychiatry</i> , 2015 , 30, 880-4	6	11
147	Prognostic value of one-year course of symptoms of anxiety and depression in patients with coronary heart disease: Role of physical activity and unmet medical need. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1129-38	3.9	11
146	Effectiveness of antipsychotic maintenance therapy with quetiapine in comparison with risperidone and olanzapine in routine schizophrenia treatment: results of a prospective observational trial. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2012 , 262, 589-98	5.1	11
145	Effects of symptom reduction and psychotropic medication on cognitive impairment in depression. <i>Psychopathology</i> , 2009 , 42, 59-66	3.4	11
144	Development of multiple sclerosis in patient on long-term sulfasalazine. <i>Lancet, The</i> , 1990 , 335, 409-10	4.0	11
143	Psychosocial therapies in severe mental illness: update on evidence and recommendations. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 414-421	4.9	10
142	Psychosocial Reactions to Plagues in the Cultural History of Medicine: A Medical Humanities Approach. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 443-444	1.8	10
141	Effectiveness and efficiency of integrated mental health care programmes in Germany: study protocol of an observational controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 163	4.2	10
140	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
139	Attitudes towards patient gender among psychiatric hospital staff: results of a case study with focus groups. <i>Social Science and Medicine</i> , 2006 , 62, 1528-40	5.1	10
138	Identification of psychopathological course trajectories in schizophrenia. <i>Psychiatry Research</i> , 2014 , 215, 274-9	9.9	9
137	Implementation of treatment guidelines for specialist mental health care. <i>Schizophrenia Bulletin</i> , 2014 , 40, 737-9	1.3	9
136	Cultural diversity in physical diseases among patients with mental illnesses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 250-8	2.6	9
135	Diagnosis of adjustment disorder: reliability of its clinical use and long-term stability. <i>Psychopathology</i> , 2012 , 45, 305-9	3.4	9
134	Social networks and service utilisation in patients with severe mental illness. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , 1997 , 6, 113-25		9
133	Brain electrical activity in depression described by equivalent dipoles. <i>Journal of Affective Disorders</i> , 1993 , 28, 95-104	6.6	9
132	Routine outcome measures in Germany. <i>International Review of Psychiatry</i> , 2015 , 27, 329-37	3.6	8
131	Does one size really fit all? The effectiveness of a non-diagnosis-specific integrated mental health care program in Germany in a prospective, parallel-group controlled multi-centre trial. <i>BMC Psychiatry</i> , 2017 , 17, 283	4.2	8

130	Differences in the placebo response in duloxetine and venlafaxine trials. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 472-480	6.5	8
129	The attitudes of mental health professionals towards patientsRdesire for children. <i>BMC Medical Ethics</i> , 2014 , 15, 18	2.9	8
128	Psychotropic drug treatment, clinical characteristics and cognitive processing speed in patients with schizophrenia: results from the ELAN study. <i>Pharmacopsychiatry</i> , 2012 , 45, 138-45	2	8
127	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 73-9	2.2	8
126	Effectiveness of a WHO self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial.. <i>World Psychiatry</i> , 2022 , 21, 88-95	14.4	8
125	Text Message Feedback to Support Mindfulness Practice in People With Depressive Symptoms: A Pilot Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e59	5.5	8
124	User activity in a mobile phone intervention to assist mindfulness exercises in people with depressive symptoms. <i>Mental Health and Prevention</i> , 2016 , 4, 57-62	2.3	8
123	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019 , 9, 210	8.6	7
122	Mental health professionals view about the impact of male gender for the treatment of men with depression - a qualitative study. <i>BMC Psychiatry</i> , 2020 , 20, 276	4.2	7
121	Where are patients who have co-occurring mental and physical diseases located?. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 456-64	8.5	7
120	What can we learn from Chinese randomized controlled trials? A systematic review and meta-analysis of Chinese venlafaxine studies. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 194-200	1.7	7
119	Development of a set of schizophrenia quality indicators for integrated care. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 52-62		7
118	Area characteristics and admission rates of people with schizophrenia and affective disorders in a German rural catchment area. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 371-9	5.1	7
117	MRI white matter hyperintensity in neuroleptic malignant syndrome (NMS)--a clue to pathogenesis?. <i>Journal of Neural Transmission</i> , 1992 , 90, 151-9	4.3	7
116	The treatment of delirium tremens and of incomplete alcoholic delirium--a brief history. <i>Acta Psychiatrica Scandinavica</i> , 1986 , 329, 136-9	6.5	7
115	The EPSILON Study - a study of care for people with schizophrenia in five European centres. <i>World Psychiatry</i> , 2002 , 1, 45-7	14.4	7
114	Dimensional approaches to schizophrenia: A comparison of the Bern Psychopathology scale and the five-factor model of the Positive and Negative Syndrome Scale. <i>Psychiatry Research</i> , 2016 , 239, 284-90	9.9	6
113	A systematic review of Chinese randomized clinical trials of SSRI treatment of depression. <i>BMC Psychiatry</i> , 2014 , 14, 245	4.2	6

112	Psychosocial interventions in people with severe mental illness: a Bleulerian perspective. <i>Neuropsychobiology</i> , 2012 , 66, 70-5	4	6
111	Daily living: does this matter for people with mental illness?. <i>International Review of Psychiatry</i> , 2008 , 20, 492-7	3.6	6
110	Nimodipine and flunarizine in alcohol withdrawal: an open study. <i>Journal of Psychopharmacology</i> , 1992 , 6, 273-7	4.6	6
109	Lost in transition? Perceptions of health care among young people with mental health problems in Germany: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018 , 12, 41	6.8	6
108	Severe clinical events in 100 patients with schizophrenia: a retrospective clinical description using a system-specific psychopathological approach. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 1-8	2.3	5
107	Some methodological issues in neuroradiological research in psychiatry. <i>Journal of Neural Transmission</i> , 1995 , 99, 7-54	4.3	5
106	Psychometric Properties of the German Version of the Scale to Assess the Therapeutic Relationship in Community Mental Health Care (D-STAR). <i>European Journal of Psychological Assessment</i> , 2012 , 28, 255-261	2.2	5
105	Community care and management of schizophrenia. <i>Current Opinion in Psychiatry</i> , 1998 , 11, 49-54	4.9	5
104	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 210, 255-261	3.6	5
103	Predictors of help-seeking in unemployed people with mental health problems. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 543-547	8.5	4
102	Efficacy of a peer-led group program for unemployed people with mental health problems: Pilot randomized controlled trial. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 333-337	8.5	4
101	Effectiveness and cost-effectiveness of a community-based mental health care programme (GBV) for people with severe mental illness in Germany: study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 598	2.8	4
100	Effectiveness and cost-effectiveness of home treatment compared with inpatient care for patients with acute mental disorders in a rural catchment area in Germany. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 81-86	2.1	4
99	Psychopathological Symptoms Assessed by a System-Specific Approach Are Related to Global Functioning in Schizophrenic Disorders. <i>Psychopathology</i> , 2016 , 49, 77-82	3.4	4
98	Left hemispheric reductions of regional cerebral blood flow (rCBF) correlate with measures of dementia severity in patients with Alzheimer's disease: a SPECT study. <i>European Psychiatry</i> , 1996 , 11, 314-8	6	4
97	Neuroradiological findings in post partum psychiatric disorder. <i>European Psychiatry</i> , 1993 , 8, 105-107	6	4
96	Unspecific white matter lesions: prevalence, number and distribution in cranial MRI. <i>European Radiology</i> , 1992 , 2, 154	8	4
95	Brofaromine (CGP 11 305 A) in treatment of depression: biological estimation of plasma concentrations. <i>Pharmacopsychiatry</i> , 1990 , 23, 131-4	2	4

94	Course of health care costs before and after psychiatric inpatient treatment: patient-reported vs. administrative records. <i>International Journal of Health Policy and Management</i> , 2015 , 4, 153-60	2.5	4
93	Cost-effectiveness of mental health service systems in the European comparison 2004 , 189-201		4
92	Criminal victimization, cognitive social capital and mental health in an urban region in Germany: a path analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1565-1574	4.5	4
91	Lost in transition? Professional perspectives on transitional mental health services for young people in Germany: a qualitative study. <i>BMC Health Services Research</i> , 2018 , 18, 649	2.9	4
90	Masculinity norms and occupational role orientations in men treated for depression. <i>PLoS ONE</i> , 2020 , 15, e0233764	3.7	3
89	Psychopharmacologic treatment of in-patients with schizophrenia: comparing forensic and general psychiatry. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018 , 29, 1-15	0.9	3
88	Mental health nurses and psychiatrists' views on addressing parenthood issues among service users. <i>International Journal of Mental Health Nursing</i> , 2019 , 28, 425-435	3.8	3
87	Lilliputian and negative hallucinations in a patient with probable encephalomyelitis disseminata. <i>Psychopathology</i> , 1995 , 28, 65-9	3.4	3
86	Psychiatrische Rehabilitation im internationalen Vergleich und Forschungsentwicklung 2004 , 889-904		3
85	Systematic evaluation of the efficacy-effectiveness gap in the treatment of depression with venlafaxine and duloxetine. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 113-124	6.5	3
84	Rolle der Rehabilitation im Versorgungsspektrum psychischer Erkrankungen 2005 , 61-69		3
83	Die Prävention psychischer Erkrankungen und die Förderung psychischer Gesundheit 2006 , 443-472		3
82	Gemeindepsychiatrische Versorgung. <i>PSYCH Up2date</i> , 2015 , 9, 113-128	0.1	2
81	Implementation of the patient version of the evidence-based (S3) guideline for psychosocial interventions for patients with severe mental illness (IMPPETUS): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020 , 21, 275	2.8	2
80	Psychosis Is Mutable over Time: A Longitudinal Psychopathology Study. <i>Psychopathology</i> , 2018 , 51, 186-191	3.4	2
79	Cost-effectiveness of psychotropic polypharmacy in routine schizophrenia care. Results of the ELAN prospective observational trial. <i>Neurology Psychiatry and Brain Research</i> , 2018 , 30, 47-55	2.1	2
78	Rudolf Karl Freudenberg - from pioneer of insulin treatment to pioneering social psychiatrist. <i>History of Psychiatry</i> , 2000 , 11, 189-211	0.6	2
77	Disturbances of cerebrospinal fluid (CSF) circulation--neuropsychiatric symptoms and neuroradiological contribution. <i>Journal of Neural Transmission</i> , 1995 , 99, 79-88	4.3	2

76	White matter lesions in psychiatric patients: a retrospective MRI study. <i>European Radiology</i> , 1992 , 2, 244-246	2	
75	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021 , 11, 600	8.6	2
74	Evidence-based mental health services research. The contribution of some recent EU-funded projects 2004 , 173-187		2
73	Social justice is pivotal to mental health care. <i>Psychiatrische Praxis</i> , 2011 , 38,	0.1	2
72	EPA guidance on the quality of mental health services: A systematic meta-review and update of recommendations focusing on care coordination. <i>European Psychiatry</i> , 2020 , 63, e75	6	2
71	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1657-1667	4.5	2
70	40th birthday of the Italian Mental Health Law 180 - perception and reputation abroad, and a personal suggestion. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 314-318	5.1	2
69	Personal suffering and social criticism in T. S. Eliot's <i>The Waste Land</i> and A. Ginsberg's <i>Howl</i> : Implications for social psychiatry. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 672-678	8.5	1
68	Balancing care for patients at risk of death by suicide. <i>Lancet Psychiatry</i> , 2014 , 1, 98-9	23.3	1
67	Psychosoziale Therapien bei schweren psychischen Erkrankungen. <i>InFo Neurologie & Psychiatrie</i> , 2012 , 14, 38-46	0	1
66	Psychiatrische Akutbehandlung im gewohnten Umfeld. <i>Der Neurologe Und Psychiater</i> , 2013 , 14, 48-55	0	1
65	Outcome measurement in Germany		1
64	Regarding "Comprehensive analysis of remission (COMPARE) with venlafaxine versus SSRIs". <i>Biological Psychiatry</i> , 2009 , 66, e7; author reply e9-10	7.9	1
63	Family Needs, Children and Parenthood in People with Mental Illness. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
62	The conduct of successful multi-site EU collaborative research: the Epsilon Study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 2-5		1
61	Do musical hallucinations have a neurological cause?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995 , 59, 563-564	5.5	1
60	Ethische Implikationen der psychiatrischen Versorgungsforschung 2013 , 103-114		1
59	The corpus callosum in communicating and noncommunicating hydrocephalus 1995 , 37, 212		1

58	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2012 , 203-222		1
57	Schizophrenie [psychosoziale Therapie (ICD-10 F2) 2009 , 95-115		1
56	Patient-Rated Outcome Assessment With the German Version of the Outcome Questionnaire 45 in People With Severe Mental Illness. <i>European Journal of Psychological Assessment</i> , 2016 , 32, 273-282	2.2	1
55	To whose good? Directions and gaps in psychiatric research. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 1061-1067	8.5	1
54	Antidepressant treatment effects and country income: meta-regression analysis of individual participant data from duloxetine trials. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 277-287	6.5	1
53	Feasibility and Acceptability of Photographic Food Record, Food Diary and Weighed Food Record in People with Serious Mental Illness. <i>Nutrients</i> , 2021 , 13,	6.7	1
52	Complex interventions in mental health services research	131-144	1
51	Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany.. <i>Journal of Occupational Medicine and Toxicology</i> , 2022 , 17, 3	2.7	0
50	The evaluation of a physical health promotion intervention for people with severe mental illness receiving community based accommodational support: a mixed-method pilot study.. <i>BMC Psychiatry</i> , 2022 , 22, 6	4.2	0
49	Soziotherapie 2008 , 871-882		0
48	Kognition und Rehabilitation 2008 , 613-623		0
47	Versorgungsstrukturen in der Psychiatrie 2016 , 1-35		0
46	Versorgungsstrukturen in der Psychiatrie 2017 , 1285-1319		0
45	Psychiatry at the Heil- und Pflegeanstalt G�tzburg 1939�1945: The role of Ludwig Trieb, head of hospital administration during and after World War II. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 46-55	2.1	0
44	"The future� in the past". <i>Lancet Psychiatry,the</i> , 2017 , 4, 178-179	23.3	
43	Old man-young man: T.S.�Eliot� Gerontion and the problem of identity. <i>Neuropsychiatrie</i> , 2017 , 31, 32-38,5		
42	Langzeitbehandlung chronisch schizophrener Patienten. <i>PSYCH Up2date</i> , 2015 , 9, 89-100	0.1	
41	Trauma and mental health sequels require attention and integration in practical care. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 480-1	6.5	

40	Berufliche Rehabilitation bei schweren psychischen Erkrankungen. <i>Zentralblatt Fur Arbeitsmedizin, Arbeitsschutz Und Ergonomie</i> , 2014 , 64, 287-297	0.3
39	Treatment resistance in people with chronic mental disorders--core clinical issues, social inclusion and getting the balance right. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 320-1	6.5
38	The challenge of publishing clinically meaningful evidence. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 418-9	6.5
37	Many miles made and a long way to go. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 345-7	5.1
36	The effect of the psychosocial working environment on cognition and dementia. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 305-6	2.1
35	Schizophrenia quality indicators for integrated care - results from a feasibility study. <i>European Psychiatry</i> , 2011 , 26, 1422-1422	6
34	The helps toolkit - a tool to promote the physical health of residents in psychiatric facilities across Europe. <i>European Psychiatry</i> , 2011 , 26, 587-587	6
33	Efficacy of an internet delivered intervention strategy for recurrent depression: A multi-center randomized controlled trial. <i>European Psychiatry</i> , 2011 , 26, 2208-2208	6
32	Experience base and system context in mental health care reform. <i>World Psychiatry</i> , 2008 , 7, 96-7	14.4
31	Psychiatrische Behandlung und Versorgung: Welche Dauer ist sinnvoll?. <i>PiD - Psychotherapie Im Dialog</i> , 2007 , 8, 139-143	0.2
30	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenie in fünf europäischen Zentren. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2002 , 10, 72-94	1.4
29	Developing a National Mental Health Policy. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 106, 468-468	6.5
28	Impact of antipsychotic medication on the cost of schizophrenia. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2005 , 5, 39-57	2.2
27	S02.02 Epsilon study of schizophrenia: Outcome measures, care and service costs. <i>European Psychiatry</i> , 2000 , 15, 215s-215s	6
26	S25.01 The epsilon study of schizophrenia in five European countries. <i>European Psychiatry</i> , 2000 , 15, 264s-264s	
25	MRI and CT in diencephalic lesions. <i>Psychiatry Research</i> , 1989 , 29, 285-6	9.9
24	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2019 , 169-183.e3	
23	Empfohlene psychosoziale Therapien bei schweren psychischen Erkrankungen. <i>InFo Neurologie & Psychiatrie</i> , 2020 , 22, 46-55	0

- 22 Hirnstamm-Raphe-Echogenität bei psychiatrischen Erkrankungen: Die transkranielle farbkodierte Duplex-Sonographie in der psychiatrischen Forschung **1996**, 685-687
- 21 Exkurs: Affektive Störungen bei Morbus Parkinson **1999**, 374-380
- 20 Psychosoziale Therapien **2015**, 1-12
- 19 Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation **2015**, 203-223
- 18 Rehabilitation und Versorgungssysteme **2016**, 197-212
- 17 Psychosoziale Therapien **2017**, 1193-1204
- 16 Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation **2009**, 237-261
- 15 Die Verwendung von Routinedaten in der Qualitätssicherung in Psychiatrie und Psychotherapie **2009**, 105-114
- 14 Psychosoziale Therapien **2011**, 1051-1064
- 13 Versorgungsstrukturen in der Psychiatrie **2011**, 1143-1175
- 12 Qualitätssicherung und psychiatrische Versorgungsforschung **2012**, 203-208
- 11 What should we do to promote a social perspective in psychiatry?. *Epidemiology and Psychiatric Sciences*, **2016**, 25, 530-531 5.1
- 10 Post-traumatic stress disorder, human rights and access to healthcare: an analysis of judgments of the European Court of Human Rights from an ethical perspective. *Högre Utbildning*, **2021**, 12, 1930704 5
- 9 Accepting the Incomprehensible: What Samuel Beckett Can Tell Psychiatrists Today. *Journal of Nervous and Mental Disease*, **2021**, 209, 697-701 1.8
- 8 The role of migration in mental healthcare: treatment satisfaction and utilization.. *BMC Psychiatry*, **2022**, 22, 116 4.2
- 7 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764
- 6 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764
- 5 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764

4 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764

3 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764

2 Masculinity norms and occupational role orientations in men treated for depression **2020**, 15, e0233764

1 The Cost-Effectiveness Analysis of an Integrated Mental Health Care Programme in Germany.
International Journal of Environmental Research and Public Health, **2022**, 19, 6814 4.6