Thomas Becker

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1522940/thomas-becker-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255
papers

6,387
citations

44
h-index

70
g-index

7,495
ext. papers

4.1
avg, IF

5.43
L-index

#	Paper	IF	Citations
255	Effectiveness of a WHO self-help psychological intervention for preventing mental disorders among Syrian refugees in Turkey: a randomized controlled trial <i>World Psychiatry</i> , 2022 , 21, 88-95	14.4	8
254	Predictors of competitive employment in individuals with severe mental illness: results from an observational, cross-sectional study in Germany <i>Journal of Occupational Medicine and Toxicology</i> , 2022 , 17, 3	2.7	0
253	The evaluation of a physical health promotion intervention for people with severe mental illness receiving community based accommodational support: a mixed-method pilot study <i>BMC Psychiatry</i> , 2022, 22, 6	4.2	O
252	The role of migration in mental healthcare: treatment satisfaction and utilization <i>BMC Psychiatry</i> , 2022 , 22, 116	4.2	
251	The Cost-Effectiveness Analysis of an Integrated Mental Health Care Programme in Germany. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6814	4.6	
250	Polygenic risk scores across the extended psychosis spectrum. <i>Translational Psychiatry</i> , 2021 , 11, 600	8.6	2
249	Systematic evaluation of the Refficacy-effectiveness gapRin the treatment of depression with venlafaxine and duloxetine. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 113-124	6.5	3
248	Employment status and desire for work in severe mental illness: results from an observational, cross-sectional study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1657-1667	4.5	2
247	To whose good? Directions and gaps in psychiatric research. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 1061-1067	8.5	1
246	Antidepressant treatment effects and country income: meta-regression analysis of individual participant data from duloxetine trials. <i>Acta Psychiatrica Scandinavica</i> , 2021 , 144, 277-287	6.5	1
245	Schizophrenia, human rights and access to health care: A systematic search and review of judgements by the European Court of Human Rights. <i>International Journal of Social Psychiatry</i> , 2021 , 67, 168-174	8.5	28
244	Criminal victimization, cognitive social capital and mental health in an urban region in Germany: a path analysis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 1565-1574	4.5	4
243	Post-traumatic stress disorder, human rights and access to healthcare: an analysis of judgments of the European Court of Human Rights from an ethical perspective. <i>Hgre Utbildning</i> , 2021 , 12, 1930704	5	
242	Feasibility and Acceptability of Photographic Food Record, Food Diary and Weighed Food Record in People with Serious Mental Illness. <i>Nutrients</i> , 2021 , 13,	6.7	1
241	Accepting the Incomprehensible: What Samuel Beckett Can Tell Psychiatrists Today. <i>Journal of Nervous and Mental Disease</i> , 2021 , 209, 697-701	1.8	
240	Psychosocial therapies in severe mental illness: update on evidence and recommendations. <i>Current Opinion in Psychiatry</i> , 2020 , 33, 414-421	4.9	10
239	Masculinity norms and occupational role orientations in men treated for depression. <i>PLoS ONE</i> , 2020 , 15, e0233764	3.7	3

238	Psychosocial Reactions to Plagues in the Cultural History of Medicine: A Medical Humanities Approach. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 443-444	1.8	10
237	Mental health professionals view about the impact of male gender for the treatment of men with depression - a qualitative study. <i>BMC Psychiatry</i> , 2020 , 20, 276	4.2	7
236	Implementation of the patient version of the evidence-based (S3) guideline for psychosocial interventions for patients with severe mental illness (IMPPETUS): study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2020 , 21, 275	2.8	2
235	Effectiveness and cost-effectiveness of a community-based mental health care programme (GBV) for people with severe mental illness in Germany: study protocol for a randomised controlled trial. <i>Trials</i> , 2020 , 21, 598	2.8	4
234	Empfohlene psychosoziale Therapien bei schweren psychischen Erkrankungen. <i>InFo Neurologie & Psychiatrie</i> , 2020 , 22, 46-55	O	
233	EPA guidance on the quality of mental health services: A systematic meta-review and update of recommendations focusing on care coordination. <i>European Psychiatry</i> , 2020 , 63, e75	6	2
232	An Investigation of Psychosis Subgroups With Prognostic Validation and Exploration of Genetic Underpinnings: The PsyCourse Study. <i>JAMA Psychiatry</i> , 2020 , 77, 523-533	14.5	21
231	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
230	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
229	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
228	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
227	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
226	Masculinity norms and occupational role orientations in men treated for depression 2020 , 15, e023376	54	
225	The genetic relationship between educational attainment and cognitive performance in major psychiatric disorders. <i>Translational Psychiatry</i> , 2019 , 9, 210	8.6	7
224	Predictors of help-seeking in unemployed people with mental health problems. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 543-547	8.5	4
223	Efficacy of a peer-led group program for unemployed people with mental health problems: Pilot randomized controlled trial. <i>International Journal of Social Psychiatry</i> , 2019 , 65, 333-337	8.5	4
222	A longitudinal approach to biological psychiatric research: The PsyCourse study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 89-102	3.5	24
221	Mental health nursesRand psychiatristsRviews on addressing parenthood issues among service users. <i>International Journal of Mental Health Nursing</i> , 2019 , 28, 425-435	3.8	3

220	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019 , 21, 68-75	3.8	15
219	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2019 , 169-183.e3		
218	The influence of religious activity and polygenic schizophrenia risk on religious delusions in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 210, 255-261	3.6	5
217	Differences in the placebo response in duloxetine and venlafaxine trials. <i>Acta Psychiatrica Scandinavica</i> , 2018 , 137, 472-480	6.5	8
216	Psychosis Is Mutable over Time: A Longitudinal Psychopathology Study. <i>Psychopathology</i> , 2018 , 51, 186-	-394	2
215	Psychopharmacologic treatment of in-patients with schizophrenia: comparing forensic and general psychiatry. <i>Journal of Forensic Psychiatry and Psychology</i> , 2018 , 29, 1-15	0.9	3
214	Severe clinical events in 100 patients with schizophrenia: a retrospective clinical description using a system-specific psychopathological approach. <i>Nordic Journal of Psychiatry</i> , 2018 , 72, 1-8	2.3	5
213	Cost-effectiveness of psychotropic polypharmacy in routine schizophrenia care. Results of the ELAN prospective observational trial. <i>Neurology Psychiatry and Brain Research</i> , 2018 , 30, 47-55	2.1	2
212	40th birthday of the Italian Mental Health Law 180 - perception and reputation abroad, and a personal suggestion. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 314-318	5.1	2
211	Lost in transition? Professional perspectives on transitional mental health services for young people in Germany: a qualitative study. <i>BMC Health Services Research</i> , 2018 , 18, 649	2.9	4
210	Lost in transition? Perceptions of health care among young people with mental health problems in Germany: a qualitative study. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2018 , 12, 41	6.8	6
209	"The futureß in the past". Lancet Psychiatry,the, 2017 , 4, 178-179	23.3	
208	Old man-young man: T.S.Œliot ® Gerontion and the problem of identity. <i>Neuropsychiatrie</i> , 2017 , 31, 32-3	8 3.5	
207	The evidence-practice gap in specialist mental healthcare: systematic review and meta-analysis of guideline implementation studies. <i>British Journal of Psychiatry</i> , 2017 , 210, 24-30	5.4	33
206	Does one size really fit all? The effectiveness of a non-diagnosis-specific integrated mental health care program in Germany in a prospective, parallel-group controlled multi-centre trial. <i>BMC Psychiatry</i> , 2017 , 17, 283	4.2	8
205	Text Message Feedback to Support Mindfulness Practice in People With Depressive Symptoms: A Pilot Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e59	5.5	8
204	Versorgungsstrukturen in der Psychiatrie 2017 , 1285-1319		0
203	Psychosoziale Therapien 2017 , 1193-1204		

(2015-2016)

202	Personal suffering and social criticism in T. S. Eliotß The Waste Land and A. Ginsbergß Howl: Implications for social psychiatry. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 672-678	8.5	1
201	Effectiveness and cost-effectiveness of home treatment compared with inpatient care for patients with acute mental disorders in a rural catchment area in Germany. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 81-86	2.1	4
200	Clinical decision making and outcome in the routine care of people with severe mental illness across Europe (CEDAR). <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 69-79	5.1	39
199	Dimensional approaches to schizophrenia: A comparison of the Bern Psychopathology scale and the five-factor model of the Positive and Negative Syndrome Scale. <i>Psychiatry Research</i> , 2016 , 239, 284-90	9.9	6
198	Psychopathological Symptoms Assessed by a System-Specific Approach Are Related to Global Functioning in Schizophrenic Disorders. <i>Psychopathology</i> , 2016 , 49, 77-82	3.4	4
197	Versorgungsstrukturen in der Psychiatrie 2016 , 1-35		O
196	Patient-Rated Outcome Assessment With the German Version of the Outcome Questionnaire 45 in People With Severe Mental Illness. <i>European Journal of Psychological Assessment</i> , 2016 , 32, 273-282	2.2	1
195	Rehabilitation und Versorgungssysteme 2016 , 197-212		
194	What should we do to promote a social perspective in psychiatry?. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 530-531	5.1	
193	Implementation of treatment guidelines for specialist mental health care. <i>The Cochrane Library</i> , 2016 , 12, CD009780	5.2	20
192	User activity in a mobile phone intervention to assist mindfulness exercises in people with depressive symptoms. <i>Mental Health and Prevention</i> , 2016 , 4, 57-62	2.3	8
191	Psychiatry at the Heil- und Pflegeanstalt Gfizburg 1939¶945: The role of Ludwig Trieb, head of hospital administration during and after World War II. <i>Neurology Psychiatry and Brain Research</i> , 2016 , 22, 46-55	2.1	O
190	EPA guidance on how to improve the image of psychiatry and of the psychiatrist. <i>European Psychiatry</i> , 2015 , 30, 423-30	6	24
189	Factor structure of the Bern Psychopathology Scale in a sample of patients with schizophrenia spectrum disorders. <i>European Psychiatry</i> , 2015 , 30, 880-4	6	11
188	Gemeindepsychiatrische Versorgung. <i>PSYCH Up2date</i> , 2015 , 9, 113-128	0.1	2
187	Langzeitbehandlung chronisch schizophrener Patienten. <i>PSYCH Up2date</i> , 2015 , 9, 89-100	0.1	
186	Routine outcome measures in Germany. International Review of Psychiatry, 2015, 27, 329-37	3.6	8
185	Subtyping schizophrenia: A comparison of positive/negative and system-specific approaches. <i>Comprehensive Psychiatry</i> , 2015 , 61, 115-21	7.3	18

184	The challenge of publishing clinically meaningful evidence. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 418-9	6.5	
183	Where are patients who have co-occurring mental and physical diseases located?. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 456-64	8.5	7
182	Prognostic value of one-year course of symptoms of anxiety and depression in patients with coronary heart disease: Role of physical activity and unmet medical need. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1129-38	3.9	11
181	S3 guideline on psychosocial therapies in severe mental illness: evidence and recommendations. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015 , 265, 173-88	5.1	16
180	Course of health care costs before and after psychiatric inpatient treatment: patient-reported vs. administrative records. <i>International Journal of Health Policy and Management</i> , 2015 , 4, 153-60	2.5	4
179	Psychosoziale Therapien 2015 , 1-12		
178	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2015 , 203-223		
177	Trauma and mental health sequels require attention and integration in practical care. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 480-1	6.5	
176	Berufliche Rehabilitation bei schweren psychischen Erkrankungen. Zentralblatt Fur Arbeitsmedizin, Arbeitsschutz Und Ergonomie, 2014 , 64, 287-297	0.3	
175	A systematic review of Chinese randomized clinical trials of SSRI treatment of depression. <i>BMC Psychiatry</i> , 2014 , 14, 245	4.2	6
174	Rehospitalization risk of former voluntary and involuntary patients with schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1719-27	4.5	18
173	Effectiveness and efficiency of integrated mental health care programmes in Germany: study protocol of an observational controlled trial. <i>BMC Psychiatry</i> , 2014 , 14, 163	4.2	10
172	The attitudes of mental health professionals towards patientsRdesire for children. <i>BMC Medical Ethics</i> , 2014 , 15, 18	2.9	8
171	Balancing care for patients at risk of death by suicide. <i>Lancet Psychiatry,the</i> , 2014 , 1, 98-9	23.3	1
170	Identification of psychopathological course trajectories in schizophrenia. <i>Psychiatry Research</i> , 2014 , 215, 274-9	9.9	9
169	Implementation of treatment guidelines for specialist mental health care. <i>Cochrane Database of Systematic Reviews</i> , 2014 , CD009780		21
168	Implementation of treatment guidelines for specialist mental health care. <i>Schizophrenia Bulletin</i> , 2014 , 40, 737-9	1.3	9
167	The impact of non-adherence to medication in patients with schizophrenia on health, social care and societal costs. Analysis of the QUATRO study. <i>Epidemiology and Psychiatric Sciences</i> , 2014 , 23, 61-7	0 ^{5.1}	19

166	Peer support in mental health services. Current Opinion in Psychiatry, 2014, 27, 276-81	4.9	70
165	Many miles made and a long way to go. Epidemiology and Psychiatric Sciences, 2014, 23, 345-7	5.1	
164	The effect of the psychosocial working environment on cognition and dementia. <i>Occupational and Environmental Medicine</i> , 2014 , 71, 305-6	2.1	
163	Psychopathological long-term outcome of schizophrenia a review. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 127, 173-82	6.5	76
162	Treatment resistance in people with chronic mental disorderscore clinical issues, social inclusion and getting the balance right. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 320-1	6.5	
161	The "DGPPN-Cohort": A national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 695-701	5.1	10
160	Examining the cost effectiveness of interventions to promote the physical health of people with mental health problems: a systematic review. <i>BMC Public Health</i> , 2013 , 13, 787	4.1	28
159	Agomelatine efficacy and acceptability revisited: systematic review and meta-analysis of published and unpublished randomised trials. <i>British Journal of Psychiatry</i> , 2013 , 203, 179-87	5.4	71
158	Actigraphic daytime activity is reduced in patients with cognitive impairment and apathy. <i>European Psychiatry</i> , 2013 , 28, 94-7	6	33
157	Long-term effects of involuntary hospitalization on medication adherence, treatment engagement and perception of coercion. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1787-96	4.5	39
156	Physical illness in psychiatric inpatients: comparison of patients with and without substance use disorders. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 757-64	8.5	15
155	Mental health services for parents affected by mental illness. <i>Current Opinion in Psychiatry</i> , 2013 , 26, 362-8	4.9	19
154	Cultural diversity in physical diseases among patients with mental illnesses. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 250-8	2.6	9
153	Supported employment: cost-effectiveness across six European sites. World Psychiatry, 2013 , 12, 60-8	14.4	57
152	Psychiatrische Akutbehandlung im gewohnten Umfeld. Der Neurologe Und Psychiater, 2013, 14, 48-55	О	1
151	Ethische Implikationen der psychiatrischen Versorgungsforschung 2013 , 103-114		1
150	Effects of polypharmacy on outcome in patients with schizophrenia in routine psychiatric treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 372-81	6.5	35
149	Effectiveness of antipsychotic maintenance therapy with quetiapine in comparison with risperidone and olanzapine in routine schizophrenia treatment: results of a prospective observational trial. European Archives of Psychiatry and Clinical Neuroscience, 2012, 262, 589-98	5.1	11

148	The relationships between employment, clinical status, and psychiatric hospitalisation in patients with schizophrenia receiving either IPS or a conventional vocational rehabilitation programme. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1381-9	4.5	31
147	EPA guidance on the quality of mental health services. <i>European Psychiatry</i> , 2012 , 27, 87-113	6	31
146	Adherence styles of schizophrenia patients identified by a latent class analysis of the Medication Adherence Rating Scale (MARS): a six-month follow-up study. <i>Psychiatry Research</i> , 2012 , 200, 83-8	9.9	20
145	Psychosocial interventions in people with severe mental illness: a Bleulerian perspective. <i>Neuropsychobiology</i> , 2012 , 66, 70-5	4	6
144	Psychosoziale Therapien bei schweren psychischen Erkrankungen. <i>InFo Neurologie & Psychiatrie</i> , 2012 , 14, 38-46	0	1
143	Psychotropic drug treatment, clinical characteristics and cognitive processing speed in patients with schizophrenia: results from the ELAN study. <i>Pharmacopsychiatry</i> , 2012 , 45, 138-45	2	8
142	Area characteristics and admission rates of people with schizophrenia and affective disorders in a German rural catchment area. <i>Epidemiology and Psychiatric Sciences</i> , 2012 , 21, 371-9	5.1	7
141	Diagnosis of adjustment disorder: reliability of its clinical use and long-term stability. <i>Psychopathology</i> , 2012 , 45, 305-9	3.4	9
140	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2012 , 203-222		1
139	Psychometric Properties of the German Version of the Scale to Assess the Therapeutic Relationship in Community Mental Health Care (D-STAR). <i>European Journal of Psychological Assessment</i> , 2012 , 28, 255-261	2.2	5
138	QualitEssicherung und psychiatrische Versorgungsforschung 2012 , 203-208		
137	Schizophrenia quality indicators for integrated care - results from a feasibility study. <i>European Psychiatry</i> , 2011 , 26, 1422-1422	6	
136	The helps toolkit - a tool to promote the physical health of residents in psychiatric facilities across Europe. <i>European Psychiatry</i> , 2011 , 26, 587-587	6	
135	Efficacy of an internet delivered intervention strategy for recurrent depression: A multi-center randomized controlled trial. <i>European Psychiatry</i> , 2011 , 26, 2208-2208	6	
134	Therapeutic relationships in vocational rehabilitation: predicting good relationships for people with psychosis. <i>Psychiatry Research</i> , 2011 , 187, 68-73	9.9	32
133	Schizoaffective disorderan ongoing challenge for psychiatric nosology. <i>European Psychiatry</i> , 2011 , 26, 159-65	6	65
132	What can we learn from Chinese randomized controlled trials? A systematic review and meta-analysis of Chinese venlafaxine studies. <i>Journal of Clinical Psychopharmacology</i> , 2011 , 31, 194-200	1.7	7
131	A systematic review of duloxetine and venlafaxine in major depression, including unpublished data. <i>Acta Psychiatrica Scandinavica</i> , 2011 , 123, 247-65	6.5	50

130	Needs-oriented discharge planning for high utilisers of psychiatric services: multicentre randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2011 , 20, 181-92	5.1	26
129	Social justice is pivotal to mental health care. <i>Psychiatrische Praxis</i> , 2011 , 38,	0.1	2
128	Psychosoziale Therapien 2011 , 1051-1064		
127	Versorgungsstrukturen in der Psychiatrie 2011 , 1143-1175		
126	Treatment of schizoaffective disorder - a challenge for evidence-based psychiatry. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 121, 22-32	6.5	24
125	Development of a set of schizophrenia quality indicators for integrated care. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 52-62		7
124	Effect of medication-related factors on adherence in people with schizophrenia: a European multi-centre study. <i>Epidemiologia E Psichiatria Sociale</i> , 2010 , 19, 251-9		18
123	Therapeutic relationships: their specificity in predicting outcomes for people with psychosis using clinical and vocational services. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2010 , 45, 1187-93	4.5	16
122	Clinical decision making and outcome in routine care for people with severe mental illness (CEDAR): study protocol. <i>BMC Psychiatry</i> , 2010 , 10, 90	4.2	28
121	The cross-sectional GRAS sample: a comprehensive phenotypical data collection of schizophrenic patients. <i>BMC Psychiatry</i> , 2010 , 10, 91	4.2	41
120	Effects of symptom reduction and psychotropic medication on cognitive impairment in depression. <i>Psychopathology</i> , 2009 , 42, 59-66	3.4	11
119	Comparison of patient and clinician perspectives in the assessment of antipsychotic medication adherence. <i>Psychopathology</i> , 2009 , 42, 311-7	3.4	22
118	The impact of supported employment and working on clinical and social functioning: results of an international study of individual placement and support. <i>Schizophrenia Bulletin</i> , 2009 , 35, 949-58	1.3	166
117	Limits of meta-analysis: methylphenidate in the treatment of adult attention-deficit hyperactivity disorder. <i>Journal of Psychopharmacology</i> , 2009 , 23, 733-44	4.6	107
116	European network for promoting the physical health of residents in psychiatric and social care facilities (HELPS): background, aims and methods. <i>BMC Public Health</i> , 2009 , 9, 315	4.1	25
115	Working with mental health problems: clientsRexperiences of IPS, vocational rehabilitation and employment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 961-70	4.5	60
114	Discharge planning in mental health care: a systematic review of the recent literature. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 1-9	6.5	122
113	Outcome management in in-patient psychiatric care. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 120, 308-19	6.5	16

112	Course of adherence to medication and quality of life in people with schizophrenia. <i>Psychiatry Research</i> , 2009 , 165, 224-33	9.9	21
111	Regarding "Comprehensive analysis of remission (COMPARE) with venlafaxine versus SSRIs". <i>Biological Psychiatry</i> , 2009 , 66, e7; authour reply e9-10	7.9	1
110	Family Needs, Children and Parenthood in People with Mental Illness. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	1
109	Sex-specific differences in side effects of psychotropic drugs: genes or gender?. <i>Pharmacogenomics</i> , 2009 , 10, 1511-26	2.6	65
108	Effect of feedback of treatment outcome in specialist mental healthcare: meta-analysis. <i>British Journal of Psychiatry</i> , 2009 , 195, 15-22	5.4	179
107	Schizophrenie [bsychosoziale Therapie (ICD-10 F2) 2009 , 95-115		1
106	Sozial- und Gemeindepsychiatrie, psychiatrisch-psychotherapeutische Rehabilitation 2009 , 237-261		
105	Die Verwendung von Routinedaten in der QualitEssicherung in Psychiatrie und Psychotherapie 2009 , 105-114		
104	Needs-oriented discharge planning and monitoring for high utilisers of psychiatric services (NODPAM): design and methods. <i>BMC Health Services Research</i> , 2008 , 8, 152	2.9	29
103	SF-36 scales, and simple sums of scales, were reliable quality-of-life summaries for patients with schizophrenia. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 588-96	5.7	31
102	Experience base and system context in mental health care reform. World Psychiatry, 2008, 7, 96-7	14.4	
101	Daily living: does this matter for people with mental illness?. <i>International Review of Psychiatry</i> , 2008 , 20, 492-7	3.6	6
100	Predictors of employment for people with severe mental illness: results of an international six-centre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2008 , 192, 224-31	5.4	150
99	Is the Defined Daily Dose system a reliable tool for standardizing antipsychotic dosages?. <i>International Clinical Psychopharmacology</i> , 2008 , 23, 287-90	2.2	62
98	Re-evaluation of the efficacy and tolerability of venlafaxine vs SSRI: meta-analysis. <i>Psychopharmacology</i> , 2008 , 196, 511-20; discussion 521-2	4.7	37
97	Implementation of a schizophrenia practice guideline: clinical results. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1299-306	4.6	23
96	Soziotherapie 2008 , 871-882		О
95	Kognition und Rehabilitation 2008 , 613-623		O

(2005-2007)

94	Macro-economic indicators and labour force participation of people with schizophrenia. <i>Journal of Mental Health</i> , 2007 , 16, 211-222	2.7	26
93	Effects of implementation of psychiatric guidelines on provider performance and patient outcome: systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2007 , 115, 420-33	6.5	78
92	Mental health care in Germany: current state and trends. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2007 , 257, 92-103	5.1	68
91	Psychiatrische Behandlung und Versorgung: Welche Dauer ist sinnvoll?. <i>PiD - Psychotherapie Im Dialog</i> , 2007 , 8, 139-143	0.2	
90	The effectiveness of supported employment for people with severe mental illness: a randomised controlled trial. <i>Lancet, The</i> , 2007 , 370, 1146-52	40	423
89	Attitudes towards patient gender among psychiatric hospital staff: results of a case study with focus groups. <i>Social Science and Medicine</i> , 2006 , 62, 1528-40	5.1	10
88	Subjective views of motherhood in women with mental illness (b) sociological perspective. <i>Journal of Mental Health</i> , 2006 , 15, 449-460	2.7	15
87	Persistence with polypharmacy and excessive dosing in patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 355-62	2.2	70
86	Adherence to medication and quality of life in people with schizophrenia: results of a European multicenter study. <i>Journal of Nervous and Mental Disease</i> , 2006 , 194, 746-52	1.8	24
85	Determinants of first- and second-generation antipsychotic drug use in clinically unstable patients with schizophrenia treated in four European countries. <i>International Clinical Psychopharmacology</i> , 2006 , 21, 73-9	2.2	8
84	Adherence therapy for people with schizophrenia. European multicentre randomised controlled trial. <i>British Journal of Psychiatry</i> , 2006 , 189, 508-14	5.4	132
83	Psychiatric services for people with severe mental illness across western Europe: what can be generalized from current knowledge about differences in provision, costs and outcomes of mental health care?. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 113, 9-16	6.5	61
82	Health behavior in psychiatric in-patients compared with a German general population sample. <i>Acta Psychiatrica Scandinavica</i> , 2006 , 114, 242-8	6.5	65
81	Die Pr⊠ention psychischer Erkrankungen und die FEderung psychischer Gesundheit 2006 , 443-472		3
80	Prefrontal cognitive deficits in patients with schizophrenia treated with atypical or conventional antipsychotics. <i>European Psychiatry</i> , 2005 , 20, 70-3	6	15
79	Main determinants of Global Assessment of Functioning score in schizophrenia: a European multicenter study. <i>Comprehensive Psychiatry</i> , 2005 , 46, 440-6	7-3	30
78	Factor solution of the BPRS-expanded version in schizophrenic outpatients living in five European countries. <i>Schizophrenia Research</i> , 2005 , 75, 107-17	3.6	67
77	Sex differences in the subjective tolerability of antipsychotic drugs. <i>Journal of Clinical Psychopharmacology</i> , 2005 , 25, 521-6	1.7	51

76	Needs and quality of life among patients with schizophrenia in five European centres: what is the impact of global functioning scores?. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 628-34	4.5	28
75	Directed forgetting in schizophrenia: prefrontal memory and inhibition deficits. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2005 , 255, 251-7	5.1	21
74	Impact of antipsychotic medication on the cost of schizophrenia. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2005 , 5, 39-57	2.2	
73	Rolle der Rehabilitation im Versorgungsspektrum psychischer Erkrankungen 2005 , 61-69		3
72	Needs for care of patients with schizophrenia and the consequences for their informal caregivers-results from the EPSILON multi centre study on schizophrenia. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2004 , 39, 251-8	4.5	20
71	The personal impact of schizophrenia in Europe. <i>Schizophrenia Research</i> , 2004 , 69, 125-32	3.6	147
70	Reform of psychiatric services in Germany: hospital staffing directive and commissioning of community care. <i>Psychiatric Bulletin</i> , 2004 , 28, 218-221		23
69	Psychiatrische Rehabilitation im internationalen Vergleich und Forschungsentwicklung 2004 , 889-904		3
68	Evidence-based mental health services research. The contribution of some recent EU-funded projects 2004 , 173-187		2
67	Cost-effectiveness of mental health service systems in the European comparison 2004 , 189-201		4
66	Satisfaction with mental health services among people with schizophrenia in five European sites: results from the EPSILON Study. <i>Schizophrenia Bulletin</i> , 2003 , 29, 229-45	1.3	74
65	People with schizophrenia in five countries: conceptual similarities and intercultural differences in family caregiving. <i>Schizophrenia Bulletin</i> , 2003 , 29, 573-86	1.3	66
64	A longitudinal analysis of the impact of social and clinical characteristics on the costs of schizophrenia treatment. <i>Acta Psychiatrica Scandinavica</i> , 2003 , 107, 351-60	6.5	21
63	Die EPSILON-Studie: Versorgung von Patienten mit Schizophrenic in f\(\textit{lf}\) f europ\(\textit{ls}\)chen Zentren. Zeitschrift Fur Gesundheitswissenschaften, 2002 , 10, 72-94	1.4	
62	Provision of services for people with schizophrenia in five European regions. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2002 , 37, 465-74	4.5	35
61	Quality of life in patients with schizophrenia in five European countries: the EPSILON study. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 283-92	6.5	127
60	Developing a National Mental Health Policy. Acta Psychiatrica Scandinavica, 2002, 106, 468-468	6.5	
59	Comparing patterns and costs of schizophrenia care in five European countries: the EPSILON study. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>Acta Psychiatrica Scandinavica</i> , 2002 , 105, 42-54	6.5	89

58	The conduct of successful multi-site EU collaborative research: the Epsilon Study. <i>Epidemiologia E Psichiatria Sociale</i> , 2002 , 11, 2-5		1
57	The EPSILON Study - a study of care for people with schizophrenia in five European centres. <i>World Psychiatry</i> , 2002 , 1, 45-7	14.4	7
56	Basal limbic system alteration in major depression: a hypothesis supported by transcranial sonography and MRI findings. <i>International Journal of Neuropsychopharmacology</i> , 2001 , 4, 21-31	5.8	57
55	A comparison of needs of patients with schizophrenia in five European countries: the EPSILON Study. <i>Acta Psychiatrica Scandinavica</i> , 2001 , 103, 370-9	6.5	68
54	The European perspective of psychiatric reform. Acta Psychiatrica Scandinavica, 2001, 104, 8-14	6.5	70
53	Psychiatric reform in Germany. Acta Psychiatrica Scandinavica, 2001, 104, 27-34	6.5	31
52	Aims, outcome measures, study sites and patient sample. EPSILON Study 1. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s1-7	5.4	28
51	Translation and cross-cultural adaptation of outcome measurements for schizophrenia. EPSILON Study 2. European Psychiatric Services: Inputs Linked to Outcome Domains and Needs. <i>British Journal of Psychiatry</i> , 2000 , s8-14	5.4	50
50	Rudolf Karl Freudenberg - from pioneer of insulin treatment to pioneering social psychiatrist. <i>History of Psychiatry</i> , 2000 , 11, 189-211	0.6	2
49	S02.02 Epsilon study of schizophrenia: Outcome measures, care and service costs. <i>European Psychiatry</i> , 2000 , 15, 215s-215s	6	
48	S25.01 The epsilon study of schizophrenia in five European countries. <i>European Psychiatry</i> , 2000 , 15, 26	54 6 -264	łs
47	Depression in Parkinsonß disease: brainstem midline alteration on transcranial sonography and magnetic resonance imaging. <i>Journal of Neurology</i> , 1999 , 246, 1186-93	5.5	98
47			98
	magnetic resonance imaging. <i>Journal of Neurology</i> , 1999 , 246, 1186-93 Postoperative neuroimaging of high-grade gliomas: comparison of transcranial sonography, magnetic resonance imaging, and computed tomography. <i>Neurosurgery</i> , 1999 , 44, 469-77;	5.5	
46	magnetic resonance imaging. <i>Journal of Neurology</i> , 1999 , 246, 1186-93 Postoperative neuroimaging of high-grade gliomas: comparison of transcranial sonography, magnetic resonance imaging, and computed tomography. <i>Neurosurgery</i> , 1999 , 44, 469-77; discussion 477-8 The EPSILON study of schizophrenia in five European countries. Design and methodology for standardising outcome measures and comparing patterns of care and service costs. <i>British Journal</i>	5.5 3.2	27
46 45	magnetic resonance imaging. <i>Journal of Neurology</i> , 1999 , 246, 1186-93 Postoperative neuroimaging of high-grade gliomas: comparison of transcranial sonography, magnetic resonance imaging, and computed tomography. <i>Neurosurgery</i> , 1999 , 44, 469-77; discussion 477-8 The EPSILON study of schizophrenia in five European countries. Design and methodology for standardising outcome measures and comparing patterns of care and service costs. <i>British Journal of Psychiatry</i> , 1999 , 175, 514-21	5.5 3.2 5.4	²⁷
46 45 44	Postoperative neuroimaging of high-grade gliomas: comparison of transcranial sonography, magnetic resonance imaging, and computed tomography. <i>Neurosurgery</i> , 1999 , 44, 469-77; discussion 477-8 The EPSILON study of schizophrenia in five European countries. Design and methodology for standardising outcome measures and comparing patterns of care and service costs. <i>British Journal of Psychiatry</i> , 1999 , 175, 514-21 Community mental health teams: evidence or belief?. <i>British Journal of Psychiatry</i> , 1999 , 175, 508-13	5.5 3.2 5.4	²⁷

40	Impact of community mental health services on usersRocial networks. PRiSM Psychosis Study. 7. <i>British Journal of Psychiatry</i> , 1998 , 173, 404-8	5.4	36
39	Evolving service interventions in Nunhead and Norwood. PRiSM Psychosis Study. 2. <i>British Journal of Psychiatry</i> , 1998 , 173, 371-5	5.4	25
38	Community care and management of schizophrenia. Current Opinion in Psychiatry, 1998, 11, 49-54	4.9	5
37	Parkinsonß disease and depression: evidence for an alteration of the basal limbic system detected by transcranial sonography. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1997 , 63, 590-6	5.5	83
36	Social networks and service utilisation in patients with severe mental illness. <i>Epidemiologia E Psichiatria Sociale Monograph Supplement</i> , 1997 , 6, 113-25		9
35	Social networks and service use among representative cases of psychosis in south London. <i>British Journal of Psychiatry</i> , 1997 , 171, 15-9	5.4	62
34	MRI T2 relaxation times of brain regions in schizophrenic patients and control subjects. <i>Psychiatry Research - Neuroimaging</i> , 1997 , 75, 173-82	2.9	26
33	Left hemispheric reductions of regional cerebral blood flow (rCBF) correlate with measures of dementia severity in patients with Alzheimer disease: a SPECT study. European Psychiatry, 1996, 11, 314-8	6	4
32	Is computerized tomography ventricular abnormality related to cycloid psychosis?. <i>Biological Psychiatry</i> , 1996 , 40, 1255-66	7.9	34
31	Confirmation of reduced temporal limbic structure volume on magnetic resonance imaging in male patients with schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 1996 , 67, 135-43	2.9	54
30	Hirnstamm-Raphe-Echogenitl bei psychiatrischen Erkrankungen: Die transkranielle farbkodierte Duplex-Sonographie in der psychiatrischen Forschung 1996 , 685-687		
29	Some methodological issues in neuroradiological research in psychiatry. <i>Journal of Neural Transmission</i> , 1995 , 99, 7-54	4.3	5
28	Disturbances of cerebrospinal fluid (CSF) circulationneuropsychiatric symptoms and neuroradiological contribution. <i>Journal of Neural Transmission</i> , 1995 , 99, 79-88	4.3	2
27	Larger topographical variance and decreased duration of brain electric microstates in depression. Journal of Neural Transmission, 1995 , 99, 213-22	4.3	56
26	Lilliputian and negative hallucinations in a patient with probable encephalomyelitis disseminata. <i>Psychopathology</i> , 1995 , 28, 65-9	3.4	3
25	Do musical hallucinations have a neurological cause?. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995 , 59, 563-564	5.5	1
24	Musical hallucinations associated with post-thyroidectomy hypoparathyroidism and symmetric basal ganglia calcifications. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 1995 , 58, 763-4	5.5	17
23	Reduced echogenicity of brainstem raphe specific to unipolar depression: a transcranial color-coded real-time sonography study. <i>Biological Psychiatry</i> , 1995 , 38, 180-4	7.9	94

22	The corpus callosum in communicating and noncommunicating hydrocephalus 1995, 37, 212		1
21	Echogenicity of the brainstem raphe in patients with major depression. <i>Psychiatry Research - Neuroimaging</i> , 1994 , 55, 75-84	2.9	59
20	Brain electrical activity in depression described by equivalent dipoles. <i>Journal of Affective Disorders</i> , 1993 , 28, 95-104	6.6	9
19	Neuroradiological findings in post partum psychiatric disorder. <i>European Psychiatry</i> , 1993 , 8, 105-107	6	4
18	Nimodipine and flunarizine in alcohol withdrawal: an open study. <i>Journal of Psychopharmacology</i> , 1992 , 6, 273-7	4.6	6
17	Post partum blues: depressive disease or pseudoneurasthenic syndrome. <i>Journal of Affective Disorders</i> , 1992 , 25, 47-52	6.6	17
16	Neurological long-term follow-up in left atrial myxoma: are late complications frequent or rare?. <i>Journal of Neurology</i> , 1992 , 239, 170-4	5.5	12
15	Cranial MRI and CT in patients with left atrial myxoma. <i>Neuroradiology</i> , 1992 , 34, 57-61	3.2	21
14	White matter lesions in psychiatric patients: a retrospective MRI study. European Radiology, 1992 , 2, 244	18246	2
13	Unspecific white matter lesions: prevalence, number and distribution in cranial MRI. <i>European Radiology</i> , 1992 , 2, 154	8	4
12	MRI white matter hyperintensity in neuroleptic malignant syndrome (NMS)a clue to pathogenesis?. <i>Journal of Neural Transmission</i> , 1992 , 90, 151-9	4.3	7
11	Do arachnoid cysts grow? A retrospective CT volumetric study. <i>Neuroradiology</i> , 1991 , 33, 341-5	3.2	94
10	Brofaromine (CGP 11 305 A) in treatment of depression: biological estimation of plasma concentrations. <i>Pharmacopsychiatry</i> , 1990 , 23, 131-4	2	4
9	MRI findings in medial temporal lobe structures in schizophrenia. <i>European Neuropsychopharmacology</i> , 1990 , 1, 83-6	1.2	22
8	Development of multiple sclerosis in patient on long-term sulfasalazine. <i>Lancet, The</i> , 1990 , 335, 409-10	40	11
7	Development of multiple sclerosis in patient on long-term sulfasalazine. <i>Lancet, The</i> , 1990 , 335, 409-10 MRI and CT in diencephalic lesions. <i>Psychiatry Research</i> , 1989 , 29, 285-6	40 9.9	11
		,	38

4	Psychiatrica Scandinavica, 1986 , 329, 136-9	7
3	Psychiatric reform in Italyhow does it work in Piedmont?. <i>British Journal of Psychiatry</i> , 1985 , 147, 254-6g.4	33
2	Outcome measurement in Germany72-83	1
1	Complex interventions in mental health services research131-144	1