
Louise Stanton

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1524266/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Spironolactone for adult female acne (SAFA): protocol for a double-blind, placebo-controlled, phase III randomised study of spironolactone as systemic therapy for acne in adult women. BMJ Open, 2021, 11, e053876. | 0.8 | 10 |
| 2 | Efficacy and infection morbidity of frontâ€line immunoâ€chemotherapy in follicular lymphoma. European Journal of Haematology, 2020, 105, 667-671. | 1.1 | 1 |
| 3 | AGILE-ACCORD: A Randomized, Multicentre, Seamless, Adaptive Phase I/II Platform Study to Determine the Optimal Dose, Safety and Efficacy of Multiple Candidate Agents for the Treatment of COVID-19: A structured summary of a study protocol for a randomised platform trial. Trials, 2020, 21, 544. | 0.7 | 23 |
| 4 | Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis (New EPOC): long-term results of a multicentre, randomised, controlled, phase 3 trial. Lancet Oncology, The, 2020, 21, 398-411. | 5.1 | 152 |
| 5 | Acalabrutinib in Combination with Rituximab, Cyclophosphamide, Doxorubicin, Vincristine and Prednisolone (R-CHOP) As First Line Therapy for Patients with Diffuse Large B-Cell Lymphoma (DLBCL): The Accept Phase Ib/II Single Arm Study. Blood, 2020, 136, 38-39. | 0.6 | 3 |
| 6 | Interim Cell-Free Circulating Lymphoma DNA Analysis of the Phase 2 Accept Trial. Blood, 2020, 136, 24-25. | 0.6 | 0 |
| 7 | Efficacy of Râ€GCVP in patients with late relapse of diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2019, 186, e191-e195. | 1.2 | Ο |
| 8 | Gene-expression profiling of bortezomib added to standard chemoimmunotherapy for diffuse large B-cell lymphoma (REMoDL-B): an open-label, randomised, phase 3 trial. Lancet Oncology, The, 2019, 20, 649-662. | 5.1 | 187 |
| 9 | Uva-ursi extract and ibuprofen as alternative treatments for uncomplicated urinary tract infection in women (ATAFUTI): a factorial randomized trial. Clinical Microbiology and Infection, 2019, 25, 973-980. | 2.8 | 33 |
| 10 | Follicular Lymphoma Frontline Immuno-Chemotherapy: Survival Outcomes and Infection-Related Morbidity. Blood, 2019, 134, 5884-5884. | 0.6 | 0 |
| 11 | Germline BRCA mutation and outcome in young-onset breast cancer (POSH): a prospective cohort study. Lancet Oncology, The, 2018, 19, 169-180. | 5.1 | 316 |
| 12 | A comparison of the clinical effectiveness and cost of specialised individually delivered parent training for preschool attention-deficit/hyperactivity disorder and a generic, group-based programme: a multi-centre, randomised controlled trial of the New Forest Parenting Programme versus Incredible Years. European Child and Adolescent Psychiatry, 2018, 27, 797-809. | 2.8 | 36 |
| 13 | RIVA – a phase IIa study of rituximab and varlilumab in relapsed or refractory B-cell malignancies: study protocol for a randomized controlled trial. Trials, 2018, 19, 619. | 0.7 | 7 |
| 14 | COAST (Cisplatin ototoxicity attenuated by aspirin trial): A phase II double-blind, randomised controlled trial to establish if aspirin reduces cisplatin induced hearing-loss. European Journal of Cancer, 2017, 87, 75-83. | 1.3 | 24 |
| 15 | Uva-ursi extract and ibuprofen as alternative treatments of adult female urinary tract infection (ATAFUTI): study protocol for a randomised controlled trial. Trials, 2017, 18, 421. | 0.7 | 11 |
| 16 | Timing of surgical intervention for developmental dysplasia of the hip: a randomised controlled trial (Hip 'Op). Health Technology Assessment, 2017, 21, 1-84. | 1.3 | 6 |
| 17 | Short duration immunochemotherapy followed by radioimmunotherapy consolidation is effective and well tolerated in relapsed follicular lymphoma: 5â€year results from a <scp>UK</scp> National Cancer Research Institute Lymphoma Group study. British Journal of Haematology, 2016, 173, 274-282. | 1.2 | 12 |
| 18 | Patterns of progression, treatment of progressive disease and post-progression survival in the New EPOC study. British Journal of Cancer, 2016, 115, 420-424. | 2.9 | 9 |

LOUISE STANTON

| # | Article | IF | CITATIONS |
|----|---|---------------------|-----------|
| 19 | Outcome and Biomarker Analysis from a Multicenter Phase 2 Study of Ipilimumab in Combination with Carboplatin and Etoposide as First-Line Therapy for Extensive-Stage SCLC. Journal of Thoracic Oncology, 2016, 11, 1511-1521. | 0.5 | 95 |
| 20 | Wilms' tumour antigen 1 Immunity via DNA fusion gene vaccination in haematological malignancies by intramuscular injection followed by intramuscular electroporation: a Phase II non-randomised clinical trial (WIN). Efficacy and Mechanism Evaluation, 2016, 3, 1-80. | 0.9 | 7 |
| 21 | Design, method and application of stopping rules in a phase III 2x2 factorial randomised controlled trial. Trials, 2015, 16, . | 0.7 | 1 |
| 22 | Cetuximab Is Contraindicated in the Perioperative Treatment of Colorectal Liver Metastases. Journal of Clinical Oncology, 2015, 33, 2405-2406. | 0.8 | 7 |
| 23 | Prednisolone or Pentoxifylline for Alcoholic Hepatitis. New England Journal of Medicine, 2015, 372, 1619-1628. | 13.9 | 602 |
| 24 | Obesity and the outcome of young breast cancer patients in the UK: the POSH study. Annals of Oncology, 2015, 26, 101-112. | 0.6 | 72 |
| 25 | A Prospective Randomised Trial of Targeted Therapy for Diffuse Large B-Cell Lymphoma (DLBCL) Based upon Real-Time Gene Expression Profiling: The Remodl-B Study of the UK NCRI and SAKK Lymphoma Groups (ISRCTN51837425). Blood, 2015, 126, 812-812. | 0.6 | 20 |
| 26 | The clinical effectiveness and cost-effectiveness of STeroids Or Pentoxifylline for Alcoholic Hepatitis (STOPAH): a 2 × 2 factorial randomised controlled trial. Health Technology Assessment, 2015, 19, 1 | -104 ^{1.3} | 34 |
| 27 | Clinical trial metadata: defining and extracting metadata on the design, conduct, results and costs of 125 randomised clinical trials funded by the National Institute for Health Research Health Technology Assessment programme. Health Technology Assessment, 2015, 19, 1-138. | 1.3 | 39 |
| 28 | Features of successful bids for funding of applied health research: a cohort study. Health Research Policy and Systems, 2014, 12, 54. | 1.1 | 6 |
| 29 | Ethnicity and outcome of young breast cancer patients in the United Kingdom: the POSH study. British Journal of Cancer, 2014, 110, 230-241. | 2.9 | 56 |
| 30 | Study protocol for a randomized controlled trial comparing the efficacy of a specialist and a generic parenting programme for the treatment of preschool ADHD. Trials, 2014, 15, 142. | 0.7 | 10 |
| 31 | Systemic chemotherapy with or without cetuximab in patients with resectable colorectal liver metastasis: the New EPOC randomised controlled trial. Lancet Oncology, The, 2014, 15, 601-611. | 5.1 | 371 |
| 32 | Steroids or pentoxifylline for alcoholic hepatitis (STOPAH): study protocol for a randomised controlled trial. Trials, 2013, 14, 262. | 0.7 | 62 |
| 33 | Prospective Observational Study of Breast Cancer Treatment Outcomes for UK Women Aged 18–40 Years at Diagnosis: The POSH Study. Journal of the National Cancer Institute, 2013, 105, 978-988. | 3.0 | 156 |
| 34 | SABRE 1 (Surgery Against Brachytherapy - a Randomised Evaluation): feasibility randomised controlled trial (RCT) of brachytherapy vs radical prostatectomy in low-intermediate risk clinically localised prostate cancer. BJU International, 2013, 112, 330-337. | 1.3 | 18 |
| 35 | Experiences of hospital care reported by bereaved relatives of patients after a stroke: a retrospective survey using the VOICES questionnaire. Journal of Advanced Nursing, 2009, 65, 2161-2174. | 1.5 | 42 |
| 36 | A phase 2 open-label study of carboplatin in combination with gemcitabine as a dose-dense schedule in patients with locally advanced or metastatic breast cancer that are resistant to anthracyclines and taxanes. F1000Research, 0, 9, 4. | 0.8 | 0 |