

Marc Francaux

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1524419/publications.pdf>

Version: 2024-02-01

109
papers

4,872
citations

71061

41
h-index

102432

66
g-index

111
all docs

111
docs citations

111
times ranked

8254
citing authors

#	ARTICLE	IF	CITATIONS
1	Regulation of satellite cells by exercise in hypoxic conditions: a narrative review. <i>European Journal of Applied Physiology</i> , 2021, 121, 1531-1542.	1.2	4
2	Higher strength gain after hypoxic vs normoxic resistance training despite no changes in muscle thickness and fractional protein synthetic rate. <i>FASEB Journal</i> , 2021, 35, e21773.	0.2	6
3	Anti-Inflammatory Effect of Exercise Mediated by Toll-Like Receptor Regulation in Innate Immune Cells – A Review. <i>International Reviews of Immunology</i> , 2020, 39, 39-52.	1.5	46
4	Muscle structural, energetic and functional benefits of endurance exercise training in sickle cell disease. <i>American Journal of Hematology</i> , 2020, 95, 1257-1268.	2.0	9
5	Effects of Sprint Interval Training at Different Altitudes on Cycling Performance at Sea-Level. <i>Sports</i> , 2020, 8, 148.	0.7	7
6	Myoferlin Is a Yet Unknown Interactor of the Mitochondrial Dynamics™ Machinery in Pancreas Cancer Cells. <i>Cancers</i> , 2020, 12, 1643.	1.7	8
7	Simplified indices of exercise tolerance in patients with multiple sclerosis and healthy subjects: A case–control study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1908-1917.	1.3	2
8	Does High Cardiorespiratory Fitness Confer Some Protection Against Proinflammatory Responses After Infection by SARS-CoV-2?. <i>Obesity</i> , 2020, 28, 1378-1381.	1.5	140
9	Effect of environmental feedbacks on pacing strategy and affective load during a self-paced 30 min cycling time trial. <i>Journal of Sports Sciences</i> , 2019, 37, 291-297.	1.0	2
10	Regular Endurance Exercise Promotes Fission, Mitophagy, and Oxidative Phosphorylation in Human Skeletal Muscle Independently of Age. <i>Frontiers in Physiology</i> , 2019, 10, 1088.	1.3	60
11	The stiffness response of type IIa fibres after eccentric exercise-induced muscle damage is dependent on <i>ACTN3</i> r577X polymorphism. <i>European Journal of Sport Science</i> , 2019, 19, 480-489.	1.4	9
12	Exercise and the control of muscle mass in human. <i>Pflügers Archiv European Journal of Physiology</i> , 2019, 471, 397-411.	1.3	28
13	Using polyphenol derivatives to prevent muscle wasting. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018, 21, 159-163.	1.3	14
14	Impact of Very Early Physical Therapy During Septic Shock on Skeletal Muscle: A Randomized Controlled Trial. <i>Critical Care Medicine</i> , 2018, 46, 1436-1443.	0.4	74
15	Environmental hypoxia favors myoblast differentiation and fast phenotype but blunts activation of protein synthesis after resistance exercise in human skeletal muscle. <i>FASEB Journal</i> , 2018, 32, 5272-5284.	0.2	20
16	Glucocorticoid-dependent REDD1 expression reduces muscle metabolism to enable adaptation under energetic stress. <i>BMC Biology</i> , 2018, 16, 65.	1.7	32
17	Toll like receptor expression induced by exercise in obesity and metabolic syndrome: A systematic review. <i>Exercise Immunology Review</i> , 2018, 24, 60-71.	0.4	24
18	Urolithin B, a newly identified regulator of skeletal muscle mass. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017, 8, 583-597.	2.9	51

#	ARTICLE	IF	CITATIONS
19	Lack of Activation of Mitophagy during Endurance Exercise in Human. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 1552-1561.	0.2	33
20	Activating transcription factor 3 regulates chemokine expression in contracting C2C12 myotubes and in mouse skeletal muscle after eccentric exercise. <i>Biochemical and Biophysical Research Communications</i> , 2017, 492, 249-254.	1.0	13
21	Pomegranate extract prevents skeletal muscle of mice against wasting induced by acute TNF α injection. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600169.	1.5	21
22	Activating transcription factor 3 attenuates chemokine and cytokine expression in mouse skeletal muscle after exercise and facilitates molecular adaptation to endurance training. <i>FASEB Journal</i> , 2017, 31, 840-851.	0.2	30
23	Fifteen days of 3,200 m simulated hypoxia marginally regulates markers for protein synthesis and degradation in human skeletal muscle. <i>Hypoxia (Auckland, N Z)</i> , 2016, 4, 1.	1.9	13
24	Ageing Reduces the Activation of the mTORC1 Pathway after Resistance Exercise and Protein Intake in Human Skeletal Muscle: Potential Role of REDD1 and Impaired Anabolic Sensitivity. <i>Nutrients</i> , 2016, 8, 47.	1.7	54
25	Endurance Training Attenuates Catabolic Signals Induced by TNF α in Muscle of Mice. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 227-234.	0.2	9
26	IRE1 α and TRB3 do not contribute to the disruption of proximal insulin signaling caused by palmitate in C2C12 myotubes. <i>Cell Biology International</i> , 2016, 40, 91-99.	1.4	5
27	Potential harmful effects of dietary supplements in sports medicine. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2016, 19, 439-445.	1.3	33
28	Nuclear respiratory factor 1 and endurance exercise promote human telomere transcription. <i>Science Advances</i> , 2016, 2, e1600031.	4.7	78
29	Evidence for ACTN3 as a Speed Gene in Isolated Human Muscle Fibers. <i>PLoS ONE</i> , 2016, 11, e0150594.	1.1	30
30	Ageing related ER stress is not responsible for anabolic resistance in mouse skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2015, 468, 702-707.	1.0	22
31	Recommendations for Healthy Nutrition in Female Endurance Runners: An Update. <i>Frontiers in Nutrition</i> , 2015, 2, 17.	1.6	18
32	Regulation of (Macro)-Autophagy in Response to Exercise. , 2015, , 229-243.		0
33	Activation of autophagy in human skeletal muscle is dependent on exercise intensity and AMPK activation. <i>FASEB Journal</i> , 2015, 29, 3515-3526.	0.2	131
34	Pomegranate and green tea extracts protect against ER stress induced by a high-fat diet in skeletal muscle of mice. <i>European Journal of Nutrition</i> , 2015, 54, 377-389.	1.8	24
35	Regulation of ubiquitin-proteasome and autophagy pathways after acute LPS and epoxomicin administration in mice. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 166.	0.8	27
36	Activation of ER stress by hydrogen peroxide in C2C12 myotubes. <i>Biochemical and Biophysical Research Communications</i> , 2014, 450, 459-463.	1.0	39

#	ARTICLE	IF	CITATIONS
37	Endurance training in mice increases the unfolded protein response induced by a high-fat diet. <i>Journal of Physiology and Biochemistry</i> , 2013, 69, 215-225.	1.3	36
38	Mesure de la balance d'attentionnelle en vue de pratiquer une activité physique régulière (BDAP): adaptation et validation francophone de l'échelle Decisional Balance for Exercise. <i>Revue Européenne De Psychologie Appliquée</i> , 2013, 63, 185-191.	0.4	5
39	Higher activation of autophagy in skeletal muscle of mice during endurance exercise in the fasted state. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013, 305, E964-E974.	1.8	124
40	Effect of acute environmental hypoxia on protein metabolism in human skeletal muscle. <i>Acta Physiologica</i> , 2013, 208, 251-264.	1.8	47
41	Contribution of Nonesterified Fatty Acids to Mitogen-Activated Protein Kinase Activation in Human Skeletal Muscle During Endurance Exercise. <i>International Journal of Sport Nutrition and Exercise Metabolism</i> , 2013, 23, 201-209.	1.0	10
42	Toll-Like Receptor 4 Knockout Mice Are Protected against Endoplasmic Reticulum Stress Induced by a High-Fat Diet. <i>PLoS ONE</i> , 2013, 8, e65061.	1.1	87
43	Acute vs chronic hypoxia: what are the consequences for skeletal muscle mass?. <i>Cellular and Molecular Exercise Physiology</i> , 2013, 2, .	0.7	16
44	TLR2 and TLR4 Activate p38 MAPK and JNK during Endurance Exercise in Skeletal Muscle. <i>Medicine and Science in Sports and Exercise</i> , 2012, 44, 1463-1472.	0.2	46
45	Auto-efficacité perçue pour la pratique d'une activité physique: Adaptation et validation francophone du Exercise Confidence Survey.. <i>Canadian Journal of Behavioural Science</i> , 2012, 44, 77-82.	0.5	6
46	Endoplasmic Reticulum Stress in Skeletal Muscle. <i>Exercise and Sport Sciences Reviews</i> , 2012, 40, 43-49.	1.6	51
47	Role of Alpha-actinin-3 in Contractile Properties of Human Single Muscle Fibers: A Case Series Study in Paraplegics. <i>PLoS ONE</i> , 2012, 7, e49281.	1.1	36
48	Modulation of autophagy and ubiquitin-proteasome pathways during ultra-endurance running. <i>Journal of Applied Physiology</i> , 2012, 112, 1529-1537.	1.2	127
49	TLR2 and TLR4 activation induces p38 MAPK-dependent phosphorylation of S6 kinase 1 in C2C12 myotubes. <i>Cell Biology International</i> , 2012, 36, 1107-1113.	1.4	8
50	Mesure des processus de changement vis-à-vis de la pratique d'une activité physique régulière (QPC): adaptation et validation francophone du questionnaire Exercise processes of change. <i>Science and Sports</i> , 2012, 27, 333-344.	0.2	4
51	Autophagy-related and autophagy-regulatory genes are induced in human muscle after ultraendurance exercise. <i>European Journal of Applied Physiology</i> , 2012, 112, 3173-3177.	1.2	90
52	ER Stress Induces Anabolic Resistance in Muscle Cells through PKB-Induced Blockade of mTORC1. <i>PLoS ONE</i> , 2011, 6, e20993.	1.1	43
53	Endoplasmic Reticulum Stress Markers and Ubiquitin-Proteasome Pathway Activity in Response to a 200-km Run. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 18-25.	0.2	74
54	The unfolded protein response in human skeletal muscle is not involved in the onset of glucose tolerance impairment induced by a fat-rich diet. <i>European Journal of Applied Physiology</i> , 2011, 111, 1553-1558.	1.2	32

#	ARTICLE	IF	CITATIONS
55	Inulin-type fructans with prebiotic properties counteract GPR43 overexpression and PPAR β -related adipogenesis in the white adipose tissue of high-fat diet-fed mice. <i>Journal of Nutritional Biochemistry</i> , 2011, 22, 712-722.	1.9	237
56	Prevention of muscle disuse atrophy by MG132 proteasome inhibitor. <i>Muscle and Nerve</i> , 2011, 43, 708-715.	1.0	38
57	Hepatic n-3 Polyunsaturated Fatty Acid Depletion Promotes Steatosis and Insulin Resistance in Mice: Genomic Analysis of Cellular Targets. <i>PLoS ONE</i> , 2011, 6, e23365.	1.1	83
58	Increased p70s6k phosphorylation during intake of a protein-carbohydrate drink following resistance exercise in the fasted state. <i>European Journal of Applied Physiology</i> , 2010, 108, 791-800.	1.2	29
59	Changes in Intestinal Bifidobacteria Levels Are Associated with the Inflammatory Response in Magnesium-Deficient Mice. <i>Journal of Nutrition</i> , 2010, 140, 509-514.	1.3	83
60	The unfolded protein response is activated in skeletal muscle by high-fat feeding: potential role in the downregulation of protein synthesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E695-E705.	1.8	134
61	Lack of Effects of Creatine on the Regeneration of Soleus Muscle after Injury in Rats. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 1761-1769.	0.2	15
62	Toll-like receptor signalling induced by endurance exercise This paper is one of a selection of papers published in this Special Issue, entitled 14th International Biochemistry of Exercise Conference "Muscles as Molecular and Metabolic Machines", and has undergone the Journal's usual peer review process. <i>Applied Physiology, Nutrition and Metabolism</i> , 2009, 34, 454-458.	0.9	26
63	Antagonistic effects of leucine and glutamine on the mTOR pathway in myogenic C2C12 cells. <i>Amino Acids</i> , 2008, 35, 147-155.	1.2	52
64	Decrease in Akt/PKB signalling in human skeletal muscle by resistance exercise. <i>European Journal of Applied Physiology</i> , 2008, 104, 57-65.	1.2	89
65	Hepatic steatosis in n-3 fatty acid depleted mice: focus on metabolic alterations related to tissue fatty acid composition. <i>BMC Physiology</i> , 2008, 8, 21.	3.6	42
66	Effects of resistance exercise with and without creatine supplementation on gene expression and cell signaling in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2008, 104, 371-378.	1.2	110
67	Fractional Exhaled NO and Serum Pneumoproteins after Swimming in a Chlorinated Pool. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, 1472-1476.	0.2	30
68	Functional food for exercise performance: fact or foe?. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008, 11, 774-781.	1.3	15
69	Creatine Consumption in Health. , 2008, , 127-172.		4
70	Creatine enhances differentiation of myogenic C ₂ C ₁₂ cells by activating both p38 and Akt/PKB pathways. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C1263-C1271.	2.1	89
71	What Do Single-Fiber Studies Tell Us about Exercise Training?. <i>Medicine and Science in Sports and Exercise</i> , 2007, 39, 1051-1060.	0.2	30
72	Effect of long-term muscle paralysis on human single fiber mechanics. <i>Journal of Applied Physiology</i> , 2007, 102, 340-349.	1.2	60

#	ARTICLE	IF	CITATIONS
73	Comparison of new forms of creatine in raising plasma creatine levels. <i>Journal of the International Society of Sports Nutrition</i> , 2007, 4, 17.	1.7	35
74	Kinetics of creatine ingested as a food ingredient. <i>European Journal of Applied Physiology</i> , 2007, 102, 133-143.	1.2	39
75	On the modeling of breath-by-breath oxygen uptake kinetics at the onset of high-intensity exercises: simulated annealing vs. GRG2 method. <i>Journal of Applied Physiology</i> , 2006, 100, 1049-1058.	1.2	3
76	Side Effects of Creatine Supplementation in Athletes. <i>International Journal of Sports Physiology and Performance</i> , 2006, 1, 311-323.	1.1	21
77	Stretch-shortening cycle exercises: an effective training paradigm to enhance power output of human single muscle fibers. <i>Journal of Applied Physiology</i> , 2006, 100, 771-779.	1.2	190
78	Calcium Sensitivity of Human Single Muscle Fibers following Plyometric Training. <i>Medicine and Science in Sports and Exercise</i> , 2006, 38, 1901-1908.	0.2	44
79	Effect of Oral Creatine Supplementation on Urinary Methylamine, Formaldehyde, and Formate. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 1717-1720.	0.2	73
80	Regulation of mTOR by amino acids and resistance exercise in skeletal muscle. <i>European Journal of Applied Physiology</i> , 2005, 94, 1-10.	1.2	95
81	Increased IGF mRNA in Human Skeletal Muscle after Creatine Supplementation. <i>Medicine and Science in Sports and Exercise</i> , 2005, 37, 731-736.	0.2	110
82	Effets de la supplémentation en créatine sur la cinétique de régénérescence du muscle squelettique après l'ésion attendue. <i>Science and Sports</i> , 2005, 20, 187-189.	0.2	0
83	Augmentation de l'ARNm d'IGF musculaire par la créatine. <i>Science and Sports</i> , 2005, 20, 190-192.	0.2	0
84	Créatine, exercice et synthèse protéique musculaire. <i>Science and Sports</i> , 2005, 20, 184-186.	0.2	0
85	Effect of creatine supplementation on skeletal muscle of mdx mice. <i>Muscle and Nerve</i> , 2004, 29, 687-692.	1.0	19
86	Creatine increases IGF-I and myogenic regulatory factor mRNA in C2C12 cells. <i>FEBS Letters</i> , 2004, 557, 243-247.	1.3	70
87	Beneficial effects of creatine supplementation in dystrophic patients. <i>Muscle and Nerve</i> , 2003, 27, 604-610.	1.0	123
88	No effect of creatine supplementation on human myofibrillar and sarcoplasmic protein synthesis after resistance exercise. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 285, E1089-E1094.	1.8	78
89	Creatine supplementation has no effect on human muscle protein turnover at rest in the postabsorptive or fed states. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E764-E770.	1.8	47
90	Changes in serum pneumoproteins caused by short-term exposures to nitrogen trichloride in indoor chlorinated swimming pools. <i>Biomarkers</i> , 2002, 7, 464-478.	0.9	122

#	ARTICLE	IF	CITATIONS
91	Role of taurine in osmoregulation during endurance exercise. <i>European Journal of Applied Physiology</i> , 2002, 87, 489-495.	1.2	47
92	Changes in plasma and urinary taurine and amino acids in runners immediately and 24 h after a marathon. <i>Amino Acids</i> , 2001, 20, 13-23.	1.2	44
93	CENTRAL AND PERIPHERAL HAEMODYNAMICS IN INDIVIDUALS WITH PARAPLEGIA DURING LIGHT AND HEAVY EXERCISE. <i>Journal of Rehabilitation Medicine</i> , 2001, 33, 16-20.	0.8	16
94	Cutaneous Vascular Response and Thermoregulation in Individuals With Paraplegia During Sustained Arm-Cranking Exercise. <i>International Journal of Sports Medicine</i> , 2001, 22, 97-102.	0.8	20
95	EFFECT OF CREATINE AND GUANIDINO-PROPIONIC ACID ON MYOTUBE GROWTH. <i>Medicine and Science in Sports and Exercise</i> , 2001, 33, S67.	0.2	1
96	Cutaneous vasomotor adjustments during arm-cranking in individuals with paraplegia. <i>European Journal of Applied Physiology</i> , 2000, 83, 539-544.	1.2	17
97	Blood distribution adaptations in paraplegics during posture changes: peripheral and central reflex responses. <i>European Journal of Applied Physiology</i> , 2000, 81, 463-469.	1.2	13
98	Effect of Exogenous Creatine Supplementation on Muscle PCr Metabolism. <i>International Journal of Sports Medicine</i> , 2000, 21, 139-145.	0.8	35
99	Muscle energetics in immunosuppressed patients. <i>Transplantation Proceedings</i> , 2000, 32, 415-417.	0.3	1
100	Adverse Effects of Creatine Supplementation. <i>Sports Medicine</i> , 2000, 30, 155-170.	3.1	135
101	Changes in plasma taurine levels after different endurance events. <i>Amino Acids</i> , 1999, 16, 71-77.	1.2	26
102	Effects of training and creatine supplement on muscle strength and body mass. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1999, 80, 165-168.	1.2	72
103	Les effets indésirables de la créatine exogène: de la fiction à la réalité. <i>Science and Sports</i> , 1999, 14, 271-277.	0.2	4
104	Long-term oral creatine supplementation does not impair renal function in healthy athletes. <i>Medicine and Science in Sports and Exercise</i> , 1999, 31, 1108-1110.	0.2	163
105	Renal dysfunction accompanying oral creatine supplements. <i>Lancet, The</i> , 1998, 352, 234.	6.3	35
106	Impedance cardiography applied to maximal arm cranking exercise: a matter of sampling and processing strategy. <i>Medicine and Science in Sports and Exercise</i> , 1998, 30, 1321-1327.	0.2	4
107	³¹ P NMR saturation transfer study of the creatine kinase reaction in human skeletal muscle at rest and during exercise. <i>Magnetic Resonance in Medicine</i> , 1997, 37, 744-753.	1.9	28
108	Free magnesium concentration in isolated rabbit hearts subjected to high dose isoproterenol infusion: a ³¹ P NMR study. <i>Canadian Journal of Physiology and Pharmacology</i> , 1997, 75, 1015-1021.	0.7	1

#	ARTICLE	IF	CITATIONS
109	A study of lactate metabolism without tracer during passive and active postexercise recovery in humans. <i>European Journal of Applied Physiology and Occupational Physiology</i> , 1995, 72, 58-66.	1.2	10