

Matthew N Rasband

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1525407/publications.pdf>

Version: 2024-02-01

138
papers

11,691
citations

17440

63
h-index

30087

103
g-index

162
all docs

162
docs citations

162
times ranked

9653
citing authors

#	ARTICLE	IF	CITATIONS
1	Ankyrin-R Links Kv3.3 to the Spectrin Cytoskeleton and Is Required for Purkinje Neuron Survival. <i>Journal of Neuroscience</i> , 2022, 42, 2-15.	3.6	13
2	Disruption of MeCP2â€“TCF20 complex underlies distinct neurodevelopmental disorders. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	15
3	Î²IV-Spectrin Autoantibodies in 2 Individuals With Neuropathy of Possible Paraneoplastic Origin. <i>Neurology: Neuroimmunology and NeuroInflammation</i> , 2022, 9, .	6.0	4
4	Mechanisms of node of Ranvier assembly. <i>Nature Reviews Neuroscience</i> , 2021, 22, 7-20.	10.2	89
5	Endogenously expressed Ranbp2 is not at the axon initial segment. <i>Journal of Cell Science</i> , 2021, 134, .	2.0	10
6	Lose it to use it. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	0
7	Spectrins. <i>Current Biology</i> , 2021, 31, R504-R506.	3.9	7
8	Qki regulates myelinogenesis through Srebp2-dependent cholesterol biosynthesis. <i>ELife</i> , 2021, 10, .	6.0	13
9	Ankyrin-R regulates fast-spiking interneuron excitability through perineuronal nets and Kv3.1b K+ channels. <i>ELife</i> , 2021, 10, .	6.0	26
10	Ankyrins and neurological disease. <i>Current Opinion in Neurobiology</i> , 2021, 69, 51-57.	4.2	27
11	Ankyrin-dependent Na+ channel clustering prevents neuromuscular synapse fatigue. <i>Current Biology</i> , 2021, 31, 3810-3819.e4.	3.9	8
12	Dynorphin, wonâ€™t you myelinate my neighbor?. <i>Neuron</i> , 2021, 109, 3537-3539.	8.1	0
13	NuMA1 promotes axon initial segment assembly through inhibition of endocytosis. <i>Journal of Cell Biology</i> , 2020, 219, jcb.201907048.	5.2	22
14	Mapping axon initial segment structure and function by multiplexed proximity biotinylation. <i>Nature Communications</i> , 2020, 11, 100.	12.8	73
15	Saltatory Conduction: Jumping to New Conclusions. <i>Current Biology</i> , 2020, 30, R326-R328.	3.9	3
16	Precise Spatiotemporal Control of Nodal Na+ Channel Clustering by Bone Morphogenetic Protein-1/Tolloid-like Proteinases. <i>Neuron</i> , 2020, 106, 806-815.e6.	8.1	9
17	Mature myelin maintenance requires Qki to coactivate PPARÎ²-RXRÎ±â€“mediated lipid metabolism. <i>Journal of Clinical Investigation</i> , 2020, 130, 2220-2236.	8.2	50
18	Nodal Î² spectrins are required to maintain Na+ channel clustering and axon integrity. <i>ELife</i> , 2020, 9, .	6.0	20

#	ARTICLE	IF	CITATIONS
19	Remyelination alters the pattern of myelin in the cerebral cortex. <i>ELife</i> , 2020, 9, .	6.0	67
20	β spectrin-dependent and domain specific mechanisms for Na ⁺ channel clustering. <i>ELife</i> , 2020, 9, .	6.0	17
21	The SIZ of Pain. <i>Neuron</i> , 2019, 102, 709-711.	8.1	3
22	Defining new mechanistic roles for β spectrin in cardiac function. <i>Journal of Biological Chemistry</i> , 2019, 294, 9576-9591.	3.4	9
23	β IV Spectrinopathies Cause Profound Intellectual Disability, Congenital Hypotonia, and Motor Axonal Neuropathy. <i>American Journal of Human Genetics</i> , 2018, 102, 1158-1168.	6.2	57
24	Axon initial segments: structure, function, and disease. <i>Annals of the New York Academy of Sciences</i> , 2018, 1420, 46-61.	3.8	136
25	Glial β II Spectrin Contributes to Paranode Formation and Maintenance. <i>Journal of Neuroscience</i> , 2018, 38, 6063-6075.	3.6	25
26	An β II Spectrin-Based Cytoskeleton Protects Large-Diameter Myelinated Axons from Degeneration. <i>Journal of Neuroscience</i> , 2017, 37, 11323-11334.	3.6	58
27	β II Spectrin Forms a Periodic Cytoskeleton at the Axon Initial Segment and Is Required for Nervous System Function. <i>Journal of Neuroscience</i> , 2017, 37, 11311-11322.	3.6	63
28	Reassembly of the axon initial segment and nodes of Ranvier in regenerated axons of the central nervous system. <i>Neural Regeneration Research</i> , 2017, 12, 1276.	3.0	1
29	The paranodal cytoskeleton clusters Na ⁺ channels at nodes of Ranvier. <i>ELife</i> , 2017, 6, .	6.0	57
30	Loss of Frataxin induces iron toxicity, sphingolipid synthesis, and Pdk1/Mef2 activation, leading to neurodegeneration. <i>ELife</i> , 2016, 5, .	6.0	74
31	Cytoskeletal control of axon domain assembly and function. <i>Current Opinion in Neurobiology</i> , 2016, 39, 116-121.	4.2	52
32	Amyloid- β plaques disrupt axon initial segments. <i>Experimental Neurology</i> , 2016, 281, 93-98.	4.1	49
33	Serotonin modulates spike probability in the axon initial segment through HCN channels. <i>Nature Neuroscience</i> , 2016, 19, 826-834.	14.8	73
34	Organization of the axon initial segment: Actin like a fence. <i>Journal of Cell Biology</i> , 2016, 215, 9-11.	5.2	15
35	Reassembly of Excitable Domains after CNS Axon Regeneration. <i>Journal of Neuroscience</i> , 2016, 36, 9148-9160.	3.6	32
36	Dysfunction of the β -spectrin-based pathway in human heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1583-H1591.	3.2	23

#	ARTICLE	IF	CITATIONS
37	Submembranous cytoskeletons stabilize nodes of Ranvier. <i>Experimental Neurology</i> , 2016, 283, 446-451.	4.1	25
38	The Nodes of Ranvier: Molecular Assembly and Maintenance. <i>Cold Spring Harbor Perspectives in Biology</i> , 2016, 8, a020495.	5.5	136
39	Glial Contributions to Neural Function and Disease. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 355-361.	3.8	41
40	Developmental Changes in Expression of β IV Spectrin Splice Variants at Axon Initial Segments and Nodes of Ranvier. <i>Frontiers in Cellular Neuroscience</i> , 2016, 10, 304.	3.7	25
41	Loss of Frataxin activates the iron/sphingolipid/PDK1/Mef2 pathway in mammals. <i>ELife</i> , 2016, 5, .	6.0	61
42	The Ins and Outs of Polarized Axonal Domains. <i>Annual Review of Cell and Developmental Biology</i> , 2015, 31, 647-667.	9.4	21
43	Dysfunction in the β II Spectrin-Dependent Cytoskeleton Underlies Human Arrhythmia. <i>Circulation</i> , 2015, 131, 695-708.	1.6	56
44	Axon Initial Segment-Associated Microglia. <i>Journal of Neuroscience</i> , 2015, 35, 2283-2292.	3.6	107
45	Subcellular Patterning: Axonal Domains with Specialized Structure and Function. <i>Developmental Cell</i> , 2015, 32, 459-468.	7.0	29
46	BK Channels Localize to the Paranodal Junction and Regulate Action Potentials in Myelinated Axons of Cerebellar Purkinje Cells. <i>Journal of Neuroscience</i> , 2015, 35, 7082-7094.	3.6	28
47	Daam2-PIP5K Is a Regulatory Pathway for Wnt Signaling and Therapeutic Target for Remyelination in the CNS. <i>Neuron</i> , 2015, 85, 1227-1243.	8.1	69
48	The Polarity Protein Pals1 Regulates Radial Sorting of Axons. <i>Journal of Neuroscience</i> , 2015, 35, 10474-10484.	3.6	17
49	Neural ECM molecules in axonal and synaptic homeostatic plasticity. <i>Progress in Brain Research</i> , 2014, 214, 81-100.	1.4	48
50	A hierarchy of ankyrin-spectrin complexes clusters sodium channels at nodes of Ranvier. <i>Nature Neuroscience</i> , 2014, 17, 1664-1672.	14.8	94
51	Glial ankyrins facilitate paranodal axoglial junction assembly. <i>Nature Neuroscience</i> , 2014, 17, 1673-1681.	14.8	82
52	Preparation of Primary Neurons for Visualizing Neurites in a Frozen-hydrated State Using Cryo-Electron Tomography. <i>Journal of Visualized Experiments</i> , 2014, , e50783.	0.3	10
53	Axon initial segments: diverse and dynamic neuronal compartments. <i>Current Opinion in Neurobiology</i> , 2014, 27, 96-102.	4.2	73
54	Computation identifies structural features that govern neuronal firing properties in slowly adapting touch receptors. <i>ELife</i> , 2014, 3, e01488.	6.0	83

#	ARTICLE	IF	CITATIONS
55	Cell Surface Protein-protein Binding on COS-7 Cells. <i>Bio-protocol</i> , 2014, 4, .	0.4	1
56	Blast Wave Exposure Impairs Memory and Decreases Axon Initial Segment Length. <i>Journal of Neurotrauma</i> , 2013, 30, 741-751.	3.4	83
57	Genetic Reduction of the $\beta 1$ Subunit of Na/K-ATPase Corrects Multiple Hippocampal Phenotypes in Angelman Syndrome. <i>Cell Reports</i> , 2013, 4, 405-412.	6.4	66
58	Excitable Domains of Myelinated Nerves. <i>Current Topics in Membranes</i> , 2013, 72, 159-192.	0.9	35
59	Remodeling of the Axon Initial Segment After Focal Cortical and White Matter Stroke. <i>Stroke</i> , 2013, 44, 182-189.	2.0	97
60	Cytoskeleton: Axons Earn Their Stripes. <i>Current Biology</i> , 2013, 23, R197-R198.	3.9	15
61	Na ^v Channel-Dependent Recruitment of Na _v $\beta 4$ to Axon Initial Segments and Nodes of Ranvier. <i>Journal of Neuroscience</i> , 2013, 33, 6191-6202.	3.6	50
62	Three Mechanisms Assemble Central Nervous System Nodes of Ranvier. <i>Neuron</i> , 2013, 78, 469-482.	8.1	151
63	Membrane domain organization of myelinated axons requires $\beta 2$ spectrin. <i>Journal of Cell Biology</i> , 2013, 203, 437-443.	5.2	70
64	Mechanisms of Hearing Loss after Blast Injury to the Ear. <i>PLoS ONE</i> , 2013, 8, e67618.	2.5	117
65	Membrane domain organization of myelinated axons requires $\beta 2$ spectrin. <i>Journal of General Physiology</i> , 2013, 142, 1426-1445.	1.9	0
66	Myelin Structure and Biochemistry. , 2012, , 180-199.		24
67	Formation and Maintenance of Myelin. , 2012, , 569-581.		2
68	An AnkyrinG-Binding Motif Is Necessary and Sufficient for Targeting Na _v 1.6 Sodium Channels to Axon Initial Segments and Nodes of Ranvier. <i>Journal of Neuroscience</i> , 2012, 32, 7232-7243.	3.6	115
69	Neurofascin as a target for autoantibodies in peripheral neuropathies. <i>Neurology</i> , 2012, 79, 2241-2248.	1.1	211
70	$\beta 1$ is not required for axon initial segment assembly. <i>Molecular and Cellular Neurosciences</i> , 2012, 50, 1-9.	2.2	27
71	A Distal Axonal Cytoskeleton Forms an Intra-Axonal Boundary that Controls Axon Initial Segment Assembly. <i>Cell</i> , 2012, 149, 1125-1139.	28.9	230
72	Dysfunction of nodes of Ranvier: A mechanism for anti-ganglioside antibody-mediated neuropathies. <i>Experimental Neurology</i> , 2012, 233, 534-542.	4.1	129

#	ARTICLE	IF	CITATIONS
73	Short- and Long-Term Plasticity at the Axon Initial Segment. <i>Journal of Neuroscience</i> , 2011, 31, 16049-16055.	3.6	143
74	Composition, assembly, and maintenance of excitable membrane domains in myelinated axons. <i>Seminars in Cell and Developmental Biology</i> , 2011, 22, 178-184.	5.0	51
75	The axon initial segment in nervous system disease and injury. <i>European Journal of Neuroscience</i> , 2011, 34, 1609-1619.	2.6	101
76	Maintenance of neuronal polarity. <i>Developmental Neurobiology</i> , 2011, 71, 474-482.	3.0	22
77	Alterations in Intrinsic Membrane Properties and the Axon Initial Segment in a Mouse Model of Angelman Syndrome. <i>Journal of Neuroscience</i> , 2011, 31, 17637-17648.	3.6	114
78	Schwann cell spectrins modulate peripheral nerve myelination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8009-8014.	7.1	56
79	Di-rectifying Tau. <i>EMBO Journal</i> , 2011, 30, 4699-4700.	7.8	3
80	The axon initial segment and the maintenance of neuronal polarity. <i>Nature Reviews Neuroscience</i> , 2010, 11, 552-562.	10.2	368
81	ADAM22, A Kv1 Channel-Interacting Protein, Recruits Membrane-Associated Guanylate Kinases to Juxtaparanodes of Myelinated Axons. <i>Journal of Neuroscience</i> , 2010, 30, 1038-1048.	3.6	111
82	Oligodendrocyte Myelin Glycoprotein Does Not Influence Node of Ranvier Structure or Assembly. <i>Journal of Neuroscience</i> , 2010, 30, 14476-14481.	3.6	26
83	Novel forms of neurofascin 155 in the central nervous system: alterations in paranodal disruption models and multiple sclerosis. <i>Brain</i> , 2010, 133, 389-405.	7.6	29
84	Clustered K ⁺ channel complexes in axons. <i>Neuroscience Letters</i> , 2010, 486, 101-106.	2.1	51
85	A β IV-spectrin/CaMKII signaling complex is essential for membrane excitability in mice. <i>Journal of Clinical Investigation</i> , 2010, 120, 3508-3519.	8.2	227
86	Disruption of the Axon Initial Segment Cytoskeleton Is a New Mechanism for Neuronal Injury. <i>Journal of Neuroscience</i> , 2009, 29, 13242-13254.	3.6	204
87	Electrical Excitability of Early Neurons in the Human Cerebral Cortex during the Second Trimester of Gestation. <i>Cerebral Cortex</i> , 2009, 19, 1795-1805.	2.9	95
88	Converging on the Origins of Axonal Ion Channel Clustering. <i>PLoS Genetics</i> , 2009, 5, e1000340.	3.5	5
89	Postnatal development of synaptic structure proteins in pyramidal neuron axon initial segments in monkey prefrontal cortex. <i>Journal of Comparative Neurology</i> , 2009, 514, 353-367.	1.6	52
90	Proteomic analysis of optic nerve lipid rafts reveals new paranodal proteins. <i>Journal of Neuroscience Research</i> , 2009, 87, 3502-3510.	2.9	25

#	ARTICLE	IF	CITATIONS
91	Molecular mechanisms of node of Ranvier formation. <i>Current Opinion in Cell Biology</i> , 2008, 20, 616-623.	5.4	106
92	The functional organization and assembly of the axon initial segment. <i>Current Opinion in Neurobiology</i> , 2008, 18, 307-313.	4.2	100
93	Neonatal Chimerization with Human Glial Progenitor Cells Can Both Remyelinate and Rescue the Otherwise Lethally Hypomyelinated Shiverer Mouse. <i>Cell Stem Cell</i> , 2008, 2, 553-565.	11.1	293
94	Multiple Molecular Interactions Determine the Clustering of Caspr2 and Kv1 Channels in Myelinated Axons. <i>Journal of Neuroscience</i> , 2008, 28, 14213-14222.	3.6	106
95	Spectrin and Ankyrin-Based Cytoskeletons at Polarized Domains in Myelinated Axons. <i>Experimental Biology and Medicine</i> , 2008, 233, 394-400.	2.4	51
96	Na ⁺ channels get anchored with a little help. <i>Journal of Cell Biology</i> , 2008, 183, 975-977.	5.2	9
97	Postsynaptic Density-93 Clusters Kv1 Channels at Axon Initial Segments Independently of Caspr2. <i>Journal of Neuroscience</i> , 2008, 28, 5731-5739.	3.6	114
98	AnkyrinG is required for maintenance of the axon initial segment and neuronal polarity. <i>Journal of Cell Biology</i> , 2008, 183, 635-640.	5.2	329
99	Anti-GM1 Antibodies Cause Complement-Mediated Disruption of Sodium Channel Clusters in Peripheral Motor Nerve Fibers. <i>Journal of Neuroscience</i> , 2007, 27, 3956-3967.	3.6	331
100	Neurofascin assembles a specialized extracellular matrix at the axon initial segment. <i>Journal of Cell Biology</i> , 2007, 178, 875-886.	5.2	229
101	βIV spectrin is recruited to axon initial segments and nodes of Ranvier by ankyrinG. <i>Journal of Cell Biology</i> , 2007, 176, 509-519.	5.2	169
102	Neurofascin as a novel target for autoantibody-mediated axonal injury. <i>Journal of Experimental Medicine</i> , 2007, 204, 2363-2372.	8.5	355
103	Gangliosides contribute to stability of paranodal junctions and ion channel clusters in myelinated nerve fibers. <i>Glia</i> , 2007, 55, 746-757.	4.9	189
104	A central role for Necl4 (SynCAM4) in Schwann cell-axon interaction and myelination. <i>Nature Neuroscience</i> , 2007, 10, 861-869.	14.8	178
105	βII-Spectrin Is Essential for Assembly of the Nodes of Ranvier in Myelinated Axons. <i>Current Biology</i> , 2007, 17, 562-568.	3.9	82
106	Neuron-Glia Interactions at the Node of Ranvier. , 2006, 43, 129-149.		9
107	Intrinsic and extrinsic determinants of ion channel localization in neurons. <i>Journal of Neurochemistry</i> , 2006, 98, 1345-1352.	3.9	58
108	Glial regulation of the axonal membrane at nodes of Ranvier. <i>Current Opinion in Neurobiology</i> , 2006, 16, 508-514.	4.2	57

#	ARTICLE	IF	CITATIONS
109	Age-related molecular reorganization at the node of Ranvier. <i>Journal of Comparative Neurology</i> , 2006, 495, 351-362.	1.6	76
110	Chapter 11 Voltage-Gated Potassium Channels in Sensory Neurons. <i>Current Topics in Membranes</i> , 2006, 57, 323-351.	0.9	1
111	Correction: Integrin-linked kinase is required for laminin-2 α -induced oligodendrocyte cell spreading and CNS myelination. <i>Journal of Cell Biology</i> , 2006, 174, 315-315.	5.2	0
112	Early events in node of Ranvier formation during myelination and remyelination in the PNS. <i>Neuron Glia Biology</i> , 2006, 2, 69-79.	1.6	72
113	Spectrins and AnkyrinB Constitute a Specialized Paranodal Cytoskeleton. <i>Journal of Neuroscience</i> , 2006, 26, 5230-5239.	3.6	148
114	Mice with Conditional Inactivation of Fibroblast Growth Factor Receptor-2 Signaling in Oligodendrocytes Have Normal Myelin But Display Dramatic Hyperactivity when Combined with Cnp1 Inactivation. <i>Journal of Neuroscience</i> , 2006, 26, 12339-12350.	3.6	49
115	WAVE1 Is Required for Oligodendrocyte Morphogenesis and Normal CNS Myelination. <i>Journal of Neuroscience</i> , 2006, 26, 5849-5859.	3.6	89
116	CNP is required for maintenance of axon-glia interactions at nodes of Ranvier in the CNS. <i>Glia</i> , 2005, 50, 86-90.	4.9	124
117	Where Is the Spike Generator of the Cochlear Nerve? Voltage-Gated Sodium Channels in the Mouse Cochlea. <i>Journal of Neuroscience</i> , 2005, 25, 6857-6868.	3.6	147
118	Potassium Channel Organization of Myelinated and Demyelinated Axons. , 2005, , 57-67.		6
119	Does Paranode Formation and Maintenance Require Partitioning of Neurofascin 155 into Lipid Rafts?. <i>Journal of Neuroscience</i> , 2004, 24, 3176-3185.	3.6	127
120	β 1 spectrin stabilizes the nodes of Ranvier and axon initial segments. <i>Journal of Cell Biology</i> , 2004, 166, 983-990.	5.2	124
121	β IV Spectrins Are Essential for Membrane Stability and the Molecular Organization of Nodes of Ranvier. <i>Journal of Neuroscience</i> , 2004, 24, 7230-7240.	3.6	125
122	Proteomic mapping provides powerful insights into functional myelin biology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 4643-4648.	7.1	109
123	The myelin-axolemmal complex: biochemical dissection and the role of galactosphingolipids. <i>Journal of Neurochemistry</i> , 2004, 87, 995-1009.	3.9	47
124	It's ?juxta? potassium channel!. <i>Journal of Neuroscience Research</i> , 2004, 76, 749-757.	2.9	74
125	Paranodal transverse bands are required for maintenance but not initiation of Nav1.6 sodium channel clustering in CNS optic nerve axons. <i>Glia</i> , 2003, 44, 173-182.	4.9	31
126	Dysregulation of axonal sodium channel isoforms after adult-onset chronic demyelination. <i>Journal of Neuroscience Research</i> , 2003, 73, 465-470.	2.9	65

#	ARTICLE	IF	CITATIONS
127	Integrin-linked kinase is required for laminin-2 α 1-induced oligodendrocyte cell spreading and CNS myelination. <i>Journal of Cell Biology</i> , 2003, 163, 397-408.	5.2	148
128	Clustering of neuronal potassium channels is independent of their interaction with PSD-95. <i>Journal of Cell Biology</i> , 2002, 159, 663-672.	5.2	79
129	Developmental Clustering of Ion Channels at and near the Node of Ranvier. <i>Developmental Biology</i> , 2001, 236, 5-16.	2.0	129
130	Compact Myelin Dictates the Differential Targeting of Two Sodium Channel Isoforms in the Same Axon. <i>Neuron</i> , 2001, 30, 91-104.	8.1	373
131	Subunit composition and novel localization of K ⁺ channels in spinal cord. <i>Journal of Comparative Neurology</i> , 2001, 429, 166-176.	1.6	64
132	Distinct potassium channels on pain-sensing neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 13373-13378.	7.1	326
133	Ion channel sequestration in central nervous system axons. <i>Journal of Physiology</i> , 2000, 525, 63-73.	2.9	102
134	K ⁺ channel distribution and clustering in developing and hypomyelinated axons of the optic nerve. <i>Journal of Neurocytology</i> , 1999, 28, 319-331.	1.5	100
135	Dependence of Nodal Sodium Channel Clustering on Paranodal Axoglial Contact in the Developing CNS. <i>Journal of Neuroscience</i> , 1999, 19, 7516-7528.	3.6	304
136	Mice Deficient for Tenascin-R Display Alterations of the Extracellular Matrix and Decreased Axonal Conduction Velocities in the CNS. <i>Journal of Neuroscience</i> , 1999, 19, 4245-4262.	3.6	223
137	Nerve Conduction Block by Nitric Oxide That Is Mediated by the Axonal Environment. <i>Journal of Neurophysiology</i> , 1998, 79, 529-536.	1.8	62
138	Potassium Channel Distribution, Clustering, and Function in Remyelinating Rat Axons. <i>Journal of Neuroscience</i> , 1998, 18, 36-47.	3.6	256